



Tribol CW 851D

Hydraulic System Fluid

Description

Tribol™ CW 851D is a hydraulic fluid with high load and friction modifiers. For specific hydraulic applications.

Application

Tribol CW 851D can be used at temperatures up to 82°C / 180°F

Typical Characteristics

Name	Method	Units	Tribol CW 851D
Density @ 15°C / 59°F	ISO 12185 / ASTM D4052	kg/m ³	850
Appearance	Visual	-	Clear dark red liquid
Kinematic Viscosity @ 40°C / 104°F	ISO 3104 / ASTM D445	mm ² /s	33
Kinematic Viscosity @ 100°C / 212°F	ISO 3104 / ASTM D445	mm ² /s	10
Viscosity Index	ISO 2909 / ASTM D2270	-	>290

Subject to usual manufacturing guidelines.

Tribol CW 851D

19 Oct 2022

Castrol, the Castrol logo and related marks are trademarks of Castrol Limited, used under licence.

This data sheet and the information it contains is believed to be accurate as of the date of printing. However, no warranty or representation, express or implied, is made as to its accuracy or completeness. Data provided is based on standard tests under laboratory conditions and is given as a guide only. Users are advised to ensure that they refer to the latest version of this data sheet. It is the responsibility of the user to evaluate and use products safely, to assess suitability for the intended application and to comply with all applicable laws and regulations. Material Safety Data Sheets are available for all our products and should be consulted for appropriate information regarding storage, safe handling, and disposal of the product. No responsibility is taken by either BP plc or its subsidiaries for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from hazards inherent in the nature of the material. All products, services and information supplied are provided under our standard conditions of sale. You should consult our local representative if you require any further information.

Castrol Industrial, Technology Centre, Whitchurch Hill, Pangbourne, Reading, RG8 7QR, United Kingdom

<http://msdspds.castrol.com>