



TECHRON[®] CONCENTRATE PLUS

Complete Fuel System Cleaner

PRODUCT DESCRIPTION

Techron[®] Concentrate Plus is a **Complete Fuel System Cleaner** that works in one tankful. It is formulated for gasoline powered passenger cars and light trucks, including carbureted, two-stroke, port fuel injected and direct injected engines.

CUSTOMER BENEFITS

Techron Concentrate Plus, Complete Fuel System Cleaner, is recommended by many major automakers, the world over. It is an *unsurpassed*, complete fuel system cleaner, that can help:

- Clean deposits from fuel injectors, carburetors, intake valves, and combustion chambers
- Cleans, restores, and protects the entire fuel system, including sulfur-contaminated fuel gauge sensors

One tankful of fuel treated with Techron Concentrate Plus, Complete Fuel System Cleaner, can help:

- **Maximize fuel economy¹**
- **Restore lost power and performance**
- **Restore and protect operation of the fuel gauge sensor**
- **Minimize harmful exhaust emissions**
- **Relieve cold start problems**
- **Minimize deposit-related knock and ping**
- **Restore lost acceleration**
- **Remove deposits from two-stroke engines²**

1 Restores lost fuel economy by removing harmful fuel injector and intake valve deposits.

2 Treat fuel at 1 ounce per gallon (30 ml per 3.78 L).

Product(s) manufactured in the USA.

Always confirm that the product selected is consistent with the original equipment manufacturer's recommendation for the equipment operating conditions and customer's maintenance practices.

A **Chevron** company product

14 April 2015

FA-41

© 2007-2015 Chevron U.S.A. Inc. All rights reserved.

Chevron, the Chevron Hallmark and Techron are trademarks owned by Chevron Intellectual Property LLC. All other trademarks are property of their respective owners.

APPLICATIONS

Techron® Concentrate Plus, Complete Fuel System Cleaner, is designed for gasoline carbureted or fuel injected spark ignition engines. To keep the entire fuel system clean, use Techron Concentrate Plus, Complete Fuel System Cleaner, every 3,000 miles (4,800 km) or at scheduled oil change intervals, not to exceed twice per oil change.

Recommended for use in:

- Spark ignition engines with gasoline, ethanol and gasoline/ethanol blends
- Direct injected gasoline engines (DISI)
- Gasoline hybrid vehicles

Suitable for use in:

- Gasoline two-stroke air-cooled engines (motorcycle or chainsaw)
- Gasoline two-stroke water-cooled engines (motorcycle or marine)
- Gasoline four-stroke lawnmower, motorcycle and marine engines

Will not harm catalytic converters and oxygen sensors.

Not recommended for diesel engines.

PRODUCT AND SDS NUMBERS

<i>Product Number</i>	<i>266701</i>
<i>SDS Number</i>	<i>36726</i>

Always confirm that the product selected is consistent with the original equipment manufacturer's recommendation for the equipment operating conditions and customer's maintenance practices.