

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 3/11/2021 Revision date: 6/14/2024 Supersedes: 3/18/2022 Version: 1.5

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Trade name : HPHT™ THREAD COMPOUND

Product code : J364

1.2. Recommended use and restrictions on use

No additional information available

1.3. Supplier

Manufacturer

Whitmore Manufacturing LLC 930 Whitmore Drive Rockwall, Texas, 75087 USA

T 1.972.771.1000

Regulatory@whitmores.com - www.jetlube.com

1.4. Emergency telephone number

Emergency number : For Chemical Emergency Call Ricardo Emergency Response 24hr/day 7days/week

Within USA and Canada: +1.215.207.0061 Outside USA and Canada: +44.1235.239670

(collect calls accepted)

Country/Area	Organization/Company	Address	Emergency number	Comment
United States	Ricardo-United States		+1.866.928.0789 (toll-free, US only)	

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Skin corrosion/irritation Category 2 H315 Causes skin irritation
Serious eye damage/eye irritation Category 1 H318 Causes serious eye damage

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)



Signal word (GHS US) : Danger

Hazard statements (GHS US) : H315 - Causes skin irritation H318 - Causes serious eye damage

: P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - If on skin: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a poison center or doctor.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P332+P313 - If skin irritation occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

2.3. Other hazards which do not result in classification

No additional information available

Precautionary statements (GHS US)

2.4. Unknown acute toxicity (GHS US)

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
1-decene, dimer, hydrogenated	CAS-No.: 68649-11-6	10 – 20	Acute Tox. 4 (Inhalation), H332 Asp. Tox. 1, H304
calcium sulfate	CAS-No.: 7778-18-9	5 – 10	Acute Tox. 4 (Oral), H302
petroleum crude oil, having a flashpoint > or = 23°C and < or = 60°C	CAS-No.: 8002-05-9	2-5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2B, H320
calcium oxide	CAS-No.: 1305-78-8	4.7334 – 4.83	Skin Corr. 1, H314 Eye Dam. 1, H318

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get

medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : Dust of the product, if present, may cause respiratory irritation after an excessive inhalation

exposure. Although no appropriate human or animal health effects data are known to exist, this

material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : Irritation.

Symptoms/effects after eye contact : Serious damage to eyes.
Symptoms/effects after ingestion : None under normal conditions.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard : No fire hazard.

Explosion hazard : No direct explosion hazard.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-

damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Exercise caution. Spill area may be slippery. Avoid contact with skin and eyes.

6/14/2024 (Revision date) US - en 2/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

: Using a clean shovel, put the material in a dry container and cover without compressing it. For containment

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal

protective equipment.

: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Hygiene measures

Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Keep cool. Protect from sunlight.

Packaging materials : Store always product in container of same material as original container.

SECTION 8: Exposure controls/personal protection 8.1. Control parameters

calcium sulfate (7778-18-9)

Local name

ACGIH OEL TWA

USA - ACGIH - Occupational Exposure Limi	JSA - ACC	H - Occupa	ational Exp	osure Limit
--	-----------	------------	-------------	-------------

Remark (ACGIH)	TLV® Basis: Nasal symptoms
Regulatory reference	ACGIH 2021
USA - OSHA - Occupational Exposure Limits	
Local name	Calcium sulfate
OSHA PEL TWA	15 mg/m³ (Total dust) 5 mg/m³ (Respirable fraction)
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

10 mg/m3 (I - Inhalable particulate matter)

Calcium sulfate, the anhydrate

calcium oxide (1305-78-8)

USA - ACGIH - Occupational Exposure Limits

Local name	Calcium oxide	
ACGIH OEL TWA	2 mg/m³	
Remark (ACGIH)	TLV® Basis: URT irr	
Regulatory reference	ACGIH 2021	
USA - OSHA - Occupational Exposure Limits		

Local name	Calcium oxide
OSHA PEL TWA	5 mg/m³
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Appropriate engineering controls

Appropriate engineering controls : No special respiratory protection equipment is recommended under normal conditions of use

with adequate ventilation. Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Materials for protective clothing:

Wear protective clothing

Hand protection:

Neoprene or nitrile rubber gloves

Туре	Material	Permeation	Thickness (mm)	Penetration
Disposable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR)	2 (> 30 minutes)	0.3 mm - 0.6 mm	

Eye protection:

Wear eye protection

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

No respiratory protection needed under normal use conditions

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : Paste.
Color : Black

Odor : petroleum-like odor
Odor threshold : No data available
pH : No data available
Melting point : No data available
Freezing point : No data available
Boiling point : No data available

Flash point : > 288 °C

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Non flammable. Vapor pressure : No data available Relative vapor density at 20°C : No data available Relative density : No data available Solubility : insoluble in water. Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity, kinematic $: > 25 \text{ mm}^2/\text{s}$ Viscosity, dynamic : No data available Explosion limits : No data available : No data available Explosive properties Oxidizing properties : No data available

9.2. Other information

VOC content : < 0.1 %

6/14/2024 (Revision date) US - en 4/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: Stability and reactivity

10.1. Reactivity

рΗ

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (inhalation)	Not classified
1-decene, dimer, hydrogenated (68649-11-6)	
LD50 oral rat	> 5000 mg/kg body weight (Equivalent or similar to OECD 423, Rat, Male / female, Readacross, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
calcium sulfate (7778-18-9)	
LD50 oral rat	> 1581 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)
LC50 Inhalation - Rat	> 3.26 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
ATE US (oral)	500 mg/kg body weight
calcium oxide (1305-78-8)	
LD50 oral rat	> 2000 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)
LD50 oral	5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg body weight Animal: rabbit, Guideline: other:US Federal Register 38: 187, Part 1500, Section 41, 1973.
ATE US (oral)	5000 mg/kg body weight
Skin corrosion/irritation :	Causes skin irritation.
calcium sulfate (7778-18-9)	
рН	6 – 7.6 (20 %)
calcium oxide (1305-78-8)	
рН	12.8 Temp.: 25 °C Concentration: 1,65 g/L
Serious eye damage/irritation :	Causes serious eye damage.
calcium sulfate (7778-18-9)	

6 - 7.6 (20 %)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

calcium oxide (1305-78-8)	
рН	12.8 Temp.: 25 °C Concentration: 1,65 g/L
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
calcium sulfate (7778-18-9)	
NOAEL (chronic,oral,animal/male,2 years)	256 mg/kg body weight Animal: rat, Animal sex: male, Guideline: other:No data, Remarks on results: other:Effect type: carcinogenicity (migrated information)
NOAEL (chronic,oral,animal/female,2 years)	284 mg/kg body weight Animal: rat, Animal sex: female, Guideline: other:No data, Remarks on results: other:Effect type: carcinogenicity (migrated information)
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
calcium sulfate (7778-18-9)	
LOAEL (oral,rat,90 days)	237 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
NOAEL (oral,rat,90 days)	79 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
calcium oxide (1305-78-8)	
LOAEL (oral,rat,90 days)	300 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
NOAEC (inhalation,rat,dust/mist/fume,90 days)	0.413 mg/l air Animal: rat, Animal sex: male, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)
Aspiration hazard	: Not classified
Viscosity, kinematic	$: > 25 \text{ mm}^2/\text{s}$
calcium oxide (1305-78-8)	
Viscosity, kinematic	230.303 mm²/s
Symptoms/effects after inhalation	: Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure. Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: None under normal conditions.
SECTION 12: Ecological information 12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
HPHT™ THREAD COMPOUND	
LC50 - Fish [1]	> 1000 mg/l
E050 0 0 141	047.0

HPHT™ THREAD COMPOUND		
LC50 - Fish [1]	> 1000 mg/l	
EC50 - Crustacea [1]	247.2 mg/l	
NOEC chronic fish	1000 mg/l	
NOEC chronic crustacea	160 mg/l	
NOEC chronic algae	500 mg/l	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

calcium sulfate (7778-18-9)				
LC50 - Fish [1]	> 79 mg/l Test organisms (species): Oryzias latipes			
EC50 72h - Algae [1]	> 79 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)			
EC50 96h - Algae [1]	3200 mg/l Source: ECOTOX			
calcium oxide (1305-78-8)				
LC50 - Fish [1]	387 mg/l Test organisms (species): Poecilia reticulata			
EC50 - Crustacea [1]	≥ 159.6 mg/l (EPA OPP 72-2, 24 h, Crustacea, Static system, Fresh water, Experimental value, Lethal)			
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)			
EC50 96h - Algae [1]	1130.3 mg/l Test organisms (species): Navicula seminulum			
NOEC chronic fish	100 mg/l Test organisms (species): other:Tilapia nilotica Duration: '46 d'			
12.2. Persistence and degradability				
HPHT™ THREAD COMPOUND				
Persistence and degradability	Inherently biodegradable.			
1-decene, dimer, hydrogenated (68649-11-6)				
Persistence and degradability	Biodegradability in soil: no data available, Biodegradability in water: no data available.			
calcium sulfate (7778-18-9)				
Persistence and degradability	Not rapidly degradable			
Chemical oxygen demand (COD)	Not applicable			
ThOD	Not applicable			
SOD (% of ThOD) Not applicable				
petroleum crude oil, having a flashpoint > or = 23°C and < or = 60°C (8002-05-9)				
Persistence and degradability	Not rapidly degradable			
calcium oxide (1305-78-8)				
Persistence and degradability	Biodegradability: not applicable.			
Chemical oxygen demand (COD)	Not applicable			
ThOD	Not applicable			
12.3. Bioaccumulative potential				
HPHT™ THREAD COMPOUND				
Bioaccumulative potential	Bioaccumulation unlikely.			
1-decene, dimer, hydrogenated (68649-11-6)				
Bioaccumulative potential	No bioaccumulation data available.			
calcium sulfate (7778-18-9)				
Bioaccumulative potential	No bioaccumulation data available.			
12.4. Mobility in soil				
calcium oxide (1305-78-8)				
Ecology - soil	No (test) data on mobility of the substance available.			
12.5. Other adverse effects				

12.5. Other adverse effects

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Disposal must be done according to official regulations.

Product/Packaging disposal recommendations : Comply with applicable regulations for solid waste disposal. Disposal must be done according to

official regulations.

Additional information : Do not re-use empty containers.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	IATA			
14.1. UN number						
Not regulated for transport						
14.2. Proper Shipping Name						
Not regulated	Not regulated	Not regulated	Not regulated			
14.3. Transport hazard class(es)						
Not regulated	Not regulated	Not regulated	Not regulated			
14.4. Packing group						
Not regulated	Not regulated	Not regulated	Not regulated			
14.5. Environmental hazards						
Not regulated	Not regulated	Not regulated	Not regulated			
No supplementary information available						

14.6. Special precautions for user

DOT

Not regulated

TDG

Not regulated

IMDG

Not regulated

IATA

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

CANADA

1-decene, dimer, hydrogenated (68649-11-6)

Listed on the Canadian DSL (Domestic Substances List)

calcium sulfate (7778-18-9)

Listed on the Canadian DSL (Domestic Substances List)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

petroleum crude oil, having a flashpoint > or = 23°C and < or = 60°C (8002-05-9)

Listed on the Canadian DSL (Domestic Substances List)

calcium oxide (1305-78-8)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

1-decene, dimer, hydrogenated (68649-11-6)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

calcium sulfate (7778-18-9)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

petroleum crude oil, having a flashpoint > or = 23°C and < or = 60°C (8002-05-9)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

calcium oxide (1305-78-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

1-decene, dimer, hydrogenated (68649-11-6)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECI (Korean Existing Chemicals Inventory)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

calcium sulfate (7778-18-9)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECI (Korean Existing Chemicals Inventory)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

petroleum crude oil, having a flashpoint > or = 23°C and < or = 60°C (8002-05-9)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECI (Korean Existing Chemicals Inventory)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

calcium oxide (1305-78-8)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECI (Korean Existing Chemicals Inventory)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

6/14/2024 (Revision date) US - en 9/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

MARNING:

This product can expose you to Quartz, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Component	State or local regulations
calcium sulfate(7778-18-9)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
calcium oxide(1305-78-8)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List
polytetrafluoroethylene(9002-84-0)	U.S Pennsylvania - RTK (Right to Know) List
chalk(1317-65-3)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
graphite(7782-42-5)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
1,2-propanediol(57-55-6)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
quartz, 1%≤conc respirable crystalline silica<10%(14808-60-7)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
magnesium oxide(1309-48-4)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List
calcium carbonate(471-34-1)	U.S Massachusetts - Right To Know List
oleic acid(112-80-1)	U.S Pennsylvania - RTK (Right to Know) List
Chalk(1317-65-3)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
silicon dioxide, amorphous(7631-86-9)	U.S Massachusetts - Right To Know List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 6/14/2024

Full text of hazard classes and H-statements	
H226	Flammable liquid and vapor
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H320	Causes eye irritation
H332	Harmful if inhaled

Safety Data Sheet (SDS), USA

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.