

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 11/23/2022 Revision date: 3/25/2025 Supersedes: 10/11/2024 Version: 2.0

## **SECTION 1 Identification**

#### 1.1. Product identifier

Product form : Mixture

Trade name : PS TERMINAL™ AEROSOL

Vaporizer : Aerosol

#### 1.2. Other means of identification

No additional information available

### 1.3. Recommended use of the chemical and restrictions on use

No additional information available

#### 1.4. Supplier's details

#### Supplier

Whitmore Manufacturing LLC 930 Whitmore Drive Rockwall, Texas, 75087 USA

T 1.972.771.1000

Regulatory@whitmores.com - www.jetlube.com

#### 1.5. Emergency phone number

Emergency number : For Chemical Emergency Call Ricardo Emergency Response 24hr/day 7days/week

Within USA and Canada: +1.215.207.0061 Outside USA and Canada: +44.1235.239670

(collect calls accepted)

Country/Area	Organization/Company	Address	Emergency number	Comment
United States	Ricardo-United States		+1.866.928.0789 (toll-free, US only)	

#### **SECTION 2 Hazard Identification**

## 2.1. Classification of the substance or mixture

## GHS US classification

Aerosol, Category 1	H222;H229	Extremely flammable aerosol. Pressurized container; may burst if heated.
Serious eye damage/eye irritation, Category 2A	H319	Causes serious eye irritation.
Reproductive toxicity, Category 2	H361	Suspected of damaging fertility or the unborn child.
Specific target organ toxicity — Repeated exposure, Category 1	H372	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard, Category 1	H304	May be fatal if swallowed and enters airways.
Full toyt of LI statements ages section 16		

#### Full text of H statements : see section 16

#### 2.2. Label elements

#### **GHS US labeling**

Hazard pictograms (GHS US)







Signal word (GHS US) : Danger

Hazard statements (GHS US) : H222 - Extremely flammable aerosol

H229 - Pressurized container; may burst if heated H304 - May be fatal if swallowed and enters airways

H319 - Causes serious eye irritation

H361 - Suspected of damaging fertility or the unborn child

H372 - Causes damage to organs through prolonged or repeated exposure

Precautionary statements (GHS US) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use.

P260 - Do not breathe dust, fume, gas, mist, vapors, spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P280 - Wear protective gloves, protective clothing, eye protection, face protection, and hearing

protection.

P301+P310 - If swallowed: Immediately call a poison center or doctor.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P308+P313 - If exposed or concerned: Get medical advice/attention.

P314 - Get medical advice or attention if you feel unwell.

P331 - Do NOT induce vomiting.

P337+P313 - If eye irritation persists: Get medical advice or attention.

P405 - Store locked up.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 122 °F (50 °C). P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

#### 2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

### 2.4. Hazards not otherwise classified

No additional information available

#### 2.5. Unknown acute toxicity

No additional information available

## **SECTION 3 Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
Trans-DICHLOROETHYLENE (Note C)	CAS-No.: 156-60-5	7 – 13	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332
Hexane	CAS-No.: 110-54-3	1 – 5	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 STOT RE 1, H372 Asp. Tox. 1, H304

Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

Full text of hazard classes and H-statements : see section 16

## **SECTION 4 First aid measures**

## 4.1. Description of necessary first-aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Do not induce vomiting. Call a physician immediately.

## 4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after eye contact : Eye irritation.

Symptoms/effects after ingestion : Risk of lung edema.

## 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment : Treat symptomatically.

### **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

3/25/2025 (Revision date) US - en 2/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take

: Do not attempt to take action without suitable protective equipment. Self-contained breathing

## apparatus. Complete protective clothing.

#### **SECTION 6 Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Emergency procedures : Exercise caution. Spill area may be slippery. Do not breathe dust/fume/gas/mist/vapors/spray.

Avoid contact with skin and eyes.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

Environmental precautions : Avoid release to the environment.

6.2. Methods and materials for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters

Other information : Dispose of materials or solid residues at an authorized site.

For further information refer to section 13

## **SECTION 7 Handling and storage**

# 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not

handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

# **SECTION 8 Exposure controls/personal protection**

## 8.1. Control parameters

Trans-DICHLOROETHYLENE (156-60-5)		
USA - ACGIH - Occupational Exposure Limits		
Local name	1,2-Dichloroethylene, trans-isomer	
ACGIH OEL TWA	200 ppm	
Remark (ACGIH)	TLV® Basis: CNS impair; eye irr	
Regulatory reference	ACGIH 2021	
Hexane (110-54-3)		
USA - ACGIH - Occupational Exposure Limits		
Local name	n-Hexane	
ACGIH OEL TWA	50 ppm	
Remark (ACGIH)	TLV® Basis: CNS impair; peripheral neuropathy; eye irr. Notations: Skin; BEI	
Regulatory reference	ACGIH 2021	
USA - OSHA - Occupational Exposure Limits		
Local name	n-Hexane	

3/25/2025 (Revision date) US - en 3/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hexane (110-54-3)	
OSHA PEL TWA	1800 mg/m³
	500 ppm
Regulatory reference (US-OSHA) OSHA Annotated Table Z-1	

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures, such as personal protective equipment

#### Materials for protective clothing:

Wear protective clothing

#### Hand protection:

Neoprene or nitrile rubber gloves

Туре	Material	Permeation	Thickness (mm)	Penetration
Disposable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR)	2 (> 30 minutes)	0.3 mm - 0.6 mm	

#### Eye protection:

Wear eye protection

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

### **SECTION 9 Physical and chemical properties**

## 9.1. Basic physical and chemical properties

Physical state : Liquid Appearance : Aerosol. Color : Colorless Odor : solvent-like Odor threshold : No data available : No data available рΗ Melting point : Not applicable Freezing point : No data available

Boiling point : 41 °C

Flash point : No data available
Flammability (solid, gas) : Not flammable.

Vapor pressure : 347.97 mbar @ 25°C

Relative vapor density at 20°C : 3.7

Relative density : No data available Solubility : insoluble in water. Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity, kinematic : No data available **Explosion limits** : No data available Particle characteristics : No data available

## 9.2. Data relevant with regard to physical hazard classes (supplemental)

VOC content : 20.16 % Theoretical value

3/25/2025 (Revision date) US - en 4/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 10 Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11 Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

<b>Trans-DICHLOROETHYLENE (156-6</b>	0-5)
LD50 oral rat	7902 – 9939 mg/kg body weight (Equivalent or similar to OECD 420, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 oral	1235 mg/kg
LD50 dermal rabbit	> 5000 mg/kg (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	96.943 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
ATE US (oral)	1235 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
Hexane (110-54-3)	
LD50 oral rat	16000 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral)
LD50 dermal rat	> 2000 mg/kg Source: ECHA
LD50 dermal rabbit	> 3350 mg/kg body weight (Equivalent or similar to OECD 402, 4 h, Rabbit, Male, Read-across, Dermal)
LC50 Inhalation - Rat [ppm]	> 5000 ppm (Equivalent or similar to OECD 403, 24 h, Rat, Male, Experimental value, Inhalation (vapours))
LC50 Inhalation - Rat (Vapors)	169 mg/l/4h
ATE US (oral)	16000 mg/kg body weight
ATE US (vapors)	169 mg/l/4h
Skin corrosion/irritation	: Not classified

Hexane (110-54-3)	
Н	7 (0.01 g/l, 25 °C)

Serious eye damage/irritation : Causes serious eye irritation.

Hexane (110-54-3)	
pH	7 (0.01 g/l, 25 °C)

3/25/2025 (Revision date) US - en 5/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Suspected of damaging fertility or the unborn child.

STOT-single exposure : Not classified

Hexane (110-54-3)
STOT-single exposure May cause drowsiness or dizziness.

STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure.

Hexane (110-54-3)

STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : May be fatal if swallowed and enters airways.

PS TERMINAL™ AEROSOL

Vaporizer Aerosol

Hexane (110-54-3)

Viscosity, kinematic 0.455 mm²/s (20 °C)

Symptoms/effects after eye contact : Eye irritation.

Symptoms/effects after ingestion : Risk of lung edema.

# **SECTION 12 Ecological information**

12.1. Ecotoxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

(acute

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

Trans-DICHLOROETHYLENE (156-60-5)		
LC50 - Fish [1]	135 mg/l (96 h, Lepomis macrochirus, Static system, Fresh water, Experimental value, Nominal concentration)	
EC50 - Crustacea [1]	220 mg/l	
EC50 72h - Algae [1]	36.36 mg/l Source: ECHA	
Hexane (110-54-3)		
LC50 - Fish [1]	> 1 mg/l Source: ECHA	
EC50 - Crustacea [1]	3.88 mg/l	

## 12.2. Persistence and degradability

PS TERMINAL™ AEROSOL		
Persistence and degradability	Not rapidly degradable	
Trans-DICHLOROETHYLENE (156-60-5)		
Persistence and degradability Readily biodegradable in water.		
Hexane (110-54-3)		
Persistence and degradability Biodegradable in the soil, Readily biodegradable in water.		
ThOD 3.52 g O <sub>2</sub> /g substance		

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3. Bioaccumul	ative potential
------------------	-----------------

Trans-DICHLOROETHYLENE (156-60-5)			
2.06 (Experimental value)			
Low potential for bioaccumulation (Log Kow < 4).			
501.187 (Other, Pimephales promelas, QSAR)			
4 (Experimental value, Equivalent or similar to OECD 107, 20 °C)			
Potential for bioaccumulation (500 ≤ BCF ≤ 5000).			

12.4. Mobility in soil

Trans-DICHLOROETHYLENE (156-60-5)			
Surface tension	0.025 N/m (20 °C)		
Ecology - soil	No (test) data on mobility of the substance available.		
Hexane (110-54-3)			
Mobility in soil	2187.76 Source: ECHA		
Surface tension	0.018 N/m (25 °C, 1 g/l)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.34 (log Koc, QSAR)		
Ecology - soil	Low potential for mobility in soil.		

12.5. Other adverse effects

Ozone : Not classified

Fluorinated greenhouse gases : No

# **SECTION 13 Disposal considerations**

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

# **SECTION 14 Transport information**

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	IATA
14.1. UN number			
UN1950	UN1950	1950	1950
14.2. Proper Shipping Name			
Aerosols, flammable, n.o.s. (MIXTURE)	AEROSOLS (MIXTURE)	AEROSOLS (MIXTURE)	Aerosols, flammable (MIXTURE)
Transport document description			
UN1950 Aerosols, flammable, n.o.s. (MIXTURE), 2.1	UN1950 AEROSOLS (MIXTURE), 2.1	UN 1950 AEROSOLS (MIXTURE), 2.1	UN 1950 Aerosols, flammable (MIXTURE), 2.1
14.3. Transport hazard class(es	3)		
2.1	2.1	2.1	2.1
FLAMMABLE GAS	2	2	3
14.4. Packing group		'	
Not applicable	Not applicable	Not applicable	Not applicable

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT	TDG	IMDG	IATA	
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	
No supplementary information available				

#### 14.6. Transport in bulk

Not applicable

## 14.7. Special precautions for user

**DOT** 

: UN1950 UN-No. (DOT)

DOT Special Provisions (49 CFR 172.102) : N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols.

DOT Packaging Exceptions (49 CFR 173.xxx) DOT Packaging Non Bulk (49 CFR 173.xxx) : 304 DOT Quantity Limitations Passenger aircraft/rail : Forbidden (49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49

CFR 175.75)

: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a **DOT Vessel Stowage Location** 

passenger vessel.

: 150 kg

: 25 - Protected from sources of heat,87 - Stow "separated from" Class 1 (explosives) except **DOT Vessel Stowage Other** 

Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials

**TDG** 

: UN1950 UN-No. (TDG)

**TDG Special Provisions** : 80 - Despite section 1.17 of Part 1 (Coming into Force, Repeal, Interpretation, General

Provisions and Special Cases), a person must not offer for transport or transport these dangerous goods unless they are in a means of containment that is in compliance with the requirements for transporting gases in Part 5 (Means of Containment), 107 - (1) These Regulations, except for Parts 1 and 2, do not apply to the offering for transport, handling or transport of UN1950, AEROSOLS, and UN2037, GAS CARTRIDGES, that contain dangerous goods included in Class 2.1 or Class 2.2 and that are transported on a road vehicle, a railway vehicle or a vessel on a domestic voyage, if the aerosols or gas cartridges have a capacity less

than or equal to 50 mL.

(2) Subsection (1) does not apply to self-defence spray.

**Explosive Limit and Limited Quantity Index** : 1 L Excepted quantities (TDG) : E0 Passenger Carrying Road Vehicle or Passenger

Carrying Railway Vehicle Index

: 75 L

**IMDG** 

Special provision (IMDG) : 63, 190, 277, 327, 344, 381, 959

Limited quantities (IMDG) : SP277 Excepted quantities (IMDG) : E0

Packing instructions (IMDG) : P207, LP200 Packing provisions (IMDG) : PP87, L2

EmS-No. (Fire) : F-D - FIRE SCHEDULE Delta - FLAMMABLE GASES

EmS-No. (Spillage) : S-U - SPILLAGE SCHEDULE Uniform - GASES (FLAMMABLE, TOXIC OR CORROSIVE)

Stowage category (IMDG) : None Stowage and handling (IMDG) : SW1, SW22 Segregation (IMDG) : SG69

IATA

Special provision (IATA) : A145, A167, A802

PCA Excepted quantities (IATA) : E0 PCA Limited quantities (IATA) : Y203

3/25/2025 (Revision date) US - en 8/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg
ERG code (IATA) : 10L

## **SECTION 15 Regulatory information**

#### 15.1. Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Contains chemical(s) subject to TSCA 12b export notification if product is shipped outside the U.S

Trans-DICHLOROETHYLENE CAS-No. 156-60-5 7 – 13%

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Hexane CAS-No. 110-54-3 1 – 5%

#### **Trans-DICHLOROETHYLENE (156-60-5)**

CERCLA RQ 1000 lb

#### Hexane (110-54-3)

Listed on EPA Hazardous Air Pollutant (HAPS)

CERCLA RQ 5000 lb

## 15.2. International regulations

## CANADA

## **Trans-DICHLOROETHYLENE (156-60-5)**

Listed on the Canadian DSL (Domestic Substances List)

## Hexane (110-54-3)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

## **Trans-DICHLOROETHYLENE (156-60-5)**

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### Hexane (110-54-3)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### National regulations

### **Trans-DICHLOROETHYLENE (156-60-5)**

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECI (Korean Existing Chemicals Inventory)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Hexane (110-54-3)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECI (Korean Existing Chemicals Inventory)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

## 15.3. State regulations

MARNING:

This product can expose you to Hexane, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Component	State or local regulations
Trans-DICHLOROETHYLENE(156-60-5)	U.S Delaware - Pollutant Discharge Requirements - Reportable Quantities; U.S Massachusetts - Right To Know List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List
Ethanol(64-17-5)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List
Hexane(110-54-3)	U.S Delaware - Pollutant Discharge Requirements - Reportable Quantities; U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List

#### **SECTION 16 Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 3/25/2025 Issue date : 11/23/2022

Full text of hazard classes and H-statements			
H222	Extremely flammable aerosol		
H225	Highly flammable liquid and vapor		
H229	Pressurized container; may burst if heated		
H302	Harmful if swallowed		
H304	May be fatal if swallowed and enters airways		
H315	Causes skin irritation		
H319	Causes serious eye irritation		
H332	Harmful if inhaled		
H336	May cause drowsiness or dizziness		
H361	Suspected of damaging fertility or the unborn child		
H372	Causes damage to organs through prolonged or repeated exposure		

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.