

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 5/11/2021 Revision date: 9/27/2024 Supersedes: 6/17/2024 Version: 3.2

## **SECTION 1: Identification**

1.1. Identification

Product form : Mixture

Trade name : EZY OPEN VALVE PENETRANT

Product code : J990

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Industrial Recommended use : Industrial

#### 1.3. Supplier

#### Manufacturer

Whitmore Manufacturing LLC 930 Whitmore Drive Rockwall, Texas, 75087 LISA

T 1.972.771.1000

Regulatory@whitmores.com - www.jetlube.com

#### 1.4. Emergency telephone number

Emergency number : For Chemical Emergency Call Ricardo Emergency Response 24hr/day 7days/week

Within USA and Canada: +1.215.207.0061 Outside USA and Canada: +44.1235.239670

(collect calls accepted)

Country/Area	Organization/Company	Address	Emergency number	Comment
United States	Ricardo-United States		+1.866.928.0789 (toll-free, US only)	

#### SECTION 2: Hazard(s) identification

### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Skin corrosion/irritation Category 2 H315 Causes skin irritation
Serious eye damage/eye irritation Category 2 H319 Causes serious eye irritation

Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

#### **GHS US labeling**

Hazard pictograms (GHS US)



Signal word (GHS US) : Warning

Hazard statements (GHS US) : H315 - Causes skin irritation

H319 - Causes serious eye irritation

Precautionary statements (GHS US) : P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - If on skin: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

#### 2.3. Other hazards which do not result in classification

No additional information available

## 2.4. Unknown acute toxicity (GHS US)

No additional information available

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
2-methylpentane-2,4-diol	CAS-No.: 107-41-5	20 – 40	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319
N-methyl-2-pyrrolidone	CAS-No.: 872-50-4	10 – 20	Flam. Liq. 4, H227 Eye Irrit. 2, H319 STOT SE 3, H335
distillates, hydrotreated light	CAS-No.: 64742-47-8	2-5	Flam. Liq. 3, H226 Asp. Tox. 1, H304

Full text of hazard classes and H-statements: see section 16

#### **SECTION 4: First-aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get

medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Irritation.
Symptoms/effects after eye contact : Eye irritation.

#### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

#### **SECTION 5: Fire-fighting measures**

## 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

#### 5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Exercise caution. Spill area may be slippery. Avoid contact with skin and eyes.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

9/27/2024 (Revision date) US - en 2/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal

protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

2-methylpentane-2,4-diol (107-41-5)		
USA - ACGIH - Occupational Exposure Limits		
Local name Hexylene glycol		
ACGIH OEL TWA	25 ppm (V - Vapor fraction)	
ACGIH OEL STEL 10 mg/m³ (I - Inhalable particulate matter, H - Aerosol only)		
	50 ppm (V - Vapor fraction)	
Remark (ACGIH)	mark (ACGIH) TLV® Basis: Eye & URT irr	
Regulatory reference	ACGIH 2021	

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

## 8.3. Individual protection measures/Personal protective equipment

#### Materials for protective clothing:

Wear protective clothing

#### Hand protection:

Neoprene or nitrile rubber gloves

Туре	Material	Permeation	Thickness (mm)	Penetration
Disposable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR)	2 (> 30 minutes)	0.3 mm - 0.6 mm	

#### Eye protection:

Wear eye protection

#### Skin and body protection:

Wear suitable protective clothing

## Respiratory protection:

No respiratory protection needed under normal use conditions

### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : Paste.
Color : amber
Odor : Mild odor
Odor threshold : No data a

Odor threshold : No data available pH : No data available Melting point : No data available Freezing point : Not applicable

9/27/2024 (Revision date) US - en 3/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Boiling point : No data available Flash point : > 91 °C Open cup Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available Vapor pressure : No data available Relative vapor density at 20°C : No data available Relative density : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : Not applicable Decomposition temperature : No data available Viscosity, kinematic : > 22 mm<sup>2</sup>/s @ 40 °C Viscosity, dynamic : No data available **Explosion limits** : Not applicable Explosive properties : No data available : No data available Oxidizing properties

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

distillates, hydrotreated light (64742-47-8)		
LD50 oral rat	> 5000 mg/kg body weight Animal: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)	
LD50 dermal rabbit	> 2000 mg/kg body weight Animal: rabbit, Guideline: EPA OTS 798.1100 (Acute Dermal Toxicity), Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LC50 Inhalation - Rat	> 5.28 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), 95% CL: 0,42 -	
N-methyl-2-pyrrolidone (872-50-4)		
LD50 oral rat	4150 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 3100 - 5560	
LD50 dermal rat	> 5000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LC50 Inhalation - Rat	> 5.1 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)	
LC50 Inhalation - Rat (Dust/Mist)	> 5.1 mg/l Source: ECHA	
ATE US (oral)	4150 mg/kg body weight	

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-methylpentane-2,4-diol (107-41-5)		
LD50 oral rat	> 2000 mg/kg body weight (OECD 420: Acute Oral toxicity – Acute Toxic Class Method, Rat, Male / female, Experimental value, Oral, 15 day(s))	
LD50 oral	3680 mg/kg	
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 15 day(s))	
LC50 Inhalation - Rat	> 55 mg/l (Equivalent or similar to OECD 403, 8 h, Rat, Male, Experimental value, Inhalation (vapours), 14 day(s))	
ATE US (oral)	3680 mg/kg body weight	
Skin corrosion/irritation	: Causes skin irritation.	
N-methyl-2-pyrrolidone (872-50-4)		
рН	8 – 10 (10 %)	
Serious eye damage/irritation	: Causes serious eye irritation.	
N-methyl-2-pyrrolidone (872-50-4)		
рН	8 – 10 (10 %)	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
N-methyl-2-pyrrolidone (872-50-4)		
NOAEL (chronic,oral,animal/male,2 years)	≈ 89 mg/kg body weight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 451 (Carcinogenicity Studies), Guideline: EU Method B.32 (Carcinogenicity Test), Guideline: EPA OTS 798.3300 (Carcinogenicity), Remarks on results: other:Effect type: toxicity (migrated information)	
NOAEL (chronic,oral,animal/female,2 years)	≈ 221 mg/kg body weight Animal: mouse, Animal sex: female, Guideline: OECD Guideline 45 (Carcinogenicity Studies), Guideline: EU Method B.32 (Carcinogenicity Test), Guideline: EPA OTS 798.3300 (Carcinogenicity), Remarks on results: other:Effect type: toxicity (migrated information)	
Reproductive toxicity	: Not classified	
distillates, hydrotreated light (64742-47-8	)	
NOAEL (animal/male, F0/P)	≥ 3000 mg/kg body weight Animal: rat, Animal sex: male	
2-methylpentane-2,4-diol (107-41-5)		
LOAEL (animal/male, F0/P)	500 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test), Guideline: other:Commission Regulation (EC) No. 440/2008, Part B.3, 30 May 2008	
NOAEL (animal/male, F0/P)	200 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test), Guideline: other:Commission Regulation (EC) No. 440/2008, Part B.3, 30 May 2008	
NOAEL (animal/female, F0/P)	≥ 1000 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test), Guideline: other:Commission Regulation (EC) No. 440/2008, Part B.3, 30 May 2008	
STOT-single exposure	: Not classified	
N-methyl-2-pyrrolidone (872-50-4)		
STOT-single exposure	May cause respiratory irritation.	
STOT-repeated exposure	: Not classified	
distillates, hydrotreated light (64742-47-8	)	
NOAEL (oral,rat,90 days)	750 mg/kg body weight Animal: rat, Animal sex: female	
NOAEC (inhalation,rat,vapor,90 days)	≥ 0.024 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 25 Day Study)	

9/27/2024 (Revision date) US - en 5/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

N-methyl-2-pyrrolidone (872-50-4)			
LOAEC (inhalation, rat, dust/mist/fume, 90 days)	ays) 1 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Da Study)		
NOAEL (dermal,rat/rabbit,90 days)	826 mg/kg body weight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)		
NOAEC (inhalation,rat,dust/mist/fume,90 days)	0.5 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)		
2-methylpentane-2,4-diol (107-41-5)			
NOAEL (oral,rat,90 days)	450 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)		
Aspiration hazard	ration hazard : Not classified		
Viscosity, kinematic	: > 22 mm²/s @ 40 °C		
distillates, hydrotreated light (64742-47-8)			
Viscosity, kinematic	1.97 mm²/s (25 °C)		
N-methyl-2-pyrrolidone (872-50-4)			
Viscosity, kinematic	1.7 mm²/s (25 °C)		
2-methylpentane-2,4-diol (107-41-5)			
Viscosity, kinematic	Not determined		
Symptoms/effects after skin contact	: Irritation.		
Symptoms/effects after eye contact : Eye irritation.			

## **SECTION 12: Ecological information**

**12.1. Toxicity** Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

distillates, hydrotreated light (64742-47-8)			
LC50 - Fish [1]	2.2 mg/l		
EC50 - Crustacea [1]	> 100 mg/l (Invertebrata)		
N-methyl-2-pyrrolidone (872-50-4)			
LC50 - Fish [1]	> 500 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)		
EC50 - Crustacea [1]	1107 mg/l (EPA 660/3 - 75/009, 96 h, Palaemonetes vulgaris, Static system, Salt water, Experimental value)		
EC50 - Crustacea [2]	> 1000 mg/l (DIN 38412-11, 24 h, Daphnia magna, Static system, Fresh water, Experimental value)		
EC50 72h - Algae [1]	600.5 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)		
EC50 72h - Algae [2]	> 500 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)		
LOEC (chronic)	25 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC (chronic)	12.5 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC chronic crustacea	12.5 mg/l		
2-methylpentane-2,4-diol (107-41-5)			
LC50 - Fish [1]	9450 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, Lethal)		
EC50 - Crustacea [1]	5410 mg/l Test organisms (species): Daphnia magna		

9/27/2024 (Revision date) US - en 6/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-methylpentane-2,4-diol (107-41-5)				
EC50 72h - Algae [1]	> 429 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)			
ErC50 algae	> 429 mg/l Source: EHCA			
12.2. Persistence and degradability				
EZY OPEN VALVE PENETRANT				
Persistence and degradability	Not rapidly degradable			
distillates, hydrotreated light (64742-47-8)				
Persistence and degradability	Readily biodegradable in water.			
N-methyl-2-pyrrolidone (872-50-4)				
Persistence and degradability	Biodegradable in the soil, Readily biodegradable in water.			
Biochemical oxygen demand (BOD)	1.07 g O <sub>2</sub> /g substance			
Chemical oxygen demand (COD)	1.56 g O <sub>2</sub> /g substance			
ThOD	1.9 g O <sub>2</sub> /g substance			
BOD (% of ThOD)	0.56			
2-methylpentane-2,4-diol (107-41-5)				
Persistence and degradability	Readily biodegradable in water.			
Biochemical oxygen demand (BOD)	0.02 g O <sub>2</sub> /g substance			
Chemical oxygen demand (COD)	2.2 g O <sub>2</sub> /g substance			
ThOD	2.3 g O <sub>2</sub> /g substance			
12.3. Bioaccumulative potential				
distillates, hydrotreated light (64742-47-8)				
Partition coefficient n-octanol/water (Log Pow)	6 – 8.2			
Bioaccumulative potential	High potential for bioaccumulation (Log Kow > 5).			
N-methyl-2-pyrrolidone (872-50-4)				
BCF - Other aquatic organisms [1]	3 (Calculated value)			
Partition coefficient n-octanol/water (Log Pow)	-0.46 Source: ECHA			
Bioaccumulative potential	Not bioaccumulative.			
2-methylpentane-2,4-diol (107-41-5)				
Partition coefficient n-octanol/water (Log Pow)	0.58 (QSAR, KOWWIN)			
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).			
12.4. Mobility in soil				
distillates, hydrotreated light (64742-47-8)				
Surface tension	0.026 N/m (20 °C)			
Ecology - soil	Adsorbs into the soil.			
N-methyl-2-pyrrolidone (872-50-4)				
Surface tension	0.407 N/m			
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.32 (log Koc, Calculated value)			
Ecology - soil	Highly mobile in soil.			

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-methylpentane-2,4-diol (107-41-5)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0 (log Koc, Calculated value)	
Ecology - soil	Highly mobile in soil.	

#### 12.5. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Disposal methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

#### **SECTION 14: Transport information**

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	IATA		
14.1. UN number	14.1. UN number				
Not regulated for transport					
14.2. Proper Shipping Name					
Not regulated	Not regulated	Not regulated	Not regulated		
14.3. Transport hazard class(es)					
Not regulated	Not regulated	Not regulated	Not regulated		
14.4. Packing group					
Not regulated	Not regulated	Not regulated	Not regulated		
14.5. Environmental hazards					
Not regulated	Not regulated	Not regulated	Not regulated		
No supplementary information available					

#### 14.6. Special precautions for user

**DOT** 

Not regulated

**TDG** 

Not regulated

IMDG

Not regulated

#### **IATA**

Not regulated

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Contains chemical(s) subject to TSCA 12b export notification if product is shipped outside the U.S

N-methyl-2-pyrrolidone CAS-No. 872-50-4 10 – 20%

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

N-methyl-2-pyrrolidone CAS-No. 872-50-4	10 – 20%
-----------------------------------------	----------

#### 15.2. International regulations

#### CANADA

#### distillates, hydrotreated light (64742-47-8)

Listed on the Canadian DSL (Domestic Substances List)

#### N-methyl-2-pyrrolidone (872-50-4)

Listed on the Canadian DSL (Domestic Substances List)

#### 2-methylpentane-2,4-diol (107-41-5)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

#### distillates, hydrotreated light (64742-47-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### N-methyl-2-pyrrolidone (872-50-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### 2-methylpentane-2,4-diol (107-41-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### National regulations

### distillates, hydrotreated light (64742-47-8)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECI (Korean Existing Chemicals Inventory)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

## N-methyl-2-pyrrolidone (872-50-4)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECI (Korean Existing Chemicals Inventory)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

## 2-methylpentane-2,4-diol (107-41-5)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECI (Korean Existing Chemicals Inventory)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

### 15.3. US State regulations



This product can expose you to N-methyl-2-pyrrolidone, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Component	State or local regulations
polytetrafluoroethylene(9002-84-0)	U.S Pennsylvania - RTK (Right to Know) List
N-methyl-2-pyrrolidone(872-50-4)	U.S Delaware - Pollutant Discharge Requirements - Reportable Quantities; U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
2-methylpentane-2,4-diol(107-41-5)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List

## **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 9/27/2024

Full text of hazard classes and H-statements	
H226	Flammable liquid and vapor
H227	Combustible liquid
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.