



# Lucas Synthetic Blend SAE 10W-30 API SP High Mileage Motor Oil

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
Issue date: 09/03/2020 Version: 1.0

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
Product name : Lucas Synthetic Blend SAE 10W-30 API SP High Mileage Motor Oil  
Product code : 11271, 11273, 11274, 11275

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Lubricant  
Restrictions on use : No additional information available

#### 1.3. Supplier

Lucas Oil Products, Inc  
302 North Sheridan Street  
Corona, California 92880-2067 - USA  
T (951) 270-0154 - F (951) 270-1902  
[www.LucasOil.com](http://www.LucasOil.com)

#### 1.4. Emergency telephone number

Emergency number : ChemTel  
1-800-255-3924 (USA, Canada, Puerto Rico, US V.I.)  
+1-813-248-0585 (International)

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS classification

Not classified

#### 2.2. GHS Label elements, including precautionary statements

##### GHS-US labelling

No labelling applicable

#### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS\_US)

4.1% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)  
4.1% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)  
4.1% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

| Name   | Product identifier     | %       | GHS classification   |
|--|------------------------|---------|--|
| Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) | (CAS-No.) 64742-54-7   | 80 - 90 | Asp. Tox. 1, H304  |
| Arenesulfonic acid, alkyl derivatives, metal salts                 | (CAS-No.) trade secret | <1      | Skin Corr. 1, H314<br>Eye Irrit. 2A, H319<br>Skin Sens. 1, H317<br>STOT SE 3, H335 |

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).  
First-aid measures after inhalation : If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

# Lucas Synthetic Blend SAE 10W-30 API SP High Mileage Motor Oil

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Get medical advice/attention if you feel unwell.

### 4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.
- Symptoms/effects after inhalation : Inhalation of vapours may cause respiratory irritation.
- Symptoms/effects after skin contact : Repeated or prolonged skin contact may cause dermatitis and defatting.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Specific hazards arising from the chemical

- Fire hazard : Burning produces irritating, toxic and noxious fumes.
- Reactivity : No dangerous reactions known.

### 5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Wear a self contained breathing apparatus. Wear fire/flame resistant/retardant clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Avoid all eye and skin contact and do not breathe vapour and mist.

#### 6.1.1. For non-emergency personnel

- Protective equipment : Refer to section 8.2.
- Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

- Protective equipment : Refer to section 8.2.
- Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

### 6.3. Methods and material for containment and cleaning up

- For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
- Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
- Hygiene measures : Do not eat, drink or smoke when using this product.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep only in the original container in a cool well ventilated place.
- Incompatible products : Strong oxidizers.

# Lucas Synthetic Blend SAE 10W-30 API SP High Mileage Motor Oil

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Incompatible materials : Sources of ignition. Direct sunlight.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

| Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (64742-54-7) |                                     |                      |
|---|-------------------------------------|----------------------|
| ACGIH   | ACGIH TWA (mg/m <sup>3</sup> )      | 5 mg/m <sup>3</sup>  |
| ACGIH   | ACGIH STEL (mg/m <sup>3</sup> )     | 10 mg/m <sup>3</sup> |
| OSHA  | OSHA PEL (TWA) (mg/m <sup>3</sup> ) | 5 mg/m <sup>3</sup>  |
| Arenesulfonic acid, alkyl derivatives, metal salts (trade secret)               |                                     |                      |
| Not applicable  |                                     |                      |

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Avoid creating mist or spray. Avoid splashing. Ensure good ventilation of the work station.  
Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures/Personal protective equipment

##### Personal protective equipment:

Avoid all unnecessary exposure.

##### Hand protection:

Wear suitable gloves resistant to chemical penetration. nitrile rubber gloves

##### Eye protection:

In case of splashing or aerosol production: protective goggles.

##### Respiratory protection:

None under normal use

##### Other information:

Do not eat, drink or smoke during use.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
Colour : Colourless  
Odour : characteristic  
Odour threshold : No data available  
pH : No data available  
Melting point : No data available  
Freezing point : No data available  
Boiling point : No data available  
Flash point : > 204 °C  
Relative evaporation rate (butylacetate=1) : No data available  
Flammability (solid, gas) : Non flammable.  
Vapour pressure : No data available  
Relative vapour density at 20 °C : No data available  
Relative density : 0.860 @ 15 °C  
Solubility : No data available  
Log Pow : No data available  
Auto-ignition temperature : No data available  
Decomposition temperature : No data available  
Viscosity, kinematic : 73 mm<sup>2</sup>/s @ 40 °C

# Lucas Synthetic Blend SAE 10W-30 API SP High Mileage Motor Oil

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|                      |                     |
|----------------------|---------------------|
| Viscosity, dynamic   | : No data available |
| Explosive limits     | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No dangerous reactions known.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong oxidizers.

### 10.6. Hazardous decomposition products

None under normal use.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

|                             |                  |
|-----------------------------|------------------|
| Acute toxicity (oral)       | : Not classified |
| Acute toxicity (dermal)     | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

|                                 |  |
|---------------------------------|--|
| Unknown acute toxicity (GHS_US) | 4.1% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)<br>4.1% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)<br>4.1% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist)) |
|---------------------------------|--|

| <b>Distillates (petroleum), hydrotreated heavy paraffinic (DMSO &lt; 3%) (64742-54-7)</b> |                |
|---|----------------|
| LD50 oral rat   | > 5000 mg/kg   |
| LD50 dermal rabbit  | > 2000 mg/kg   |
| LC50 Inhalation - Rat   | > 5.53 mg/l/4h |

|                                   |   |
|-----------------------------------|---|
| Skin corrosion/irritation         | : Not classified  |
| Serious eye damage/irritation     | : Not classified  |
| Respiratory or skin sensitisation | : Not classified. (Raw material tested, found to be non-sensitizing at % concentration used.) |
| Germ cell mutagenicity            | : Not classified  |
| Carcinogenicity                   | : Not classified  |
| Reproductive toxicity             | : Not classified  |
| STOT-single exposure              | : Not classified  |

| <b>Arenesulfonic acid, alkyl derivatives, metal salts (trade secret)</b> |                                   |
|--|-----------------------------------|
| STOT-single exposure   | May cause respiratory irritation. |

STOT-repeated exposure : Not classified

|                      |                                 |
|----------------------|---------------------------------|
| Aspiration hazard    | : Not classified                |
| Viscosity, kinematic | : 73 mm <sup>2</sup> /s @ 40 °C |

|                                     |  |
|-------------------------------------|--|
| Likely routes of exposure           | : Inhalation. Skin and eye contact.  |
| Symptoms/effects                    | : Not expected to present a significant hazard under anticipated conditions of normal use. |
| Symptoms/effects after inhalation   | : Inhalation of vapours may cause respiratory irritation.                                  |
| Symptoms/effects after skin contact | : Repeated or prolonged skin contact may cause dermatitis and defatting.                   |

# Lucas Synthetic Blend SAE 10W-30 API SP High Mileage Motor Oil

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 12: Ecological information

#### 12.1. Toxicity

##### Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (64742-54-7)

|                |              |
|----------------|--------------|
| EC50 crustacea | > 10000 mg/l |
|----------------|--------------|

#### 12.2. Persistence and degradability

##### Lucas Synthetic Blend SAE 10W-30 API SP High Mileage Motor Oil

|                               |                  |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |
|-------------------------------|------------------|

#### 12.3. Bioaccumulative potential

##### Lucas Synthetic Blend SAE 10W-30 API SP High Mileage Motor Oil

|                           |                  |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |
|---------------------------|------------------|

#### 12.4. Mobility in soil

##### Lucas Synthetic Blend SAE 10W-30 API SP High Mileage Motor Oil

|                |                  |
|----------------|------------------|
| Ecology - soil | Not established. |
|----------------|------------------|

#### 12.5. Other adverse effects

Other information : Avoid release to the environment.

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

Sewage disposal recommendations : Do not dispose of waste into sewer.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

### SECTION 14: Transport information

#### Department of Transportation (DOT)

In accordance with DOT

Not regulated.

#### Transport by sea

Not regulated.

#### Air transport

Not regulated.

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

##### Arenesulfonic acid, alkyl derivatives, metal salts (trade secret)

|                          |   |
|--------------------------|---|
| EPA TSCA Regulatory Flag | S - S - indicates a substance that is identified in a final Significant New Use Rule.<br>40 CFR § 721.11180 |
|--------------------------|---|

#### 15.2. International regulations

##### CANADA

##### Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (64742-54-7)

Listed on the Canadian DSL (Domestic Substances List) inventory.

##### Arenesulfonic acid, alkyl derivatives, metal salts (trade secret)

Listed on the Canadian DSL (Domestic Substances List) inventory.

# Lucas Synthetic Blend SAE 10W-30 API SP High Mileage Motor Oil

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### EU-Regulations

#### Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (64742-54-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### National regulations

#### Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (64742-54-7)

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on the TCSI (Taiwan Chemical Substance Inventory)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on KECL/KECI (Korean Existing Chemicals Inventory)

#### Arenesulfonic acid, alkyl derivatives, metal salts (trade secret)

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on KECL/KECI (Korean Existing Chemicals Inventory)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on Taiwan National Chemical Inventory

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

## SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Data sources : ACGIH (American Conference of Government Industrial Hygienists). Canadian Centre for Occupational Health and Safety. Accessed at: [http://www.ccohs.ca/oshanswers/legisl/whmis\\_classifi.html](http://www.ccohs.ca/oshanswers/legisl/whmis_classifi.html). European Chemicals Agency (ECHA) C&L Inventory database. Accessed at <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>. European Chemicals Agency (ECHA) Registered Substances list. Accessed at <http://echa.europa.eu/>. Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition. National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th edition. United Nations Economic Commission for Europe: About the GHS. Accessed at [http://www.unece.org/trans/danger/publi/ghs/ghs\\_welcome\\_e.html](http://www.unece.org/trans/danger/publi/ghs/ghs_welcome_e.html).

Other information : None.

Full text of H-statements:

|      |   |
|------|---|
| H304 | May be fatal if swallowed and enters airways. |
| H314 | Causes severe skin burns and eye damage.      |
| H317 | May cause an allergic skin reaction.          |
| H319 | Causes serious eye irritation.                |
| H335 | May cause respiratory irritation.             |

Abbreviations and acronyms:

|  |   |
|--|---|
|  | ATE: Acute Toxicity Estimate  |
|  | CAS (Chemical Abstracts Service) number   |
|  | EC50: Environmental Concentration associated with a response by 50% of the test population. |
|  | GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).              |
|  | LD50: Lethal Dose for 50% of the test population  |
|  | STEL: Short Term Exposure Limits  |
|  | TSCA: Toxic Substances Control Act  |
|  | TWA: Time Weighted Average  |

# Lucas Synthetic Blend SAE 10W-30 API SP High Mileage Motor Oil

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|                    |  |
|--------------------|--|
| NFPA health hazard | : 1 - Materials that, under emergency conditions, can cause significant irritation.      |
| NFPA fire hazard   | : 1 - Materials that must be preheated before ignition can occur.                        |
| NFPA reactivity    | : 0 - Normally stable, even under fire exposure conditions, and not reactive with water. |



*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*