

## SAFETY DATA SHEET

According to the Hazard Communication Standard, 29 CFR 1910.1200

SDS #: 089579 Folia B 9000

Date of the previous version: 2019-11-12 Revision Date: 2020-01-24 Version 1.02

1. IDENTIFICATION

**Product identifier** 

Product name Folia B 9000

Other means of identification

Product Code(s) 089579

Number UJK Substance/mixture Mixture

Recommended use of the chemical and restrictions on use

**Identified uses** Metalworking fluid.

**Uses advised against**Do not use for any purpose other than the one for which it is intended

Details of the supplier of the safety data sheet

**Supplier Address** TOTAL Specialties USA, Inc.

1201 Louisiana St. Suite 1800

Houston, TX 77002 Phone: 713-483-5000

Contact Point Technical/ HSEQ

E-mail Address ProductSafety@total.com

Emergency telephone number

Emergency telephone 1-866-928-0789 (For Emergencies, call CARECHEM 24/7

Domestic)

1-215-207-0061 (For Emergencies, call CARECHEM 24/7

International)

## 2. HAZARDS IDENTIFICATION

#### Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

### Label elements

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)



Date of the previous version: 2019-11-12 Revision Date: 2020-01-24 Version 1.02

**Hazard Statements** 

None

Hazards not otherwise classified (HNOC)

None known

Other information

**Physical-Chemical Properties** Contaminated surfaces will be extremely slippery.

**Environmental properties** Should not be released into the environment.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical nature Aqueous solution.

Chemical Name	CAS-No	Weight %
2,2'-(methylimino)diethanol	105-59-9	5<10

### 4. FIRST AID MEASURES

## First aid measures for different exposure routes

General advice IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR

EMERGENCY MEDICAL CARE.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing.

**Skin contact** Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Wash contaminated clothing before reuse.

**Inhalation** Remove casualty to fresh air and keep at rest in a position comfortable for breathing. If not

breathing, give artificial respiration.

**Ingestion** Clean mouth with water. Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. Call a physician or Poison Control Center immediately.

**Protection of First-aiders** First aider needs to protect himself. See Section 8 for more detail. Do not use

mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper

respiratory medical device.



**Revision Date: 2020-01-24** Date of the previous version: 2019-11-12 Version 1.02

Most important symptoms/effects, acute and delayed

Skin contact Not classified based on available data.

Eye contact Not classified based on available data.

Inhalation Not classified based on available data. Inhalation of vapors in high concentration may

cause irritation of respiratory system.

Not classified based on available data. Ingestion may cause gastrointestinal irritation, Ingestion

nausea, vomiting and diarrhea.

No information available. **Symptoms** 

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

**Unsuitable Extinguishing Media** Do not use a solid water stream as it may scatter and spread fire.

Special Hazard Incomplete combustion and thermolysis may produce gases of varying toxicity such as

> carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration. The potential danger appears only after the evaporation of the water in the product, i.e. during fire or after

accidental projection of the product on a very hot surface. Phosphorous oxides.

**Explosion Data** 

**Sensitivity to Mechanical Impact** 

Sensitivity to Static Discharge

None. None.

Protective Equipment and

**Precautions for Firefighters** 

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Evacuate non-essential personnel.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

**General Information** Do not touch or walk through spilled material. Contaminated surfaces will be extremely

slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all

sources of ignition.

See Section 12 for additional information. Other information

**Environmental precautions** 

**General Information** Do not allow material to contaminate ground water system. Prevent entry into waterways,



Date of the previous version: 2019-11-12 Revision Date: 2020-01-24 Version 1.02

sewers, basements or confined areas. Local authorities should be advised if significant spillages cannot be contained. See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

**Methods for containment**Dike to collect large liquid spills. If necessary dike the product with dry earth, sand or

similar non-combustible materials.

Methods for cleaning up Dispose of contents/container in accordance with local regulation. In case of soil

contamination, remove contaminated soil for remediation or disposal, in accordance with

local regulations.

### 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling For personal protection see section 8. Use only in well-ventilated areas. Do not breathe

vapors or spray mist. Avoid contact with skin, eyes and clothing.

**Prevention of fire and explosion** No specific measures identified.

Hygiene measures Ensure the application of strict rules of hygiene by the personnel exposed to the risk of

contact with the product. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Provide regular cleaning of equipment, work area and clothing. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into

workwear pockets.\*\*\*

#### Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Keep from freezing. Keep at temperatures between 5 and 40 °C. Protect from moisture. Shelf life 8 months.

Materials to Avoid Strong acids. Bases.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure limits

Do not contain substance with occupational exposure limits in concentration above regulatory thresholds\*\*\*



**Revision Date: 2020-01-24** Date of the previous version: 2019-11-12 Version 1.02

**Exposure controls** 

Apply technical measures to comply with the occupational exposure limits. Ensure **Engineering Measures** 

adequate ventilation, especially in confined areas. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the

recommended equipment.\*\*\*

Individual protection measures, such as personal protective equipment

**General Information** Protective engineering solutions should be implemented and in use before personal

protective equipment is considered. The personal protective equipment (PPE)

recommendations apply to the product ITSELF. In case of mixtures or formulations, it is

suggested that you contact the relevant PPE suppliers.\*\*

Eye/face protection If splashes are likely to occur, wear:. Safety glasses with side-shields.\*\*\*

Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing.\*\*\* Skin and body protection

**Hand Protection** Impermeable butyl rubber gloves. Neoprene gloves. Fluorinated rubber. Nitrile rubber.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the

contact time.\*\*\*

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. Warning ! filters have a limited use duration. The use of breathing apparatus must comply strictly with the manufacturer's

instructions and the regulations governing their choices and uses.\*\*

Ensure the application of strict rules of hygiene by the personnel exposed to the risk of Hygiene measures

> contact with the product. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Provide regular cleaning of equipment, work area and clothing. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into

workwear pockets.\*\*\*

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

**Appearance** limpid Color clear yellow Physical State @20°C liquid

Characteristic Odor

**Odor Threshold** No information available



Date of the previous version: 2019-11-12 Revision Date: 2020-01-24 Version 1.02

<u>Property</u> <u>Values</u> <u>Remarks</u> <u>Method</u>

pH 9.38 Not applicable

Melting point/range Not applicable

Boiling point/boiling range No information available

Flash point Not applicable

Evaporation rate No information available

Flammability Limits in Air

upperNo information availableLowerNo information availableVapor PressureNo information availableVapor densityNo information available

Relative density 1.023 @ 15 °C

Density 1023 kg/m³ @ 15 °C

Water solubility Insoluble

Water solubility
Solubility in other solvents

No information available

logPowNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information available

Viscosity, kinematic 10 mm2/s @ 40 °C ASTM D445

Explosive properties Not explosive Oxidizing Properties Not applicable

Possibility of hazardous reactions None under normal processing

Other information

Freezing Point No information available

### 10. STABILITY AND REACTIVITY

**Reactivity** None under normal processing.

<u>Chemical stability</u> Stable under recommended storage conditions.

<u>Possibility of hazardous reactions</u> No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from open flames, hot surfaces and sources of ignition. Keep away from heat

and sparks. To avoid thermal decomposition, do not overheat.

**Incompatible materials** Strong acids. Bases.

Hazardous Decomposition Products Incomplete combustion and thermolysis may produce gases of varying toxicity such as

carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. Phosphorous

oxides.

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure



Date of the previous version: 2019-11-12 Revision Date: 2020-01-24 Version 1.02

Principle Routes of Exposure Inhalation, Ingestion, Eye contact, Skin contact.

**Symptoms** No information available.

**Skin contact** Not classified based on available data.

**Eye contact** Not classified based on available data.

**Inhalation** Not classified based on available data. Inhalation of vapors in high concentration may

cause irritation of respiratory system.

**Ingestion** Not classified based on available data. Ingestion may cause gastrointestinal irritation,

nausea, vomiting and diarrhea.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

### **Acute toxicity - Product Information**

**Product Information** Product does not present an acute toxicity hazard based on known or supplied information.

Oral Not classified based on available data

ATEmix (oral) 53592 mg/kg

**Dermal** Not classified based on available data

ATEmix (dermal) 77994 mg/kg

Inhalation Not classified based on available data ppm mg/l

ATEmix (inhalation-vapor) 1288.5 mg/l

#### **Acute toxicity - Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
2,2'-(methylimino)diethanol	LD50 4780 mg/kg (Rat)	LD50 6220 mg/kg (Rabbit)	
105-59-9			

Skin corrosion/irritationNot classified based on available data.Serious eye damage/eye irritationNot classified based on available data.SensitizationNot classified based on available data.CarcinogenicityNot classified based on available data.

**Germ Cell Mutagenicity Reproductive toxicity**Not classified based on available data.
Not classified based on available data.

Target Organ Effects (STOT) None known.

STOT - single exposure
STOT - repeated exposure
Aspiration hazard
Not classified based on available data.
Not classified based on available data.
Not classified based on available data.

#### 12. ECOLOGICAL INFORMATION



Date of the previous version: 2019-11-12 Revision Date: 2020-01-24 Version 1.02

\_\_\_\_\_

**Ecotoxicity** 

Acute aquatic toxicity - Product Information

No information available

### Acute aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates	Toxicity to microorganisms
2,2'-(methylimino)diethanol	EC50(72h) > 100 mg/l	LC50(96h) 762 mg/l (Fish)	EC50(48h) 233 mg/l	
105-59-9	(Desmodesmus subspicatus	, , , , ,	(Daphnia magna - static)	
	- static)			

### Chronic aquatic toxicity - Product Information

No information available

#### **Chronic aquatic toxicity - Component Information**

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
2,2'-(methylimino)diethanol	NOEC(72h) 6.25 mg/l			
105-59-9	(Desmodesmus subspicatus			
	- static)			

**Effects on terrestrial organisms** No information available.

Persistence and degradability

**General Information** No information available.

**Bioaccumulative potential** 

**Product Information** No information available.

logPow No information available

**Component Information** No information available.

**Mobility** 

Soil Given its physical and chemical characteristics, the product is generally mobile in the

ground It may contaminate ground water.

Air the product may evaporate Water soluble Forms an emulsion

Other adverse effects



Date of the previous version: 2019-11-12 Revision Date: 2020-01-24 Version 1.02

General Information No information available

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment

Waste Disposal Methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or

disposal.

### 14. TRANSPORT INFORMATION

**DOT** Not regulated

ICAO/IATA Not regulated

<u>IMDG/IMO</u> Not regulated

ADR/RID Not regulated

# 15. REGULATORY INFORMATION

International Inventories All the substances contained in this product are listed or exempted from listing in the

following inventories:

China (IECSC) U.S.A. (TSCA) Korea (KECL)

Europe (EINECS/ELINCS/NLP)

Canada (DSL/NDSL)

## **U.S. Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.



Date of the previous version: 2019-11-12 Revision Date: 2020-01-24 Version 1.02

SARA 311/312 Hazard Categories

Acute Health Hazard No
Chronic Health Hazard No
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

## **U.S. State Regulations**

#### **California Proposition 65**

To the best of our knowledge, this product does not contain any substances known to the State of California to cause cancer, developmental and/or reproductive harm.

#### **U.S. State Right-to-Know Regulations**

No information available

# **16. OTHER INFORMATION**

NFPA Health Hazard 1 Flammability 0 Instability 0 Special hazards - HMIS Health Hazard 1 Flammability 0 Physical Hazard 0 Personal protection X

NFPA (National Fire Protection Association)

HMIS (Hazardous Material Information System)

Hazards are split into categories each with a 0 to 4 rating, 0 meaning no hazard and 4 meaning high hazard



Date of the previous version: 2019-11-12 Revision Date: 2020-01-24 Version 1.02

Revision Date: 2020-01-24
Revision Note Initial Release

Abbreviations, acronyms

ACGIH = American Conference of Governmental Industrial Hygienists

bw = body weight

bw/day = body weight/day

EC x =Effect Concentration associated with x% response

GLP = Good Laboratory Practice

IARC = International Agency for Research of Cancer

LC50 = 50% Lethal concentration - Concentration of a chemical in air or a chemical in water which causes the death of 50% (one half) of a group of test animals

LD50 = 50% Lethal Dose - Chemical amount, given at once, which causes the death of 50% (one half) of a group of test animals LL = Lethal Loading

NIOSH = National Institute of Occupational Safety and Health

NOAEL = No Observed Adverse Effect Level

NOFC = No Observed Effect Concentration

NOEL = No Observed Effect Level

OECD = Organization for Economic Co-operation and Development

OSHA = Occupational Safety and Health Administration

UVCB = Substance of unknown or Variable composition, Complex reaction products or Biological material

### Legend

Section 8

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH - National Institute for Occupational Safety and Health

TLV - Threshold Limit Values

PEL - Permissible Exposure Limits

IDHL - Immediately Dangerous to Life or Health concentrations

TWA - Time Weight Average

STEL - Short Term Exposure Limits

S\* - Skin notation

TSCA - Toxic Substance Control Act

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

**End of the Safety Data Sheet**