According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Nitrite Free Pre-Diluted 60/40

Version 4.0	Revision Date: 11/15/2018		0S Number: 0010023693	Print Date: 11/16/2018 Date of last issue: 05/24/2017
SECTION 1	. IDENTIFICATION			
Produc	Product name		Shell Rotella ELC	Nitrite Free Pre-Diluted 60/40
Produc	Product code		001F7298	
Manufa	acturer or supplier's	deta	nils	
Manufa	acturer/Supplier	:	Shell Oil Produc PO Box 4427 Houston TX 772 ⁻ USA	
	SDS Request Customer Service		(+1) 877-276-728	5
Emerg	ency telephone num	ber		
Spill In	formation	:	877-504-9351 877-242-7400	
Recom	nmended use of the c	hen	nical and restrictio	ons on use

Recommended use : Antifreeze and coolant.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Acute toxicity (Oral)	:	Category 4
Specific target organ toxicity - repeated exposure	:	Category 2 (Kidney)

GHS label elements

Hazard pictograms	
Signal word	: Warning
Hazard statements	 PHYSICAL HAZARDS: Not classified as a physical hazard under GHS criteria. HEALTH HAZARDS: H302 Harmful if swallowed. H373 May cause damage to organs through prolonged or repeated exposure if swallowed. ENVIRONMENTAL HAZARDS: Not classified as an environmental hazard under GHS criteria.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Nitrite Free Pre-Diluted 60/40

Version 4.0	Revision Date: 11/15/2018	SDS Number: 800010023693	Print Date: 11/16/2018 Date of last issue: 05/24/2017
Preca	utionary statements	[:] Prevention:	
		P264 Wash har	nds thoroughly after handling.
		P270 Do not ea	t, drink or smoke when using this product.

Response:

P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P330 Rinse mouth.

Storage:

No precautionary phrases.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label: Contains Ethylene Glycol, CAS# 107-21-1.

Other hazards which do not result in classification

Intentional abuse, misuse or other massive exposure may cause multiple organ damage and or death.

The classification of this material is based on OSHA HCS 2012 criteria.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: Mixture of ethylene glycol, water and additives.

Hazardous components

Chemical name	Synonyms	CAS-No.	Concentration (% w/w)
Ethanediol	ethane-1,2-diol	107-21-1	< 70
Sodium benzoate	sodium benzo- ate	532-32-1	< 5
4-tert-butylbenzoic acid	4-tert- butylbenzoic acid	98-73-7	< 5
Diethylene glycol	2,2'- oxydiethanol	111-46-6	< 3
2-ethylhexanoic acid	2- ethylhexanoic acid	149-57-5	< 3

SECTION 4. FIRST-AID MEASURES

General advice	:	DO NOT DELAY. Keep victim calm. Obtain medical treatment immediately.
If inhaled	:	Remove to fresh air. If rapid recovery does not occur, transport to nearest medical facility for additional treatment.
In case of skin contact	:	Remove contaminated clothing. Flush exposed area with wa-

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Nitrite Free Pre-Diluted 60/40

Version 4.0	Revision Date: 11/15/2018		0S Number: 0010023693	Print Date: 11/16/2018 Date of last issue: 05/24/2017
				washing with soap if available. on occurs, obtain medical attention.
In cas	e of eye contact	:	Remove contact I rinsing.	pious quantities of water. enses, if present and easy to do. Continue ion occurs, obtain medical attention.
lf swa	If swallowed		medical facility for	not induce vomiting: transport to nearest additional treatment. If vomiting occurs eep head below hips to prevent aspiration.
	mportant symptoms fects, both acute and ed	:	increased or decr can include nause lumbar pain short death. High concentratio pression resulting	ay be recognized by blood in the urine or eased urine flow. Other signs and symptoms ea, vomiting, abdominal cramps, diarrhoea, ly after ingestion, and possibly narcosis and ns may cause central nervous system de- in headaches, dizziness and nausea; con- may result in unconsciousness and/or death.
Protec	tion of first-aiders	:		ng first aid, ensure that you are wearing the nal protective equipment according to the d surroundings.
medic	tion of any immediate al attention and special ent needed	:	The preferred treatical facility and us administration of a gastric aspiration, able and a delay of such medical atter may be appropria there are any sign sidered on a case Specific other treating	ATMENT IS EXTREMELY IMPORTANT! atment is immediate transportation to a med- e of appropriate treatment including possible activated charcoal, gastric lavage and or If none of the above are immediately avail- of more than one hour is anticipated before ntion can be obtained, induction of vomiting te using IPECAC syrup (Contraindicated if as of CNS depression). This should be con- by case basis following specialist advice. atments may include ethanol therapy, fomep- f acidosis and haemodialysis. Seek specialist lay.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam, water spray or fog. Dry chemical powder, carbon diox- ide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	:	Do not use water in a jet.
Specific hazards during fire- fighting	:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Nitrite Free Pre-Diluted 60/40

Version 4.0	Revision Date: 11/15/2018		DS Number: 0010023693	Print Date: 11/16/2018 Date of last issue: 05/24/2017
Spec ods	cific extinguishing meth-	:	Use extinguishing	nic and inorganic compounds. I measures that are appropriate to local cir- the surrounding environment.
	Special protective equipment for firefighters		gloves are to be we large contact with Breathing Appara a confined space.	equipment including chemical resistant vorn; chemical resistant suit is indicated if spilled product is expected. Self-Contained tus must be worn when approaching a fire in Select fire fighter's clothing approved to Is (e.g. Europe: EN469).

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Avoid contact with skin and eyes.
Environmental precautions	:	Use appropriate containment to avoid environmental contami- nation. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.
		Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	For large liquid spills (> 1 drum), transfer by mechanical means such as vacuum truck to a salvage tank for recovery or safe disposal. Do not flush away residues with water. Retain as contaminated waste. Allow residues to evaporate or soak up with an appropriate absorbent material and dispose of safely. Remove contaminated soil and dispose of safely
		For small liquid spills (< 1 drum), transfer by mechanical means to a labeled, sealable container for product recovery or safe disposal. Allow residues to evaporate or soak up with an appropriate absorbent material and dispose of safely. Remove contaminated soil and dispose of safely.
Additional advice	:	For guidance on selection of personal protective equipment see Chapter 8 of this Safety Data Sheet. For guidance on disposal of spilled material see Chapter 13 of this Safety Data Sheet.
		Local authorities should be advised if significant spillages cannot be contained.
		U.S. regulations may require reporting releases of this materi- al to the environment which exceed the reportable quantity (refer to Chapter 15) to the National Response Center at (800) 424-8802.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200 Shell Rotella ELC Nitrite Free Pre-Diluted 60/40

Version	Revision Date:	SDS Number:	Print Date: 11/16/2018
4.0	11/15/2018	800010023693	Date of last issue: 05/24/2017

SECTION 7. HANDLING AND STORAGE

Technical measures	:	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk as- sessment of local circumstances to help determine appropri- ate controls for safe handling, storage and disposal of this material.
Advice on safe handling	:	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning mate- rials in order to prevent fires.
Avoidance of contact	:	Strong oxidising agents.
Further information on stor- age stability	:	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers. Store at ambient temperature.
Packaging material	:	Suitable material: For containers or container linings, use mild steel or high density polyethylene. Unsuitable material: Zinc., Avoid contact with galvanized ma- terials.
Container Advice	:	Polyethylene containers should not be exposed to high tem- peratures because of possible risk of distortion.

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Ethanediol	107-21-1	TWA (Va-	25 ppm	ACGIH
Ethanediol		STEL (Va-	50 ppm	ACGIH

Biological occupational exposure limits

No biological limit allocated.

Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Nitrite Free Pre-Diluted 60/40

Version	Revision Date:	SDS Number:	Print Date: 11/16/2018
4.0	11/15/2018	800010023693	Date of last issue: 05/24/2017

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

Engineering measures :	The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations.
	Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.
	 General Information: Define procedures for safe handling and maintenance of controls. Educate and train workers in the hazards and control measures relevant to normal activities associated with this product. Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation. Drain down system prior to equipment break-in or maintenance. Retain drain downs in sealed storage pending disposal or subsequent recycle. Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.
Personal protective equipment	

Personal protective equipment

:

Respiratory protection

No respiratory protection is ordinarily required under normal conditions of use.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Nitrite Free Pre-Diluted 60/40

Versic 4.0	on Revision Date: 11/15/2018		9S Number: 0010023693	Print Date: 11/16/2018 Date of last issue: 05/24/2017
			tions should be ta If engineering con tions to a level wh select respiratory cific conditions of Check with respira Where air-filtering priate combination Select a filter suita	h good industrial hygiene practices, precau- ken to avoid breathing of material. trols do not maintain airborne concentra- nich is adequate to protect worker health, protection equipment suitable for the spe- use and meeting relevant legislation. atory protective equipment suppliers. I respirators are suitable, select an appro- n of mask and filter. able for the combination of organic gases be A/Type P boiling point >65°C (149°F)].
F	land protection Remarks	:	gloves approved t US: F739) made f suitable chemical gloves Suitability usage, e.g. freque sistance of glove glove suppliers. C Personal hygiene Gloves must only gloves, hands sho cation of a non-pe For continuous co through time of m 480 minutes when short-term/splash recognize that sui may not be availa time maybe accept and replacement a good predictor of dependent on the Glove thickness s	act with the product may occur the use of to relevant standards (e.g. Europe: EN374, from the following materials may provide protection. PVC, neoprene or nitrile rubber and durability of a glove is dependent on ency and duration of contact, chemical re- material, dexterity. Always seek advice from contaminated gloves should be replaced. is a key element of effective hand care. be worn on clean hands. After using build be washed and dried thoroughly. Appli- erfumed moisturizer is recommended. ontact we recommend gloves with break- ore than 240 minutes with preference for > e suitable gloves can be identified. For protection we recommend the same, but table gloves offering this level of protection ble and in this case a lower breakthrough otable so long as appropriate maintenance regimes are followed. Glove thickness is not of glove resistance to a chemical as it is exact composition of the glove material. hould be typically greater than 0.35 mm glove make and model.
E	ye protection	:		lled such that it could be splashed into eyes, ar is recommended.
S	Skin and body protection	:	work clothes.	not ordinarily required beyond standard to wear chemical resistant gloves.
F	Protective measures	:		ve equipment (PPE) should meet recom- standards. Check with PPE suppliers.
Т	hermal hazards	:	Not applicable	

Environmental exposure controls

General advice

: Take appropriate measures to fulfill the requirements of rele-

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Nitrite Free Pre-Diluted 60/40

Version 4.0	Revision Date: 11/15/2018		S Number: 0010023693	Print Date: 11/16/2018 Date of last issue: 05/24/2017
			of the environmen necessary, prever charged to waste municipal or indus discharge to surfa Local guidelines of	al protection legislation. Avoid contamination at by following advice given in Chapter 6. If nt undissolved material from being dis- water. Waste water should be treated in a strial waste water treatment plant before ace water. on emission limits for volatile substances I for the discharge of exhaust air containing
SECTION 9	9. PHYSICAL AND CH	ΞΜΙΟ		8
Appea	rance	:	Liquid at room te	mperature.
Colour		:	red	
Odour		:	characteristic	
Odour	Threshold	:	Data not available	e
pН		:	Data not available	e
Melting	g point/freezing point	:	-37 °C / -35 °F Method: ASTM D	01177
Initial t range	poiling point and boiling	:	> 100 °C / 212 °F estimated value(s	
Flash	point	:	Method: Unspeci Not applicable	fied
Evapo	ration rate	:	Data not available	e
Flamm	ability (solid, gas)	:	Data not available	e
	explosion limit / upper ability limit	:	Typical 15 %(V)	
	explosion limit / Lower ability limit	:	Typical 3 %(V)	
Vapou	r pressure	:	Data not available	e
Relativ	ve vapour density	:	Data not available	e
Relativ	ve density	:	1.060 (15 °C / 59	°F)
Densit	У	:	1,060 kg/m3 (15. Method: Unspeci	
	lity(ies) ter solubility	:	completely solub	le
Sol	ubility in other solvents	:	Data not available	e

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Nitrite Free Pre-Diluted 60/40

Version 4.0	Revision Date: 11/15/2018	SDS Number: Print Date: 11/16/2018 800010023693 Date of last issue: 05/24/2017	
	tion coefficient: n- nol/water	: Data not available	
Auto	-ignition temperature	: > 200 °C / 392 °F	
	omposition temperature	: Data not available	
Visco V	osity iscosity, dynamic	: Data not available	
V	iscosity, kinematic	: Method: Unspecified Not applicable	
Cond	ductivity	: This material is not expected to be a static accumul	ator.

SECTION 10. STABILITY AND REACTIVITY

Chemical stability	:	Stable.
Possibility of hazardous reac- tions	:	Reacts with strong oxidising agents.
Conditions to avoid	:	Extremes of temperature and direct sunlight.
Incompatible materials	:	Strong oxidising agents.
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Basis for assessment	:	Information given is based on data on the components and
		the toxicology of similar products.Unless indicated otherwise, the data presented is representative of the product as a
		whole, rather than for individual component(s).

Information on likely routes of exposure

Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.

Acute toxicity

Product:

Acute oral toxicity :	: LD50 (rat): > 500 - 2,000 mg/kg Remarks: Harmful if swallowed.
	Remarks: There is a marked difference in acute oral toxicity between rodents and man, man being more susceptible than rodents. The estimated fatal dose for man is 100 milliliters (1/2 cup). This material has also been shown to be toxic and potentially lethal by ingestion to cats and dogs.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Nitrite Free Pre-Diluted 60/40

Version 4.0	Revision Date: 11/15/2018	SDS Number: 800010023693	Print Date: 11/16/2018 Date of last issue: 05/24/2017
		Ingestion may	cause drowsiness and dizziness.
Acute	e inhalation toxicity	: LC 50 (Rat): > Exposure time Remarks: Lov	e: 4 h
Acute	e dermal toxicity	: LD50 (Rabbit) Remarks: Lov	

Skin corrosion/irritation

Product:

Remarks: Slightly irritating to skin., Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Product:

Remarks: Slightly irritating to the eye., Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Product:

Remarks: Not a skin sensitiser. Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Product:

: Remarks: Non mutagenic, Based on available data, the classification criteria are not met.

Carcinogenicity

Product:

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
ΝΤΡ	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200 Shell Rotella ELC Nitrite Free Pre-Diluted 60/40

Version Revision Date: 4.0 11/15/2018 SDS Number: 800010023693 Print Date: 11/16/2018 Date of last issue: 05/24/2017

Reproductive toxicity

Product:

Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.

STOT - single exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

2

STOT - repeated exposure

Product:

Remarks: Kidney: can cause kidney damage.

Aspiration toxicity

Product:

Not an aspiration hazard.

Further information

Product:

Remarks: Slightly irritating to respiratory system.

SECTION 12. ECOLOGICAL INFORMATION

Basis for assessment	 Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representa- tive of the product as a whole, rather than for individual com- ponent(s).
Ecotoxicity	

Product:

Toxicity to fish (Acute toxici-	:
ty)	Remarks: LC/EC/IC50 > 100 mg/l
	Practically non toxic:
	Based on available data, the classification criteria are not met.

Toxicity to daphnia and other :

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Nitrite Free Pre-Diluted 60/40

sion	Revision Date: 11/15/2018		9S Number: 0010023693	Print Date: 11/16/2018 Date of last issue: 05/24/2017
aquat toxicit	ic invertebrates (Acute y)		Practically non to	C/IC50 > 100 mg/l oxic: ole data, the classification criteria are not m
Toxic icity)	ity to algae (Acute tox-	:	Practically non to	C/IC50 > 100 mg/l oxic: ole data, the classification criteria are not m
Toxici icity)	ity to fish (Chronic tox-	:	Remarks: Data r	not available
	ity to daphnia and other ic invertebrates (Chron- icity)	:	Remarks: Data r	not available
	ity to microorganisms e toxicity)	:	Remarks: Data r	not available
Persi	stence and degradabili	ity		
<u>Produ</u> Biode	u <u>ct:</u> gradability	:	Remarks: Readi	ly biodegradable.
Bioad	cumulative potential			
Produ	uct:			
Bioac	cumulation	:	Remarks: Does	not bioaccumulate significantly.
Mobil	lity in soil			
<u>Produ</u>	uct:			
Mobili	ity	:		
Other	r adverse effects			
Produ	uct:			
Additi matio	onal ecological infor-	:		zone depletion potential, photochemical otential or global warming potential.

Disposal methods		
Waste from residues	 Recover or recycle if possible. It is the responsibility of the waste generator to toxicity and physical properties of the material 	

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Nitrite Free Pre-Diluted 60/40

Version 4.0	Revision Date: 11/15/2018	SDS Number: 800010023693	Print Date: 11/16/2018 Date of last issue: 05/24/2017
		ods in compliar	proper waste classification and disposal meth- ace with applicable regulations. into the environment, in drains or in water
		ground water, c	should not be allowed to contaminate soil or or be disposed of into the environment. used product is dangerous waste.
Conta	aminated packaging	to a recognized the collector or Disposal should	ordance with prevailing regulations, preferably collector or contractor. The competence of contractor should be established beforehand. d be in accordance with applicable regional, cal laws and regulations.
Loca l Rema	I legislation arks		d be in accordance with applicable regional, cal laws and regulations.

SECTION 14. TRANSPORT INFORMATION

National Regulations

US Department of Transpor UN/ID/NA number		on Classification (49 CFR Parts 171-180) UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ethylene glycol)
Class	:	9
Packing group	:	III
Labels	:	9
Reportable quantity		Ethylene glycol (5,000 lb)
ERG Code	:	171
Marine pollutant	:	no
Remarks	:	This material is not regulated under 49 CFR if in a container of 119 gallon capacity or less.

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied. MARPOL Annex 1 rules apply for bulk shipments by sea.

Special precautions for user

Remarks

: Special Precautions: Refer to Chapter 7, Handling & Storage,

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200 Shell Rotella ELC Nitrite Free Pre-Diluted 60/40

Version	Revision Date:	SDS Number:	Print Date: 11/16/2018
4.0	11/15/2018	800010023693	Date of last issue: 05/24/2017

for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Ethanediol	107-21-1	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit., Shell classifies this material as an "oil" under the CERCLA Petroleum Exclusion, therefore releases to the environment are not reportable under CERCLA., The components with RQs are given for information.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Acute toxicity (any route o Specific target organ toxic		ated exposure)
SARA 313	:	The following components tablished by SARA Title II		oorting levels es-
		Ethanediol	107-21-1	>= 70 - < 90 %

Clean Water Act

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Potassium hydroxide	1310-58-3	0.2329 %
---------------------	-----------	----------

US State Regulations

Pennsylvania Right To Know

Ethanediol	107-21-1
Diethylene glycol	111-46-6
Potassium hydroxide	1310-58-3
2-(2-butoxyethoxy)ethanol	112-34-5

California Prop. 65

WARNING: This product can expose you to chemicals including Ethanediol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California List of Hazardous Substances

Ethanediol

Other regulations:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200 Shell Rotella ELC Nitrite Free Pre-Diluted 60/40

Version	Revision Date: 11/15/2018	SDS Number:	Print Date: 11/16/2018
4.0		800010023693	Date of last issue: 05/24/2017

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

The components of this product are reported in the following inventories:

EINECS/ELINCS/EC	:	Not established.
TSCA	:	All components listed.
DSL	:	All components listed.

SECTION 16. OTHER INFORMATION

Further information

NFPA Rating (Health, Fire, Reac- 2, 1, 0 tivity)

Full text of other abbreviations

ACGIH ACGIH / TWA ACGIH / STEL Abbreviations and Acronyms	:::::::::::::::::::::::::::::::::::::::	USA. ACGIH Threshold Limit Values (TLV) 8-hour, time-weighted average Short-term exposure limit The standard abbreviations and acronyms used in this docu- ment can be looked up in reference literature (e.g. scientific dictionaries) and/or websites.				
		ACGIH = American Conference of Governmental Industrial Hygienists ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road AICS = Australian Inventory of Chemical Substances ASTM = American Society for Testing and Materials BEL = Biological exposure limits BTEX = Benzene, Toluene, Ethylbenzene, Xylenes CAS = Chemical Abstracts Service CEFIC = European Chemical Industry Council CLP = Classification Packaging and Labelling COC = Cleveland Open-Cup DIN = Deutsches Institut fur Normung DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level DSL = Canada Domestic Substance List EC = European Commission EC50 = Effective Concentration fifty ECETOC = European Chemicals Agency EINECS = The European Inventory of Existing Commercial Chemical Substances EL50 = Effective Loading fifty ENCS = Japanese Existing and New Chemical Substances				

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Nitrite Free Pre-Diluted 60/40

Version	Revision Date:	SDS Number:	Print Date: 11/16/2018
4.0	11/15/2018	800010023693	Date of last issue: 05/24/2017
		Labelling of Chi IARC = Internat IATA = Internat IC50 = Inhibitor IL50 = Inhibitor IMDG = Internat INV = Chinese IP346 = Institut determination of KECI = Korea E LC50 = Lethal C LD50 = Lethal C LD50 = Lethal C LL/EL/IL = Leth LL50 = Lethal L MARPOL = Inter Pollution From NOEC/NOEL = served Effect Lo OE_HPV = Occ PBT = Persiste PICCS = Philip Substances PNEC = Predic REACH = Regis Chemicals RID = Regulatio gerous Goods B SKIN_DES = S STEL = Short te TRA = Targeted TSCA = US To: TWA = Time-W	 Harmonised System of Classification and emicals tional Agency for Research on Cancer ional Air Transport Association y Concentration fifty y Level fifty tional Maritime Dangerous Goods Chemicals Inventory te of Petroleum test method N° 346 for the of polycyclic aromatics DMSO-extractables Existing Chemicals Inventory Concentration fifty Dose fifty per cent. al Loading/Effective Loading/Inhibitory loading coading fifty ernational Convention for the Prevention of Ships No Observed Effect Concentration / No Ob- evel cupational Exposure - High Production Volume nt, Bioaccumulative and Toxic pine Inventory of Chemicals and Chemical ted No Effect Concentration stration Evaluation And Authorisation Of

A vertical bar (|) in the left margin indicates an amendment from the previous version.

Revision Date : 11/15/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN