PRECISION [™] SYNTHETIC EMB

000003000017

Version 2.8

Revision Date 2022/08/09



Print Date 2022/08/09

SECTION 1. IDENTIFICATION

Product name	:	PRECISION [™] SYNTHETIC EMB
--------------	---	--------------------------------------

Product code : PSEMB, PSEMBC30

Manufacturer or supplier's details

	Petro-Canada America Lubricants LLC
	2828 N. Harwood St., Suite 1300
	Dallas TX 75201
	United States
Telephone :	1-214-871-3555

Emergency telephone number

Emergency telephone num-	:	CHEMTREC: 1-800-424-9300;
ber		Poison Control Centre: Consult local telephone directory for
		emergency number(s).

Recommended use of the chemical and restrictions on use			
Recommended use	: A premium synthetic non-EP grease designed to lubricate bearings over a wide temperature range in applications where shock loading is absent and extreme pressure (EP) grease is not required.		

Prepared by	:	Product Safety: +1 905-491-0565
-------------	---	---------------------------------

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)			
Skin sensitisation	:	Category 1	
GHS label elements			
Hazard pictograms	:		
Signal word	:	Warning	
Hazard statements	:	May cause an allergic skin reaction.	
Precautionary statements	:	 Prevention: Avoid breathing mist or vapours. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves. Response: IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/ attention. Wash contaminated clothing before reuse. Dispose of contents/ container to an approved waste disposal 	

PRECISION [™] SYNTHETIC EMB

000003000017



00003000017		
Version 2.8	Revision Date 2022/08/09	Print Date 2022/08/09
	plant.	
Other hazards		
None known.		
IARC No component of this product pre or equal to 0.1% is identified as p firmed human carcinogen by IAR		
OSHA	No component of this product present a equal to 0.1% is on OSHA's list of regul	5
NTP	No component of this product present a equal to 0.1% is identified as a known c by NTP.	5

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
---------------------	---	---------

Components

Chemical name	CAS-No.	Concentration (% w/w)
Lubricating oils (petroleum), C15-30, hy- drotreated neutral oil-based; Baseoil — unspecified	72623-86-0	20 - 30
Benzenamine, N-phenyl-, reaction prod- ucts with 2,4,4-trimethylpentene	68411-46-1	5 - 10
Phenol, isobutylenated, phosphate (3:1)	68937-40-6	0.1 - 1
2,5-bis(octyldithio)-1,3,4-thiadiazole	13539-13-4	0.1 - 1

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

If inhaled	Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice. In the event of a known, or potential, high pressure injection injury, worker should obtain immediate medical evaluation.
In case of eye contact	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.

PRECISION [™] SYNTHETIC EMB

000003000017



Version 2.8		Revision Date 2022/08/09	Print Date 2022/08/09
If swallowed :		Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physi- cian or poison control center. Never give anything by mouth to an unconscious person. Seek medical advice.	
Most important symptoms and effects, both acute and delayed	:	First aider needs to protect himself.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Unsuitable extinguishing media	:	No information available.
Specific hazards during fire- fighting	:	Cool closed containers exposed to fire with water spray.
Hazardous combustion prod- ucts	:	Carbon oxides (CO, CO2), smoke and irritating vapours as products of incomplete combustion.
Further information	:	Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.
Environmental precautions :	Do not allow uncontrolled discharge of product into the envi- ronment.
Methods and materials for : containment and cleaning up	Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	None known.
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap-
	-1-	Data 0/10

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.

PRECISION [™] SYNTHETIC EMB



000003000017

Version 2.8	Revision Date 2022/08/09	Print Date 2022/08/09	
	plication area. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.		
Conditions for safe storage	: Store in original container. Containers which are opened muskept upright to prevent leakage. Keep in a dry, cool and well-ventil Keep in properly labelled container To maintain product quality, do not light.	ated place. ers.	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspeci- fied	CAS-No. 72623-86-0	Value type (Form of exposure) TWA (Inhal- able particu- late matter)	Control parame- ters / Permissible concentration 5 mg/m3	Basis ACGIH
neu		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
Engineering measures		ficient to control	nents. Good general worker exposure to a	
Personal protective equipment	t			
Respiratory protection :	ventilation is p that exposure Respirator sel exposure leve	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.		
Filter type :	organic vapou	ır filter		
Hand protection Material :	neoprene, nitr	ile, polyvinyl alc	ohol (PVA), Viton [®] .	
Remarks :	approved star	ndard should be	s gloves complying w worn at all times whe sessment indicates th	en handling
Eye protection :	problems.	ield and protectiv	ve suit for abnormal p	processing

PRECISION [™] SYNTHETIC EMB



000003000017

Version 2.8	Revision Date 2022/08/09	Print Date 2022/08/09
Skin and body protection	: Choose body protection in rela tration and amount of dangeror cific work-place.	
Protective measures	: Wash contaminated clothing be	efore re-use.
Hygiene measures	: Remove and wash contaminat ing the inside, before re-use. Wash face, hands and any exp handling.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Buttery, smooth, semi-solid
Colour	:	tan
Odour	:	Mild grease like.
Odour Threshold	:	No data available
рН	:	No data available
Pour point	:	-51 °C (-60 °F)Base Fluid Blend
Boiling point/boiling range	:	No data available
Flash point	:	195 °C (383 °F) Method: Cleveland open cup Base Fluid Blend
Fire Point	:	211 °C (412 °F) Base Fluid Blend
Evaporation rate	:	No data available
Flammability	:	Low fire hazard. This material must be heated before ignition will occur.
Auto-Ignition Temperature	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0.8906 kg/l (15 °C / 59 °F)

PRECISION [™] SYNTHETIC EMB





Version 2.8	Revision Date 2022/08/09	Print Date 2022/08/09
Solubility(ies)		
Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Viscosity Viscosity, kinematic	: 114.3 cSt (40 °C / 104 °F) Base Fluid Blend	
	15.6 cSt (100 °C / 212 °F) Base Fluid Blend	
Explosive properties	: Do not pressurize, cut, weld, braz pose containers to heat or source	

SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reac- tions	:	Hazardous polymerisation does not occur. Stable under normal conditions.
Conditions to avoid	:	No data available
Incompatible materials	:	Reactive with oxidising agents, acids, alkalis and reducing agents.
Hazardous decomposition products	:	May release COx, NOx, SOx, POx, H2S, smoke and irritating vapours when heated to decomposition.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely route	es of	exposure
Eye contact Ingestion Inhalation Skin contact		
Acute toxicity		
Product:		Demarka: No data available
Acute oral toxicity	•	Remarks: No data available
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	Remarks: No data available
Components:		
Lubricating oils (petroleur fied:	m), C [·]	15-30, hydrotreated neutral oil-based; Baseoil — unspeci-
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg,
Acute inhalation toxicity	:	LC50 (Rat): > 5.2 mg/l Exposure time: 4 h

Test atmosphere: dust/mist

PRECISION [™] SYNTHETIC EMB



000003000017

-

Version 2.8	Revision Date 2022/08/09	Print Date 2022/08/09
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg,	
Skin corrosion/irritation		
Product:		
Remarks	: No data available	
Serious eye damage/eye irr	tation	
Product:		
Remarks	: No data available	
Respiratory or skin sensitis	ation	
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
No data available		

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Persistence and degradabili	ty	
Product:		
D's data dal 19		Damanlar, Na Jata avallabla

Biodegradability :	Remarks: No data available
--------------------	----------------------------

PRECISION [™] SYNTHETIC EMB

000003000017

Version 2.8

Revision Date 2022/08/09

Print Date 2022/08/09

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

•	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Offer surplus and non-recyclable solutions to a licensed disposal company. Waste must be classified and labelled prior to recycling or
	disposal.
	Send to a licensed waste management company.
	Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

National Regulations

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

California Prop. 65	This product contains chemical(s) known to the State of Cali- fornia to cause cancer and/or to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. The chemicals include:			
cadmium	7440-43-9			
The components of this product are reported in the following inventories:				
DSL :	On the inventory, or in compliance with the inventory			
TSCA :	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.			

PRECISION [™] SYNTHETIC EMB

000003000017


Version 2.8

Print Date 2022/08/09

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA		8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International

PRECISION [™] SYNTHETIC EMB



Print Date 2022/08/09

000003000017

Version 2.8

Revision Date 2022/08/09

Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

For Copy of SDS	:	Internet: lubricants.petro-canada.com/sds United States, telephone: 1-800-268-5850; fax: 1-800-201- 6285 For Product Safety Information: 1 905-491-0565
Prepared by	:	Product Safety: +1 905-491-0565
Revision Date Date format	:	2022/08/09 yyyy/mm/dd

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN