PC BAR & CHAIN OIL 32

000003009126

Version 2.4

Revision Date 2022/07/29



Print Date 2022/07/29

SECTION 1. IDENTIFICATION

CHAIN OIL 32

Product code : PBNC32C4U, PBNC32

Manufacturer or supplier's details

	Petro-Canada America Lubricants LLC
	2828 N. Harwood St., Suite 1300
	Dallas TX 75201
	United States
Telephone :	1-214-871-3555

Emergency telephone number

Emergency telephone	:	CHEMTREC: 1-800-424-9300;
number		Poison Control Centre: Consult local telephone directory for
		emergency number(s).

Recommended use of the chemical and restrictions on use

Recommended use	:	PC Bar and Chain Oil 32 is designed to lubricate chains and guide bars of modern high-speed chain saws. It is used as a
		"once through" lubricating oil where greater tackiness is beneficial.

Prepared by : Product Safety: +1 905-491-0565

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

PC BAR & CHAIN OIL 32

000003009126

Version 2.4

Revision Date 2022/07/29

Print Date 2022/07/29

.....

Components		
Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified	64742-55-8	20 - 40
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	1 - 5

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

If inhaled	 Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact	 In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice.
In case of eye contact	 Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
If swallowed	 Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Seek medical advice.
Most important symptoms and effects, both acute and delayed	: First aider needs to protect himself.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media :	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing : media	No information available.
Specific hazards during : firefighting	Cool closed containers exposed to fire with water spray.
Hazardous combustion : products	Carbon oxides (CO, CO2), nitrogen oxides (NOx), sulphur oxides (SOx), phosphorus oxides (POx), hydrogen sulphide (H2S), smoke and irritating vapours as products of incomplete combustion.
Further information :	Prevent fire extinguishing water from contaminating surface
arnati lubricanta natra canada com/ada	

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.



PC BAR & CHAIN OIL 32

000003009126

PETRO-CANADA

Version 2.4

Revision Date 2022/07/29

Print Date 2022/07/29

water or the ground water system.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.
Environmental precautions	:	If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	None known.
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.
Conditions for safe storage	:	Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sunlight.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum),	64742-55-8	TWA	5 mg/m3	ACGIH

PC BAR & CHAIN OIL 32



000003009126

Version 2.4

ersion 2.4	Revision Dat	e 2022/07/29	Print Date 2022/07/29		
hydrotreated light paraffinic; Baseoil — unspecified		(Inhalable particulate matter)			
		TWA (Mist)	5 mg/m3	OSHA Z-1	
		TWA (Mist)	5 mg/m3	OSHA P0	
		TWA (Mist)	5 mg/m3	NIOSH REL	
		ST (Mist)	10 mg/m3	NIOSH REL	
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	TWA (Inhalable particulate matter)	5 mg/m3	ACGIH	
		TWA (Mist)	5 mg/m3	OSHA Z-1	
		TWA (Mist)	5 mg/m3	OSHA P0	
		TWA (Mist)	5 mg/m3	NIOSH REL	
		ST (Mist)	10 mg/m3	NIOSH REL	
Engineering measures : No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.					


Personal protective equipment			
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.	
Filter type	:	organic vapour filter	
Hand protection			
Material	:	neoprene, nitrile, polyvinyl alcohol (PVA), Viton [®] .	
Remarks	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.	
Eye protection	:	Wear face-shield and protective suit for abnormal processing problems.	
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.	
Protective measures	:	Wash contaminated clothing before re-use.	
Hygiene measures	:	Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash face, hands and any exposed skin thoroughly after handling.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance
- : Opaque, viscous liquid.

PC BAR & CHAIN OIL 32

000003009126



SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous	:	Hazardous polymerisation does not occur.
reactions		Stable under normal conditions.

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.



PC BAR & CHAIN OIL 32



000003009126

Version 2.4	Revision Date 2022/07/29	Print Date 2022/07/29
Conditions to avoid	: No data available	
Incompatible materials	: Reactive with oxidising agents ar	nd reducing agents.
Hazardous decomposition products	: May release COx, NOx, SOx, PC vapours when heated to decomp	

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes Eye contact Ingestion Inhalation Skin contact	of	exposure	
Acute toxicity			
Product: Acute oral toxicity	:	Remarks: No data available	
Acute inhalation toxicity	:	Remarks: No data available	
Acute dermal toxicity	:	Remarks: No data available	
<u>Components:</u> Distillates (petroleum), hydr Acute oral toxicity	otr :	eated light paraffinic; Baseoil — unspecified: LD50 (Rat): > 5,000 mg/kg,	
Acute inhalation toxicity	:	LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg,	
Distillates (petroleum), hydr Acute oral toxicity	otr :	eated heavy paraffinic; Baseoil — unspecified: LD50 (Rat): > 5,000 mg/kg,	
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg,	
Skin corrosion/irritation			
<u>Product:</u> Remarks	:	No data available	
Serious eye damage/eye irritation			
<u>Product:</u> Remarks	:	No data available	
Respiratory or skin sensitis No data available	atio	on	

PC BAR & CHAIN OIL 32

000003009126

Version 2.4

Revision Date 2022/07/29

PETRO CANADA

Print Date 2022/07/29

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Persistence and degradability	ty	
Persistence and degradabilit	ty	
-	ty :	Remarks: No data available
Product:		Remarks: No data available
Product: Biodegradability		Remarks: No data available
Product: Biodegradability Bioaccumulative potential		Remarks: No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	: The product should not be allowed to enter drains, water courses or the soil.
	Offer surplus and non-recyclable solutions to a licensed disposal company.
	Waste must be classified and labelled prior to recycling or disposal.

PC BAR & CHAIN OIL 32

000003009126

Version 2.4

Revision Date 2022/07/29

Print Date 2022/07/29

Send to a licensed waste management company. Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

National Regulations

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

California Prop. 65		This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm. For more information go to www.P65Warnings.ca.gov.		
The components of this product are reported in the following inventories:				
DSL	:	On the inventory, or in compliance with the inventory		
TSCA	:	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.		
EINECS	:	On the inventory, or in compliance with the inventory		
IECSC	:	On the inventory, or in compliance with the inventory		

SECTION 16. OTHER INFORMATION


Further information



PC BAR & CHAIN OIL 32

000003009126

Version 2.4



HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*' represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH NIOSH REL		USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA		8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials: bw - Body weight: CERCLA - Comprehensive Environmental Response. Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect

PC BAR & CHAIN OIL 32

000003009126

Version 2.4

Revision Date 2022/07/29

Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Resultive/

Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

For Copy of SDS	:	Internet: lubricants.petro-canada.com/sds United States, telephone: 1-800-268-5850; fax: 1-800-201- 6285 For Product Safety Information: 1 905-491-0565
Prepared by	:	Product Safety: +1 905-491-0565
Revision Date Date format	:	2022/07/29 yyyy/mm/dd

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN



Print Date 2022/07/29