ENDURATEX TM/MC EP 68

000003000425

Version 3.6

Revision Date 2022/07/11



Print Date 2022/07/11

SECTION 1. IDENTIFICATION

Product name	:	ENDURATEX TM/MC EP 68
Product code	:	ENT68DRX, ENT68IBC, ENT68P5R, ENT68P20, ENT68DRR, ENT68DRM, ENT68DCT, ENT68, ENT68BLK
Manufacturer or supplier's de Telephone		ails Petro-Canada America Lubricants LLC 2828 N. Harwood St., Suite 1300 Dallas TX 75201 United States 1-214-871-3555
Emergency telephone numbe	er	
Emergency telephone : number	:	CHEMTREC: 1-800-424-9300; Poison Control Centre: Consult local telephone directory for emergency number(s).
Recommended use of the che	en	nical and restrictions on use
Recommended use	:	ENDURATEX EP oils are heavy duty extreme pressure gear oils for use in enclosed industrial gear drives operating under normal, heavy, or shock loading conditions. They are also recommended for lubricating plain or anti-friction bearings running under heavy or shock loading conditions.
Prepared by	:	Product Safety: +1 905-491-0565

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

:

by NTP.

Mixture

ENDURATEX TM/MC EP 68

000003000425

Version 3.6

Revision Date 2022/07/11

Print Date 2022/07/11

Components

CAS-No.	Concentration (% w/w)
64742-54-7	60 - 80
72623-85-9	70 - 90
72623-86-0	20 - 30
	64742-54-7 72623-85-9

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

If inhaled	: Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact	 In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice.
In case of eye contact	 Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
If swallowed	 Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Seek medical advice.
Most important symptoms and effects, both acute and delayed	: First aider needs to protect himself.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	:	No information available.
Specific hazards during firefighting	:	Cool closed containers exposed to fire with water spray.



ENDURATEX TM/MC EP 68

PETRO-CANADA

000003000425

Version 3.6		Revision Date 2022/07/11	Print Date 2022/07/11
Hazardous combustion products	:	Carbon oxides (CO, CO2), nitro oxides (SOx), sulphur compour sulfides, smoke and irritating va incomplete combustion.	nds (H2S), alkyl mercaptans,
Further information	:	Prevent fire extinguishing water water or the ground water system	
SECTION 6. ACCIDENTAL RELE	EAS	EMEASURES	
Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipm Ensure adequate ventilation. Evacuate personnel to safe are Material can create slippery con Mark the contaminated area wir unauthorized personnel. Only qualified personnel equipp equipment may intervene.	eas. nditions. th signs and prevent access to
Environmental precautions	:	Do not allow uncontrolled disch environment.	arge of product into the
Methods and materials for containment and cleaning up	:	Prevent further leakage or spilla Remove all sources of ignition. Soak up with inert absorbent m Non-sparking tools should be u Ensure adequate ventilation. Contact the proper local author	aterial. Ised.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	None known.
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Use only with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.
Conditions for safe storage	:	Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sunlight.

ENDURATEX TM/MC EP 68

000003000425

Version 3.6

Print Date 2022/07/11

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, high-viscosity; Baseoil — unspecified	72623-85-9	TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified	72623-86-0	TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL

Engineering measures : No specia

: No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Filter type	:	organic vapour filter
Hand protection Material	:	neoprene, nitrile, polyvinyl alcohol (PVA), Viton [®] .
Remarks	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Eve protection		Wear face-shield and protective suit for abnormal processing



ENDURATEX TM/MC EP 68



000003000425

Version 3.6		Revision Date 2022/07/11	Print Date 2022/07/11
		problems.	
Skin and body protection	:	Choose body protection in relation to its concentration and amount of dangerous the specific work-place.	
Protective measures	:	Wash contaminated clothing before re-u	use.
Hygiene measures	:	Remove and wash contaminated clothir including the inside, before re-use. Wash face, hands and any exposed ski handling.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	viscous liquid
Colour	:	amber
Odour	:	Mild petroleum oil like.
Odour Threshold	:	No data available
рН	:	No data available
Pour point Boiling point/boiling range	:	-39 °C (-38 °F) No data available
Flash point	:	240 °C (464 °F) Method: Cleveland open cup
Fire Point	:	No data available
Evaporation rate	:	No data available
Flammability	:	Low fire hazard. This material must be heated before ignition will occur.
Auto-Ignition Temperature	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0.8636 kg/l (15 °C / 59 °F)
Solubility(ies)		

ENDURATEX TM/MC EP 68

000003000425



Version 3.6	Revision Date 2022/07/11	Print Date 2022/07/11
Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Viscosity Viscosity, kinematic	: 68 cSt (40 °C / 104 °F)	
	9.1 cSt (100 °C / 212 °F)	
Explosive properties	: Do not pressurize, cut, weld, bra expose containers to heat or sou	

SECTION 10. STABILITY AND REACTIVITY


Possibility of hazardous reactions	:	Hazardous polymerisation does not occur. Stable under normal conditions.
Conditions to avoid	:	No data available
Incompatible materials	:	Reactive with oxidising agents and reducing agents.
Hazardous decomposition products	:	May release COx, NOx, SOx, H2S, alkyl mercaptans, sulfides, smoke and irritating vapours when heated to decomposition.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure Eye contact Ingestion Inhalation Skin contact Acute toxicity				
Product:				
Acute oral toxicity	:	Remarks: No data available		
Acute inhalation toxicity	:	Remarks: No data available		
Acute dermal toxicity	:	Remarks: No data available		
Components:Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:Acute oral toxicity: LD50 (Rat): > 5,000 mg/kg,				
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg,		
Lubricating oils (petroleum) Baseoil — unspecified: Acute oral toxicity		20-50, hydrotreated neutral oil-based, high-viscosity; LD50 (Rat): > 5,000 mg/kg,		
Acute inhalation toxicity		LC50 (Rat): > 5.2 mg/l Exposure time: 4 h		

ENDURATEX TM/MC EP 68

000003000425



SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish	:	Remarks: No data available	
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available	
Toxicity to algae/aquatic	:	Remarks: No data available	
Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.			



ENDURATEX TM/MC EP 68



000003000425

Version 3.6	Revision Date 2022/07/11	Print Date 2022/07/11
plants		
Toxicity to microorganisms	: Remarks: No data available	
Persistence and degradability	/	
Product:		
Biodegradability	: Remarks: No data available	
Bioaccumulative potential		
No data available		
Mobility in soil		
No data available		
Other adverse effects		
No data available		
SECTION 13. DISPOSAL CONSIDE	ERATIONS	

Disposal methods

•	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Offer surplus and non-recyclable solutions to a licensed disposal company. Waste must be classified and labelled prior to recycling or disposal. Send to a licensed waste management company. Dispose of product residue in accordance with the instructions of the neuroneories for the neuroneories.
	of the person responsible for waste disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

National Regulations

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

California Prop. 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. The chemicals include:


ENDURATEX TM/MC EP 68

000003000425

~~~~
PETRO-CANADA

Version 3.6	Revision Date 2	2022/07/11	Print Date 2022/07/11
4	I-methylpentan-2-one	108-10-	1
The components	s of this product are reported ir	n the following inver	ntories:
DSL	: On the inventory	y, or in compliance wi	th the inventory
TSCA			ct are either listed on the with a TSCA Inventory
IECSC	: On the inventory	y, or in compliance wi	th the inventory

# **SECTION 16. OTHER INFORMATION**



ACGIH NIOSH REL		USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits
OSHA P0		USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA		8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -

# ENDURATEX TM/MC EP 68

#### 000003000425

Version 3.6

#### Revision Date 2022/07/11

Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention: PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

For Copy of SDS	:	Internet: lubricants.petro-canada.com/sds United States, telephone: 1-800-268-5850; fax: 1-800-201- 6285 For Product Safety Information: 1 905-491-0565
Prepared by	:	Product Safety: +1 905-491-0565
Revision Date Date format	:	2022/07/11 yyyy/mm/dd

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### US / EN



Print Date 2022/07/11