<b>VULTREX</b>	тм/мс	G-1	24
----------------	-------	-----	----

#### 000003000534

Version 4.4

Revision Date 2021/11/02



Print Date 2021/11/02

#### **SECTION 1. IDENTIFICATION**

Product name	:	VULTREX TM/MC G-124
Product code	:	VULG124KGL, VULG124DRL, VULG124, VULG124C30
Manufacturer or supplier's		ails Petro-Canada America Lubricants LLC 2828 N. Harwood St., Suite 1300 Dallas TX 75201 United States 1-214-871-3555
Emergency telephone num Emergency telephone num- ber	ber	

Recommended use of the chemical and restrictions on use	е
---	---

Recommended use	:	Vultrex G-124 greases are premium quality, multi-purpose greases designed to lubricate heavy duty truck components in the mining, forestry and transportation industries.
Prepared by	:	Product Safety: +1 905-491-0565

#### **SECTION 2. HAZARDS IDENTIFICATION**

## GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

#### Other hazards

None known.

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or con- firmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

## VULTREX <sup>™/MC</sup> G-124

#### 000003000534



Version 4.4

Revision Date 2021/11/02

Print Date 2021/11/02

Chemical name	CAS-No.	Concentration (% w/w)
Paraffin oils	8012-95-1	30 - 100
Naphthenic acids, zinc salts	12001-85-3	0.1 - < 1

Actual concentration is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

If inhaled	4	Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact	f 2 2 2 2 1	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice. In the event of a known, or potential, high pressure injection njury, worker should obtain immediate medical evaluation.
In case of eye contact	F	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
If swallowed	ייי כ ו	Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physi- cian or poison control center. Never give anything by mouth to an unconscious person. Seek medical advice.
Most important symptoms and effects, both acute and delayed	: F	First aider needs to protect himself.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Unsuitable extinguishing media	:	No information available.
Specific hazards during fire- fighting	:	Cool closed containers exposed to fire with water spray.
Hazardous combustion prod- ucts	:	Carbon oxides (CO, CO2), smoke and irritating vapours as products of incomplete combustion.
Further information	:	Prevent fire extinguishing water from contaminating surface water or the ground water system.

VULTREX <sup>™/MC</sup> G-124

#### 000003000534

Version 4.4



Print Date 2021/11/02

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.
Environmental precautions	:	Do not allow uncontrolled discharge of product into the envi- ronment.
Methods and materials for containment and cleaning up	:	Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.

#### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	None known.
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Use only with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.
Conditions for safe storage	:	Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sun- light.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
Paraffin oils	8012-95-1	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhal-	5 mg/m3	ACGIH
		able particu-	-	

## VULTREX TM/MC G-124



#### 000003000534

Version	44
1010	4.4

rsion 4.4		Revision Date 2021/11/02 Print Date 2021/11		2021/11/02	
		late matter)			
		TWA (Mist)	5 mg/m3	OSHA P0	
		TWA (Mist)	5 mg/m3	NIOSH REL	
		STEL (Mist)	10 mg/m3	NIOSH REL	
Engineering measures	:	No special ventilation requiren should be sufficient to control contaminants.			
Personal protective equipme	ent				
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.			
Filter type	:	organic vapour filter			
Hand protection Material	:	neoprene, nitrile, polyvinyl alc	ohol (PVA), Viton <sup>®</sup> .		
Remarks	:	Chemical-resistant, imperviou approved standard should be chemical products if a risk ass essary.	worn at all times whe	en handling	
Eye protection	:	Wear face-shield and protectiv problems.	ve suit for abnormal p	processing	
Skin and body protection	:	Choose body protection in relation and amount of dangero cific work-place.			
Protective measures	:	Wash contaminated clothing b	efore re-use.		
Hygiene measures	:	Remove and wash contamina ing the inside, before re-use. Wash face, hands and any ex handling.			

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	: Semi-solid.
Colour	: red
Odour	: Bland.
Odour Threshold	: No data available
рН	: No data available
Pour point	: -12 °C (10 °F)Base Fluid Blend

### VULTREX TM/MC G-124

#### 000003000534



ersion 4.4		Revision Date 2021/11/02	Print Date 2021/11/02
Boiling point/boiling range	:	> 371 °C (> 700 °F)	
Flash point	:	290 °C (554 °F) Method: Cleveland open cup Base Fluid Blend	
Fire Point	:	300 °C (572 °F) Base Fluid Blend	
Evaporation rate	:	No data available	
Flammability	:	Low fire hazard. This material m will occur.	ust be heated before ignition
Auto-Ignition Temperature	:	No data available	
Upper explosion limit / Upper flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Vapour pressure	:	No data available	
Relative vapour density	:	No data available	
Relative density	:	No data available	
Density	:	0.8990 kg/l (15 °C / 59 °F)	
Solubility(ies)			
Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Viscosity Viscosity, kinematic	:	220 cSt (40 °C / 104 °F) Base Fluid Blend	
		17.9 cSt (100 °C / 212 °F) Base Fluid Blend	
Explosive properties	:	Do not pressurize, cut, weld, bra pose containers to heat or sourc	

#### SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reac- tions	:	Hazardous polymerisation does not occur. Stable under normal conditions.
Conditions to avoid	:	No data available
Incompatible materials	:	Reactive with oxidising agents.
Hazardous decomposition products	:	May release COx, smoke and irritating vapours when heated to decomposition.
Internet: lubricants.petro-canada.com/se	ds	Page: 5 / 1

Internet: lubricants.petro-canada.com/s Trademarks are owned or used under license.

VULTREX <sup>™/MC</sup> G-124

#### 000003000534

Version 4.4

Revision Date 2021/11/02

Print Date 2021/11/02

#### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure Eye contact Ingestion Inhalation Skin contact Acute toxicity Product: : Remarks: No data available Acute oral toxicity Acute inhalation toxicity : Remarks: No data available : Remarks: No data available Acute dermal toxicity Skin corrosion/irritation Product: No data available Remarks : Serious eye damage/eye irritation Product: No data available Remarks : Respiratory or skin sensitisation No data available Germ cell mutagenicity No data available Carcinogenicity No data available **Reproductive toxicity** No data available STOT - single exposure No data available **STOT - repeated exposure** No data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

#### Product: Toxicity to fish : Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.

Remarks: No data available

## VULTREX <sup>™/MC</sup> G-124

#### 000003000534



ersion 4.4	Revision Date 2021/11/02	Print Date 2021/11/02
Toxicity to daphnia and other aquatic invertebrates	: Remarks: No data available	
Toxicity to algae/aquatic plants	: Remarks: No data available	
Toxicity to microorganisms	: Remarks: No data available	
Persistence and degradability	/	
Product:		
Biodegradability	: Remarks: No data available	
Bioaccumulative potential		
No data available		
Mobility in soil		
No data available		
Other adverse effects		
No data available		

#### **Disposal methods**

Waste from residues	<ul> <li>The product should not be allowed to enter drains, water courses or the soil.</li> <li>Offer surplus and non-recyclable solutions to a licensed disposal company.</li> <li>Waste must be classified and labelled prior to recycling or disposal.</li> <li>Send to a licensed waste management company.</li> <li>Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.</li> </ul>
	of the person responsible for waste disposal.

#### **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

#### **National Regulations**

#### 49 CFR

Not regulated as a dangerous good

VULTREX TM/MC G-124

#### 000003000534

Version 4.4


Print Date 2021/11/02

#### SECTION 15. REGULATORY INFORMATION

California Prop. 65		This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other re- productive harm. For more information go to www.P65Warnings.ca.gov.	
The components of this product are reported in the following inventories:			
DSL	:	On the inventory, or in compliance with the inventory	
TSCA	:	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.	
IECSC	:	On the inventory, or in compliance with the inventory	
EINECS	:	On the inventory, or in compliance with the inventory	

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**



1910.1000

:

2

its for Air Contaminants

8-hour, time-weighted average

workday during a 40-hour workweek

# NIOSH REL / STEL : STEL - 15-minute TWA exposure that should not be exceeded Internet: lubricants.petro-canada.com/sds Page: 8

Trademarks are owned or used under license.

OSHA Z-1

ACGIH / TWA

NIOSH REL / TWA

USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

Time-weighted average concentration for up to a 10-hour



VULTREX <sup>™/MC</sup> G-124

#### 000003000534

Version 4.4

#### Revision Date 2021/11/02

PETROCANADA

Print Date 2021/11/02

		at any time during a workday
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory: LC50 - Lethal Concentration to 50 % of a test population: LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

For Copy of SDS	:	Internet: lubricants.petro-canada.com/sds United States, telephone: 1-800-268-5850; fax: 1-800-201- 6285 For Product Safety Information: 1 905-491-0565
Prepared by	:	Product Safety: +1 905-491-0565
Revision Date Date format	:	2021/11/02 yyyy/mm/dd

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

VULTREX <sup>™/MC</sup> G-124

#### 000003000534

Version 4.4

Revision Date 2021/11/02

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US/EN



Print Date 2021/11/02