

#### 000003001231

Version 3.3

Revision Date 2021/05/11

#### **SECTION 1. IDENTIFICATION**

Product name :	VULTREX TM/MC MPG EP2
Product code :	VULMPG2P17, VULMPG2KGL, VULMPG2DRL, VULMPG2, VULMPG2C30
Manufacturer or supplier's det	ails Petro-Canada America Lubricants LLC 2828 N. Harwood St., Suite 1300 Dallas TX 75201 United States
Telephone :	1-214-871-3555
Emergency telephone number	·
Emergency telephone num- : ber	CHEMTREC: 1-800-424-9300; Poison Control Centre: Consult local telephone directory for emergency number(s).
Recommended use of the cher	mical and restrictions on use
Recommended use :	Vultrex EP greases are premium quality, multi-purpose greas- es used for transportation, mining, and general industrial ap- plications.
Prepared by :	Product Safety: +1 905-491-0565
	TION

#### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

#### Other hazards

None known.

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or con- firmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
ΝΤΡ	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

# VULTREX TM/MC MPG EP2



Version 3.3

#### Revision Date 2021/05/11 Print Date 2021/06/03

Components

Chemical name	CAS-No.	Concentration (% w/w)
Residual oils (petroleum), solvent deasphalted; Baseoil — unspecified	64741-95-3	30 - 50
Distillates (petroleum), solvent- dewaxed heavy paraffinic; Baseoil — unspecified	64742-65-0	20 - 30
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, high- viscosity; Baseoil — unspecified	72623-85-9	20 - 30
bis(nonylphenyl)amine	36878-20-3	1 - 5
zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	4259-15-8	1 - 5
Amines, C12-14-alkyl, C6-10-alkyl phosphates	68603-55-4	0.1 - 1

Actual concentration is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

If inhaled	:	Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice. In the event of a known, or potential, high pressure injection injury, worker should obtain immediate medical evaluation.
In case of eye contact	:	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
If swallowed	:	Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physi- cian or poison control center. Never give anything by mouth to an unconscious person. Seek medical advice.
Most important symptoms and effects, both acute and delayed	:	First aider needs to protect himself.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media		Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Unsuitable extinguishing media	:	No information available.
Internet: lubricants.petro-canada.com/sd	ls	Page: 2



# VULTREX TM/MC MPG EP2



#### 000003001231

Version 3.3		Revision Date 2021/05/11	Print Date 2021/06/03	
Specific hazards during fire- fighting	: Cool closed containers exposed to fire with water		e with water spray.	
Hazardous combustion prod- ucts	:	: Carbon oxides (CO, CO2), sulphur oxides (SOx), phosp oxides (POx), zinc oxides (ZnOx), smoke and irritating v pours as products of incomplete combustion.		
Further information	:	Prevent fire extinguishing water from water or the ground water system.	contaminating surface	

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.
Environmental precautions :	Do not allow uncontrolled discharge of product into the envi- ronment.
Methods and materials for : containment and cleaning up	Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.

#### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	None known.
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Use only with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.
Conditions for safe storage	:	Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sun- light.

VULTREX TM/MC MPG EP2

### 000003001231

Version 3.3



Print Date 2021/06/03

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis	
Residual oils (petroleum), sol- vent deasphalted; Baseoil — unspecified	64741-95-3	TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH	
Distillates (petroleum), solvent- dewaxed heavy paraffinic; Baseoil — unspecified	64742-65-0	TWA (Mist)	5 mg/m3	OSHA Z-1	
		TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH	
		TWA (Mist)	5 mg/m3	OSHA P0	
		TWA (Mist)	5 mg/m3	NIOSH REL	
		STEL (Mist)	10 mg/m3	NIOSH REL	
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, high-viscosity; Baseoil — unspecified	72623-85-9	TWA (Mist)	5 mg/m3	OSHA Z-1	
		TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH	
		TWA (Mist)	5 mg/m3	OSHA P0	
		TWA (Mist)	5 mg/m3	NIOSH REL	
		STEL (Mist)	10 mg/m3	NIOSH REL	
Engineering measures		entilation require	ments. Good general worker exposure to a	ventilation	
Personal protective equipment	nt				
Respiratory protection	ventilation is that exposure Respirator se exposure lev	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.			
Filter type	organic vapo	ur filter			

r mor type	: organio vapoar intor	
Hand protection		

Material	: neoprene, nitrile, polyvinyl alcohol (PVA), Viton(R).
Remarks	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Eye protection	: Wear face-shield and protective suit for abnormal processing

# VULTREX TM/MC MPG EP2



#### 000003001231

Version 3.3		Revision Date 2021/05/11	Print Date 2021/06/03
Skin and body protection	: Choose body protection in relation to its type, to the c tration and amount of dangerous substances, and to cific work-place.		
Protective measures	:	Wash contaminated clothing before re-	use.
Hygiene measures	:	Remove and wash contaminated clothing and gloves, in ing the inside, before re-use. Wash face, hands and any exposed skin thoroughly afte handling.	

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

	Appearance	:	Buttery, smooth, semi-solid
	Colour	:	brown
	Odour	:	Mild grease like.
	Odour Threshold	:	No data available
	рН	:	No data available
	Pour point	:	-6 °C (21 °F) Base Fluid Blend
	Boiling point/boiling range	:	No data available
	Flash point	:	293 °C (559 °F) Method: Cleveland open cup Base Fluid Blend
	Fire Point	:	303 °C (577 °F) Base Fluid Blend
	Evaporation rate	:	No data available
	Flammability	:	Remarks: Low fire hazard. This material must be heated be- fore ignition will occur.
	Auto-Ignition Temperature	:	No data available
	Upper explosion limit / Upper flammability limit	:	No data available
	Lower explosion limit / Lower flammability limit	:	No data available
	Vapour pressure	:	No data available
	Relative vapour density	:	No data available
_	racti lubricanto natra canada com/a	4~	

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.

# VULTREX TM/MC MPG EP2



### 000003001231

Version 3.3	Revision Date 2021/05/11	Print Date 2021/06/03
Relative density	: No data available	
Density	: 0.8837 kg/l (59 °F / 15 °C) Base Fluid Blend	
Solubility(ies)		
Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Viscosity		
Viscosity, kinematic	: 493.0 cSt (40 °C / 104 °F) Base Fluid Blend	
	29.2 cSt (100 °C / 212 °F) Base Fluid Blend	
Explosive properties	: Do not pressurise, cut, weld, braze pose containers to heat or sources	-

#### SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reac- tions	:	Hazardous polymerisation does not occur. Stable under normal conditions.
Conditions to avoid	:	No data available
Incompatible materials	:	Reactive with oxidising agents, acids, alkalis and reducing agents.
Hazardous decomposition products	:	May release COx, NOx, SOx, POx, H2S, aldehydes, alkyl mercaptans, metal oxides, smoke and irritating vapours when heated to decomposition.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **11.1 Information on toxicological effects**

Information on likely routes of exposure	:	Eye contact Ingestion Inhalation Skin contact
Acute toxicity		
Deschuste		

### Product:

T TOULOLL		
Acute oral toxicity	:	Remarks: No data available
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	Remarks: No data available

VULTREX TM/MC MPG EP2

#### 000003001231

sion 3.3		Revision Date 2021/05/11	Print Date 2021/06/0
Components:			
		-dewaxed heavy paraffinic; Base	oil — unspecified:
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg,	
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg,	
Lubricating oils (petroleum)	), C	20-50, hydrotreated neutral oil-ba	ased, high-viscosity;
Baseoil — unspecified:			
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg,	
Acute inhalation toxicity	:	LC50 (Rat): > 5.2 mg/l	
		Exposure time: 4 h	
		Test atmosphere: dust/mist	
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg,	
Skin corrosion/irritation			
Product:			
Remarks	:	No data available	
Serious eye damage/eye irritation			
Product:			
Remarks	:	No data available	
Respiratory or skin sensitis	satio	on	
No data available			
Germ cell mutagenicity			
No data available			
Carcinogenicity			
No data available			
Reproductive toxicity			
No data available			
STOT - single exposure			
No data available			
STOT - repeated exposure			
No data available			
TION 12. ECOLOGICAL INF	OR	MATION	
Ecotoxicity			
Product:			
Toxicity to fish		Remarks: No data available	

Toxicity to daphnia and other : aquatic invertebrates Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.

Remarks: No data available



# VULTREX TM/MC MPG EP2



#### 000003001231

Version 3.3	Revision Date 2021/05/11	Print Date 2021/06/03
Toxicity to algae/aquatic : plants	Remarks: No data available	
Toxicity to microorganisms :	Remarks: No data available	
Persistence and degradability		
Product:		
Biodegradability :	Remarks: No data available	
Bioaccumulative potential		
No data available		
Mobility in soil		
No data available		
Other adverse effects		
No data available		

#### SECTION 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Waste from residues	:	courses or the soil. Offer surplus and non-recyclable solutions to a licensed dis- posal company. Waste must be classified and labelled prior to recycling or disposal. Send to a licensed waste management company.
		Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### **National Regulations**

**49 CFR** Not regulated as a dangerous good

#### **SECTION 15. REGULATORY INFORMATION**

#### California Prop. 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. The chemicals include:

# VULTREX TM/MC MPG EP2

#### 000003001231




Version 3.3	Revisior	n Date 2021/05/11 Print	Date 2021/06/03
e	ethylene oxide	75-21-8	
The components	s of this product are repo	orted in the following inventories:	
DSL	: On the ir	nventory, or in compliance with the in	ventory
TSCA		ical substances in this product are ei ventory or are in compliance with a T on.	

#### **SECTION 16. OTHER INFORMATION**

#### Further information

NFPA 704:



#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH NIOSH REL OSHA P0	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / STEL	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / TWA OSHA Z-1 / TWA	:	8-hour time weighted average 8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); Ecx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; Elx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical

# VULTREX TM/MC MPG EP2

#### 000003001231

Version 3.3

#### Revision Date 2021/05/11

Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer: IATA - International Air Transport Association: IBC - International Code for the Con-

on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL -No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

For Copy of SDS	:	Internet: lubricants.petro-canada.com/sds United States, telephone: 1-800-268-5850; fax: 1-800-201- 6285 For Product Safety Information: 1 905-491-0565
Prepared by	:	Product Safety: +1 905-491-0565
Revision Date Date format	:	2021/05/11 yyyy/mm/dd

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN



Print Date 2021/06/03