<b>HYDREX</b>	тм/мс	ΜV	46
---------------	-------	----	----

### 000003003855

**ΡΕΤΡΟ-ΓΔΝΔΟΔ** 

rsion 3.6	Revision Date 2022/07/	Print Date 2022/07/13
CTION 1. IDENTIFICATION		
Product name	: HYDREX TM/MC MV 46	
Product code	: HDXMV46P5R, HDXMV HDXMV46DCT, HDXMV HDXMV46DRM, HDXM	/46DRR, HDXMV46P20,
Manufacturer or supplier's	etails Petro-Canada America I 2828 N. Harwood St., Si Dallas TX 75201 United States : 1-214-871-3555	
Emergency telephone num	er	
Emergency telephone number	: CHEMTREC: 1-800-424	-9300; Consult local telephone directory for
Recommended use of the c	nemical and restrictions on	) USE
Recommended use	hydraulic oils designed f exposed to wider range recommended for wood and marine operations.	hydraulic fluids are a premium for use in hydraulic systems that are of temperatures. It is specifically land, mining, construction, public utility Typically, Hydrex MV Oils are used in hine tools, hydraulic presses, rotary ifugal pumps.
Prepared by	: Product Safety: +1 905-	491-0565

### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

### **GHS** label elements

Not a hazardous substance or mixture.

### Other hazards

None known.

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

# HYDREX <sup>™/MC</sup> MV 46

### 000003003855

Version 3.6

#### Revision Date 2022/07/13

Print Date 2022/07/13

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Lubricating oils (petroleum), C15-30,	72623-86-0	30 - 50
hydrotreated neutral oil-based; Baseoil —		
unspecified		
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil — unspecified	72623-87-1	20 - 30
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, high- viscosity; Baseoil — unspecified	72623-85-9	10 - 20
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	10 - 20
2,6-di-tert-butylphenol	128-39-2	0.1 - 1

Actual concentration is withheld as a trade secret

### **SECTION 4. FIRST AID MEASURES**

If inhaled	:	Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice.
In case of eye contact	:	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
If swallowed	:	Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Seek medical advice.
Most important symptoms and effects, both acute and delayed	:	First aider needs to protect himself.

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media :

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.



# HYDREX <sup>™/MC</sup> MV 46

### 000003003855



Version 3.6		Revision Date 2022/07/13	Print Date 2022/07/13
Unsuitable extinguishing media Specific hazards during firefighting		No information available.	
		Cool closed containers exposed to	o fire with water spray.
Hazardous combustion products	:	Carbon oxides (CO, CO2), nitroge oxides (SOx), smoke and irritating incomplete combustion.	
Further information	:	Prevent fire extinguishing water frow water or the ground water system.	5

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.
Environmental precautions	:	Do not allow uncontrolled discharge of product into the environment.
Methods and materials for containment and cleaning up	:	Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	None known.
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Use only with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.
Conditions for safe storage	:	Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place.

HYDREX <sup>™/MC</sup> MV 46

### 000003003855



Version 3.6

Revision Date 2022/07/13

Print Date 2022/07/13

Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sunlight.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified	72623-86-0	TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil — unspecified	72623-87-1	TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, high-viscosity; Baseoil — unspecified	72623-85-9	TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL

**Engineering measures** 

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### Personal protective equipment

:

:

Respiratory protection

Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe

# HYDREX <sup>™/MC</sup> MV 46

### 000003003855



Version 3.6		Revision Date 2022/07/13	Print Date 2022/07/13
		working limits of the selected respirato	pr.
Filter type	:	organic vapour filter	
Hand protection Material	:	neoprene, nitrile, polyvinyl alcohol (PV	′A), Viton <sup>®</sup> .
Remarks	:	Chemical-resistant, impervious gloves approved standard should be worn at chemical products if a risk assessmen necessary.	all times when handling
Eye protection	:	Wear face-shield and protective suit for problems.	or abnormal processing
Skin and body protection	:	Choose body protection in relation to in concentration and amount of dangerou the specific work-place.	
Protective measures	:	Wash contaminated clothing before re	-use.
Hygiene measures	:	Remove and wash contaminated cloth including the inside, before re-use. Wash face, hands and any exposed sl handling.	

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

	Appearance	:	viscous liquid
	Colour	:	Pale, straw-yellow.
	Odour	:	Mild petroleum oil like.
	Odour Threshold	:	No data available
	рН	:	No data available
	Pour point Boiling point/boiling range	:	-48 °C (-54 °F) No data available
	Flash point	:	256 °C (493 °F) Method: Cleveland open cup
	Fire Point	:	No data available
	Evaporation rate	:	No data available
	Flammability	:	Low fire hazard. This material must be heated before ignition will occur.
	Auto-Ignition Temperature	:	No data available
	Upper explosion limit / Upper flammability limit	:	No data available
lr T	ternet: lubricants.petro-canada.com/s	sds	Page: 5 /

Trademarks are owned or used under license.

# HYDREX <sup>™/MC</sup> MV 46

### 000003003855



Version 3.6		Revision Date 2022/07/13	Print Date 2022/07/13
Lower explosion limit / Lower flammability limit	:	No data available	
Vapour pressure	:	No data available	
Relative vapour density	:	No data available	
Relative density	:	No data available	
Density	:	0.8524 kg/l (15 °C / 59 °F)	
Solubility(ies)			
Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Viscosity Viscosity, kinematic	:	45.4 cSt (40 °C / 104 °F)	
		8.1 cSt (100 °C / 212 °F)	
Explosive properties	:	Do not pressurize, cut, weld, braze, so expose containers to heat or sources of	

### SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reactions	:	Hazardous polymerisation does not occur. Stable under normal conditions.
Conditions to avoid	:	No data available
Incompatible materials	:	Reactive with oxidising agents and reducing agents.
Hazardous decomposition products	:	May release COx, NOx, SOx, POx, H2S, metal oxides, methacrylate monomers, smoke and irritating vapours when heated to decomposition.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes o	f exposure
--------------------------------	------------

Eye contact Ingestion Inhalation Skin contact

### Acute toxicity

#### Product:

Acute oral toxicity	:	Remarks: No data available
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	Remarks: No data available

# HYDREX <sup>™/MC</sup> MV 46

#### 000003003855



sion 3.6	Revision Date 2022/07/13	Print Date 2022/07
Components:		
Lubricating oils (petroleu unspecified:	m), C15-30, hydrotreated neutral oil-k	oased; Baseoil —
Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg,	
Acute inhalation toxicity	: LC50 (Rat): > 5.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg,	
Lubricating oils (petroleu unspecified:	m), C20-50, hydrotreated neutral oil-b	oased; Baseoil —
Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg,	
Acute inhalation toxicity	: LC50 (Rat): > 5.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg,	
Lubricating oils (petroleu Baseoil — unspecified:	m), C20-50, hydrotreated neutral oil-b	based, high-viscosity;
Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg,	
Acute inhalation toxicity	: LC50 (Rat): > 5.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg,	
Distillates (petroleum), hy Acute oral toxicity	vdrotreated heavy paraffinic; Baseoil : LD50 (Rat): > 5,000 mg/kg,	— unspecified:
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg,	
Skin corrosion/irritation		
Product:		
Remarks	: No data available	
Serious eye damage/eye i	rritation	
Product:		
Remarks	: No data available	
Respiratory or skin sensi	tisation	
No data available		
Germ cell mutagenicity No data available		
Carcinogenicity		
No data available		

# HYDREX <sup>™/MC</sup> MV 46

### 000003003855

Version 3.6



Print Date 2022/07/13

#### **Reproductive toxicity**

No data available

### STOT - single exposure

No data available

### **STOT - repeated exposure**

No data available

### **SECTION 12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

### Product:

Toxicity to fish	:	Remarks: No data available				
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available				
Toxicity to algae/aquatic plants	:	Remarks: No data available				
Toxicity to microorganisms	:	Remarks: No data available				
Persistence and degradability	Persistence and degradability					
Product:						
Biodegradability	:	Remarks: No data available				
Bioaccumulative potential						
No data available						
Mobility in soil						
No data available						
<b>Other adverse effects</b> No data available						

### SECTION 13. DISPOSAL CONSIDERATIONS

# Disposal methods

N	Waste from residues	:	The product should not be allowed to enter drains, water courses or the soil. Offer surplus and non-recyclable solutions to a licensed disposal company. Waste must be classified and labelled prior to recycling or disposal. Send to a licensed waste management company. Dispose of product residue in accordance with the instructions of the person responsible for waste disposal
			of the person responsible for waste disposal.

# HYDREX <sup>™/MC</sup> MV 46

### 000003003855

Version 3.6



Print Date 2022/07/13

### **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

IATA-DGR Not regulated as a dangerous good

#### **IMDG-Code** Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

#### **National Regulations**

#### 49 CFR

Not regulated as a dangerous good

### **SECTION 15. REGULATORY INFORMATION**

California Prop. 65 ethylene oxide	This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. The chemicals include: 75-21-8				
The components of this product are reported in the following inventories:					
DSL :	On the inventory, or in compliance with the inventory				
TSCA :	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.				
IECSC :	On the inventory, or in compliance with the inventory				

### **SECTION 16. OTHER INFORMATION**

#### Further information

# HYDREX <sup>™/MC</sup> MV 46

### 000003003855

Version 3.6

Revision Date 2022/07/13

NFPA 704: Flammability HEALTH Health Instability 0 Special hazard

### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH NIOSH REL		USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA		8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials: bw - Body weight: CERCLA - Comprehensive Environmental Response. Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect

### HYDREX <sup>™/MC</sup> MV 46

#### 000003003855

Version 3.6

Revision Date 2022/07/13

Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

For Copy of SDS	:	Internet: lubricants.petro-canada.com/sds United States, telephone: 1-800-268-5850; fax: 1-800-201- 6285 For Product Safety Information: 1 905-491-0565
Prepared by	:	Product Safety: +1 905-491-0565
Revision Date Date format	:	2022/07/13 yyyy/mm/dd

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN



Print Date 2022/07/13