DURATAC [™] CHAIN OIL 32



000003000263

Version 2.5

Revision Date 2022/07/26

SECTION 1. IDENTIFICATION

Product name	•	DURATAC ™ CHAIN OIL 32		
Product code	:	DTAC32IBC, DTAC32DRM, DTAC32DCT, DTAC32C16, DTAC32, DTAC32BLK		
Manufacturer or supplier's de	eta	ils		
		Petro-Canada America Lubricants LLC 2828 N. Harwood St., Suite 1300 Dallas TX 75201 United States		
Telephone	:	1-214-871-3555		
Emergency telephone numbe	ər			
Emergency telephone num- : ber	:	CHEMTREC: 1-800-424-9300; Poison Control Centre: Consult local telephone directory for emergency number(s).		
Recommended use of the chemical and restrictions on use				
Recommended use	:	Duratac Chain Oils are used to lubricate chains, guide bars, journal bearings and sprockets of modern high-speed chain saws. They are used as "once through" lubricating oils where a tackifier is beneficial.		
Prepared by	:	Product Safety: +1 905-491-0565		

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or con- firmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
ΝΤΡ	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

DURATAC [™] CHAIN OIL 32

000003000263

Version 2.5

Revision Date 2022/07/26

Print Date 2022/07/26

Components

components		
Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified	64742-55-8	20 - 30
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	1 - 5
paraminic, baseon — unspecified		

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

If inhaled	: Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact	 In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice.
In case of eye contact	 Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
If swallowed	 Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Seek medical advice.
Most important symptoms and effects, both acute and delayed	: First aider needs to protect himself.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing m	edia :	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Unsuitable extinguishing media	:	No information available.
Specific hazards during t fighting	fire- :	Cool closed containers exposed to fire with water spray.
Hazardous combustion pucts	orod- :	Carbon oxides (CO, CO2), nitrogen oxides (NOx), sulphur oxides (SOx), phosphorus oxides (POx), sulphur compounds (H2S), smoke and irritating vapours as products of incomplete combustion.
Further information	:	Prevent fire extinguishing water from contaminating surface
ernet: lubricants.petro-canada	.com/sds	Page: 2 / 2



DURATAC [™] CHAIN OIL 32

000003000263

PETRO-CANADA

Version 2.5

Revision Date 2022/07/26

Print Date 2022/07/26

water or the ground water system.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.
Environmental precautions :	If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for : containment and cleaning up	Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.

SECTION 7. HANDLING AND STORAGE

Advice on protection against : fire and explosion	None known.
Advice on safe handling :	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.
Conditions for safe storage :	Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sun- light.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Distillates (petroleum), hy- drotreated light paraffinic;	64742-55-8	TWA (Inhal- able particu-	5 mg/m3	ACGIH

DURATAC [™] CHAIN OIL 32



000003000263

Version 2.5

Revision Date 2022/07/26

Print Date 2022/07/26

Baseoil — unspecified			late matter)		
•			TWA (Mist)	5 mg/m3	OSHA Z-1
			TWA (Mist)	5 mg/m3	OSHA P0
			TWA (Mist)	5 mg/m3	NIOSH REL
			ST (Mist)	10 mg/m3	NIOSH REL
Distillates (petroleum), hy-		64742-54-7	TWA (Inhal-	5 mg/m3	ACGIH
drotreated heavy paraffinic;			able particu-	J J	
Baseoil — unspecified			late matter)		
•			TWA (Mist)	5 mg/m3	OSHA Z-1
			TWA (Mist)	5 mg/m3	OSHA P0
			TWA (Mist)	5 mg/m3	NIOSH REL
			ST (Mist)	10 mg/m3	NIOSH REL
Engineering measures Personal protective equipm	: ont	should be suf contaminants	ficient to control	ments. Good general worker exposure to a	
Respiratory protection	:	ventilation is p that exposure Respirator se exposure leve	brovided or expo s are within reco lection must be	ess adequate local e osure assessment de ommended exposure based on known or a of the product and the respirator.	monstrates guidelines. nticipated
Filter type	:	organic vapou	ur filter		
Hand protection Material	:	neoprene, niti	rile, polyvinyl alc	cohol (PVA), Viton [®] .	
Remarks	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.			
Eye protection	:	Wear face-shield and protective suit for abnormal processing problems.			
Skin and body protection	:	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.			
Protective measures	:	Wash contam	inated clothing b	pefore re-use.	
Hygiene measures	:	Remove and wash contaminated clothing and gloves, includ- ing the inside, before re-use. Wash face, hands and any exposed skin thoroughly after handling.			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Opaque, viscous liquid.
Colour	:	dark red

DURATAC [™] CHAIN OIL 32



000003000263			
Version 2.5		Revision Date 2022/07/26	Print Date 2022/07/26
Odour	:	Mild petroleum oil like.	
Odour Threshold	:	No data available	
рН	:	No data available	
Pour point Boiling point/boiling range	:	-42 °C (-44 °F) No data available	
Flash point	:	190 °C (374 °F) Method: Cleveland open cup	
Fire Point	:	No data available	
Evaporation rate	:	No data available	
Flammability	:	Low fire hazard. This material must be will occur.	e heated before ignition
Auto-Ignition Temperature	:	No data available	
Upper explosion limit / Upper flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Vapour pressure	:	No data available	
Relative vapour density	:	No data available	
Relative density	:	No data available	
Density	:	0.855 kg/l (15 °C / 59 °F)	
Solubility(ies)			
Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Viscosity Viscosity, kinematic	:	32.0 cSt (40 °C / 104 °F)	
		6.3 cSt (100 °C / 212 °F)	
Explosive properties	:	Do not pressurize, cut, weld, braze, so pose containers to heat or sources of	

SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reac- tions	:	Hazardous polymerisation does not occur. Stable under normal conditions.
Conditions to avoid	:	No data available



DURATAC [™] CHAIN OIL 32



000003000263

Version 2.5		Revision Date 2022/07/26	Print Date 2022/07/26
Incompatible materials	:	Reactive with oxidising agents and	reducing agents.
Hazardous decomposition products	:	May release COx, NOx, SOx, POx vapours when heated to decompose	

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely route	s of	exposure
Eye contact Ingestion Inhalation Skin contact		
Acute toxicity		
Product:		
Acute oral toxicity	:	Remarks: No data available
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	Remarks: No data available
Components:		
Distillates (petroleum), hyd Acute oral toxicity		eated light paraffinic; Baseoil — unspecified: LD50 (Rat): > 5,000 mg/kg,
Acute inhalation toxicity	:	LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg,
Distillates (petroleum), hyd Acute oral toxicity		eated heavy paraffinic; Baseoil — unspecified: LD50 (Rat): > 5,000 mg/kg,
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg,
Skin corrosion/irritation		
Product:		
Remarks	:	No data available
Serious eye damage/eye ir	ritati	on
Product:		
Remarks	:	No data available
Respiratory or skin sensiti	satio	on
No data available		
Germ cell mutagenicity No data available		
Carcinogenicity	o /o do	

DURATAC [™] CHAIN OIL 32

000003000263

Version 2.5

Revision Date 2022/07/26

Print Date 2022/07/26

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Persistence and degradabili	ty	
Product:		
Biodegradability	:	Remarks: No data available
Bioaccumulative potential		
Bioaccumulative potential No data available		
No data available		
No data available Mobility in soil		

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Offer surplus and non-recyclable solutions to a licensed disposal company. Waste must be classified and labelled prior to recycling or disposal. Send to a licensed waste management company. Dispose of product residue in accordance with the instructions
	of the person responsible for waste disposal.

DURATAC [™] CHAIN OIL 32

000003000263

Version 2.5

Revision Date 2022/07/26

Print Date 2022/07/26

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

National Regulations

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

California Prop. 65		This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other re- productive harm. For more information go to www.P65Warnings.ca.gov.		
The components of this product are reported in the following inventories:				
DSL	:	On the inventory, or in compliance with the inventory		
TSCA	:	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.		
EINECS	:	On the inventory, or in compliance with the inventory		
IECSC	:	On the inventory, or in compliance with the inventory		

SECTION 16. OTHER INFORMATION

Further information




DURATAC [™] CHAIN OIL 32

000003000263

PETRO-CANADA

Version 2.5

Revision Date 2022/07/26



HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH NIOSH REL	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New

DURATAC [™] CHAIN OIL 32



000003000263

Version 2.5

Revision Date 2022/07/26

Print Date 2022/07/26

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

For Copy of SDS	:	Internet: lubricants.petro-canada.com/sds United States, telephone: 1-800-268-5850; fax: 1-800-201- 6285 For Product Safety Information: 1 905-491-0565
Prepared by	:	Product Safety: +1 905-491-0565
Revision Date Date format	:	2022/07/26 yyyy/mm/dd

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN