### 000003005460

Version 2.8

Revision Date 2022/07/06

PETRO CANADA

### **SECTION 1. IDENTIFICATION**

Product name :	DURON TM/MC UHP 5W-40
Product code :	DUHP54CBE, DUHP54B6U, DUHP54P5R, DUHP54ICT, DUHP54DRR, DUHP54BLK, DUHP54C12, DUHP54C16, DUHP54P20, DUHP54DRM, DUHP54IBC, DUHP54DCT, DUHP54
Manufacturer or supplier's det	ails
	Petro-Canada America Lubricants LLC 2828 N. Harwood St., Suite 1300 Dallas TX 75201 United States
Telephone :	1-214-871-3555
Emergency telephone number	
Emergency telephone num- : ber	CHEMTREC: 1-800-424-9300; Poison Control Centre: Consult local telephone directory for emergency number(s).
Recommended use of the cher	nical and restrictions on use
Recommended use :	A high quality engine oil specifically designed for low tempera- ture operation and 2015 (and beyond) EPA engine require- ments, along with improved performance benefits in legacy engines. Application includes modern low emission diesel engines with cooled exhaust gas recirculation and exhaust after treatment technology. It is also suitable for some pas- senger car and light truck diesel engines, and spark ignition engines.
Prepared by :	Product Safety: +1 905-491-0565

### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

### **GHS** label elements

Not a hazardous substance or mixture.

#### Other hazards

None known.

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or con- firmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

# DURON <sup>™/MC</sup> UHP 5W-40

### 000003005460

Version 2.8

Print Date 2022/07/06

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	80 - 100
Lubricating oils (petroleum), C15-30, hy- drotreated neutral oil-based; Baseoil — unspecified	72623-86-0	50 - 70
Dec-1-ene, oligomers, hydrogenated	68037-01-4	5 - 10
Lubricating oils (petroleum), C20-50, hy- drotreated neutral oil-based; Baseoil — unspecified	72623-87-1	1 - 5
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	64742-65-0	1 - 5
Phenol, tetrapropylene-, sulfurized, car- bonates, calcium salts, overbased	122384-87-6	1 - 5
bis(nonylphenyl)amine	36878-20-3	1 - 5
Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified	64742-56-9	1 - 5
Zinc alkyldithiophosphate	113706-15-3	1 - 5

Actual concentration is withheld as a trade secret

### **SECTION 4. FIRST AID MEASURES**

	If inhaled :	Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
	In case of skin contact :	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice.
	In case of eye contact :	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
	If swallowed :	Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physi- cian or poison control center. Never give anything by mouth to an unconscious person. Seek medical advice.
	Most important symptoms : and effects, both acute and	First aider needs to protect himself.
er	net: lubricants.petro-canada.com/sds	Page: 2 /

# DURON <sup>™/MC</sup> UHP 5W-40

### 000003005460

Version 2.8



Print Date 2022/07/06

delaved

olayoa			

SECTION 5. FIREFIGHTING MEASURES				
Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.		
Unsuitable extinguishing media	:	No information available.		
Specific hazards during fire- fighting	:	Cool closed containers exposed to fire with water spray.		
Hazardous combustion prod- ucts	:	Carbon oxides (CO, CO2), nitrogen oxides (NOx), sulphur oxides (SOx), phosphorus oxides (POx), sulphur compounds (H2S), zinc oxides (ZnOx), metal oxides, hydrocarbons, smoke and irritating vapours as products of incomplete com- bustion.		
Further information	:	Prevent fire extinguishing water from contaminating surface water or the ground water system.		

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.
Environmental precautions :	If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for : containment and cleaning up	Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	None known.
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest.

# DURON <sup>™/MC</sup> UHP 5W-40

### 000003005460



Version 2.8	Revis	sion Date 2022/07/06	Print Date 2022/07/06	
		Keep away from heat and sources of ignition. Keep container closed when not in use.		
Conditions for safe storage	<ul> <li>Store in original container. Containers which are opened must be carefully resea kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or dir light.</li> </ul>		tilated place. hers.	

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspeci- fied	72623-86-0	TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		STEL (Mist)	10 mg/m3	NIOSH REL
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil — unspeci- fied	72623-87-1	TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		STEL (Mist)	10 mg/m3	NIOSH REL
Distillates (petroleum), solvent- dewaxed heavy paraffinic; Baseoil — unspecified	64742-65-0	TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		STEL (Mist)	10 mg/m3	NIOSH REL
Distillates (petroleum), solvent- dewaxed light paraffinic; Baseoil — unspecified	64742-56-9	TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH
•		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		STEL (Mist)	10 mg/m3	NIOSH REL

### Components with workplace control parameters

Engineering measures

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### Personal protective equipment

:

Respiratory protection

Use respiratory protection unless adequate local exhaust

: Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.

# DURON <sup>™/MC</sup> UHP 5W-40



### 000003005460

Version 2.8		Revision Date 2022/07/06	Print Date 2022/07/06
		ventilation is provided or exposure ass that exposures are within recommende Respirator selection must be based on exposure levels, the hazards of the pro working limits of the selected respirato	ed exposure guidelines. known or anticipated oduct and the safe
Filter type	:	organic vapour filter	
Hand protection Material	:	neoprene, nitrile, polyvinyl alcohol (PV	A), Viton <sup>®</sup> .
Remarks	:	Chemical-resistant, impervious gloves approved standard should be worn at a chemical products if a risk assessment essary.	all times when handling
Eye protection	:	Wear face-shield and protective suit fo problems.	r abnormal processing
Skin and body protection	:	Choose body protection in relation to it tration and amount of dangerous subst cific work-place.	
Protective measures	:	Wash contaminated clothing before re-	-use.
Hygiene measures	:	Remove and wash contaminated cloth ing the inside, before re-use. Wash face, hands and any exposed sk handling.	

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	viscous liquid
Colour	:	amber
Odour	:	Mild petroleum oil like.
Odour Threshold	:	No data available
рН	:	No data available
Pour point Boiling point/boiling range	:	-45 °C (-49 °F) No data available
Flash point	:	235 °C (455 °F) Method: Cleveland open cup
Fire Point	•	257 °C (495 °F)
Evaporation rate	:	No data available
Flammability	:	Low fire hazard. This material must be heated before ignition will occur.

# DURON <sup>™/MC</sup> UHP 5W-40

### 000003005460

~	7
PETRO	CANADA

000003005460			
Version 2.8		Revision Date 2022/07/06	Print Date 2022/07/06
Auto-Ignition Temperature	:	No data available	
Upper explosion limit / Upper flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Vapour pressure	:	No data available	
Relative vapour density	:	No data available	
Relative density	:	No data available	
Density	:	0.8540 kg/l (15 °C / 59 °F)	
Solubility(ies)			
Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Viscosity Viscosity, kinematic	:	95.1 cSt (40 °C / 104 °F)	
		15.6 cSt (100 °C / 212 °F)	
Explosive properties	:	Do not pressurize, cut, weld, braze, sole pose containers to heat or sources of ig	

### SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reac- tions	:	Hazardous polymerisation does not occur. Stable under normal conditions.
Conditions to avoid	:	No data available
Incompatible materials	:	Reactive with oxidising agents.
Hazardous decomposition products	:	May release COx, H2S, methacrylate monomers, smoke and irritating vapours when heated to decomposition.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Skin contact Eye contact Inhalation Ingestion

### Acute toxicity

#### Product:

Acute oral toxicity

: Remarks: No data available

# DURON <sup>™/MC</sup> UHP 5W-40



### 000003005460

sion 2.8	Revision Date 2022	/07/06 Print Da	ate 2022/07/0
Acute inhalation toxicity	: Remarks: No data a	vailable	
Acute dermal toxicity	: Remarks: No data a	vailable	
<u>Components:</u> Lubricating oils (petroleur fied:	), C15-30, hydrotreated I	neutral oil-based; Baseoil	— unspeci-
Acute oral toxicity	: LD50 (Rat): > 5,000	mg/kg,	
Acute inhalation toxicity	: LC50 (Rat): > 5.2 m Exposure time: 4 h Test atmosphere: du	-	
Acute dermal toxicity	: LD50 (Rabbit): > 2,0	00 mg/kg,	
Lubricating oils (petroleur fied:	), C20-50, hydrotreated	neutral oil-based; Baseoil	— unspeci-
Acute oral toxicity	: LD50 (Rat): > 5,000	mg/kg,	
Acute inhalation toxicity	: LC50 (Rat): > 5.2 m Exposure time: 4 h Test atmosphere: du	-	
Acute dermal toxicity	: LD50 (Rabbit): > 2,0	00 mg/kg,	
Distillates (petroleum), so Acute oral toxicity	vent-dewaxed heavy para : LD50 (Rat): > 5,000		fied:
Acute dermal toxicity	: LD50 (Rabbit): > 5,0	00 mg/kg,	
Skin corrosion/irritation			
Product:			
Remarks	: No data available		
Serious eye damage/eye i	itation		
Product:			
Remarks	: No data available		
Respiratory or skin sensit	sation		
No data available			
Germ cell mutagenicity No data available			
Carcinogenicity			
No data available			
Reproductive toxicity			
No data available			
STOT - single exposure			
No data available	/ede		Page.

# DURON <sup>™/MC</sup> UHP 5W-40

### 000003005460

Version 2.8

Print Date 2022/07/06

### STOT - repeated exposure

No data available

### **SECTION 12. ECOLOGICAL INFORMATION**

### Ecotoxicity

Product:		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Persistence and degradabili	ity	
Product:		
Biodegradability		Remarks: No data available
0 ,	•	
Bioaccumulative potential	-	
	•	
Bioaccumulative potential		
<b>Bioaccumulative potential</b> No data available		
Bioaccumulative potential No data available Mobility in soil		

### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods	
Waste from residues	<ul> <li>The product should not be allowed to enter drains, water courses or the soil.</li> <li>Offer surplus and non-recyclable solutions to a licensed disposal company.</li> <li>Waste must be classified and labelled prior to recycling or disposal.</li> <li>Send to a licensed waste management company.</li> <li>Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.</li> </ul>

### SECTION 14. TRANSPORT INFORMATION

### **International Regulations**

IATA-DGR

Not regulated as a dangerous good

### IMDG-Code

### DURON <sup>™/MC</sup> UHP 5W-40

### 000003005460

Version 2.8

Revision Date 2022/07/06



Print Date 2022/07/06

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code


### **National Regulations**

**49 CFR** Not regulated as a dangerous good

### **SECTION 15. REGULATORY INFORMATION**

California Prop. 65	This product contains chemical(s) known to the State of Cali- fornia to cause cancer and/or to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. The chemicals include:
benzene	71-43-2
The components of this produce	ct are reported in the following inventories:
DSL :	On the inventory, or in compliance with the inventory
TSCA :	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.

### **SECTION 16. OTHER INFORMATION**



### Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA P0	: USA. Table Z-1-A Limits for Air Contaminants (1989 vacated
	values)
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.

Page: 9 / 11 Petro-Canada Lubricants is a HF Sinclair brand

### DURON <sup>™/MC</sup> UHP 5W-40

### 000003005460



Version 2.8	Revision Date 2022/07/06	Print Date 2022/07/06
	its for Air Contaminants	
ACGIH / TWA	: 8-hour, time-weighted average	
NIOSH REL / TWA	: Time-weighted average concentrative workday during a 40-hour workweighted average concentrative workweighted average concentrative workweighted average concentrative workday during a 40-hour workweighted average concentrative workweighted average concentrative workday during a 40-hour workweighted average concentrative workweighted average concentrative workday during a 40-hour workweighted average concentrative workweighted average concentrative workday during a 40-hour workweighted average concentrative workday during average concentrative workweighted average concentrative workweighted average concentrative workday during average concentrative work	
NIOSH REL / STEL	: STEL - 15-minute TWA exposure at any time during a workday	that should not be exceeded
OSHA P0 / TWA	: 8-hour time weighted average	
OSHA Z-1 / TWA	: 8-hour time weighted average	

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Verv Persistent and Verv Bioaccumulative

For Copy of SDS	:	Internet: lubricants.petro-canada.com/sds United States, telephone: 1-800-268-5850; fax: 1-800-201- 6285 For Product Safety Information: 1 905-491-0565
Prepared by	:	Product Safety: +1 905-491-0565
Revision Date Date format	:	2022/07/06 yyyy/mm/dd

### DURON <sup>™/MC</sup> UHP 5W-40

### 000003005460

Version 2.8

#### Revision Date 2022/07/06

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN



Print Date 2022/07/06