According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Pennzoil Platinum Euro SAE 5W-30 Full Synthetic Motor Oil

Version 1.5	Revision Date: 09/23/2020	SDS Number: 800001030836	Print Date: 09/24/2020 Date of last issue: 09/07/2020			
SECTION	SECTION 1. IDENTIFICATION					
Product name		: Pennzoil Platin	um Euro SAE 5W-30 Full Synthetic Motor Oil			
Produ	uct code	: 001F2317				
Manu	afacturer or supplier's	details				
Manu	lfacturer/Supplier	: Shell Oil Prod PO Box 4427 Houston TX 77 USA				

: (+1) 877-276-7285

Emergency telephone number

SDS Request

Customer Service

Spill Information	:	877-504-9351
Health Information	:	877-242-7400

Recommended use of the chemical and restrictions on use

:

Recommended use : Engine oil.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Based on available data this substance / mixture does not meet the classification criteria.

GHS label elements Hazard pictograms	:	No Hazard Symbol required
Signal word	:	No signal word
Hazard statements	:	PHYSICAL HAZARDS: Not classified as a physical hazard under GHS criteria. HEALTH HAZARDS: Not classified as a health hazard under GHS criteria. ENVIRONMENTAL HAZARDS: Not classified as an environmental hazard under GHS criteria.
Precautionary statements	:	Prevention: No precautionary phrases. Response: No precautionary phrases. Storage: No precautionary phrases.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Pennzoil Platinum Euro SAE 5W-30 Full Synthetic Motor Oil

Revision Date: Version SDS Number: 1.5 09/23/2020 800001030836

Print Date: 09/24/2020 Date of last issue: 09/07/2020

Disposal:

No precautionary phrases.

Other hazards which do not result in classification

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Used oil may contain harmful impurities.

Not classified as flammable but will burn.

The classification of this material is based on OSHA HCS 2012 criteria.

Under normal conditions of use or in a foreseeable emergency, this product does not meet the definition of a hazardous chemical when evaluated according to the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
Chemical nature :		Synthetic base oil and additives. Highly refined mineral oil. The highly refined mineral oil contains <3% (w/w) DMSO- extract, according to IP346. The highly refined mineral oil is only present as additive dilu- ent.
		* contains one or more of the following CAS-numbers: 64742- 53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-65-0, 68037-01-4, 72623-86-0, 72623-87-1, 8042-47-5, 848301-69- 9, 68649-12-7, 151006-60-9, 163149-28-8.

Hazardous components

Chemical name	Synonyms	CAS-No.	Concentration (% w/w)
Alkaryl amine	bis(nonylphenyl)amine	36878-20-3	1 - 3
Interchangeable low viscosity base oil	Jamme	Not Assigned	0 - 90
(<20,5 cSt @40°C) *			

SECTION 4. FIRST-AID MEASURES

If inhaled	:	No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
In case of skin contact	:	Remove contaminated clothing. Flush exposed area with wa- ter and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.
In case of eye contact	:	Flush eye with copious quantities of water. Remove contact lenses, if present and easy to do. Continue rinsing. If persistent irritation occurs, obtain medical attention.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Pennzoil Platinum Euro SAE 5W-30 Full Synthetic Motor Oil

Vers 1.5	sion	Revision Date: 09/23/2020		S Number: 0001030836	Print Date: 09/24/2020 Date of last issue: 09/07/2020
	If swalle	owed	:		tment is necessary unless large quantities wever, get medical advice.
	Most important symptoms and effects, both acute and delayed		:	of black pustules a	signs and symptoms may include formation and spots on the skin of exposed areas. ult in nausea, vomiting and/or diarrhoea.
	Protecti	ion of first-aiders	:		ng first aid, ensure that you are wearing the nal protective equipment according to the d surroundings.
	medica	on of any immediate I attention and special ent needed	:	Treat symptomatio	cally.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam, water spray or fog. Dry chemical powder, carbon diox- ide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	:	Do not use water in a jet.
Specific hazards during fire- fighting	:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Special protective equipment for firefighters	:	Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Avoid contact with skin and eyes.
Environmental precautions	:	Use appropriate containment to avoid environmental contami- nation. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Pennzoil Platinum Euro SAE 5W-30 Full Synthetic Motor Oil

Vers 1.5	sion	Revision Date: 09/23/2020		9S Number: 0001030836	Print Date: 09/24/2020 Date of last issue: 09/07/2020
				Local authorities s cannot be contain	should be advised if significant spillages ed.
		ls and materials for ment and cleaning up	:	Prevent from spre or other containm Reclaim liquid dire Soak up residue v	It. Avoid accidents, clean up immediately. ading by making a barrier with sand, earth ent material. actly or in an absorbent. vith an absorbent such as clay, sand or other and dispose of properly.
	Addition	nal advice	:	see Section 8 of t	election of personal protective equipment his Safety Data Sheet. lisposal of spilled material see Section 13 of heet.
SEC	TION 7	HANDLING AND ST	OR	AGE	
	Technic	cal measures	:	vapours, mists or Use the information sessment of local	ventilation if there is risk of inhalation of aerosols. on in this data sheet as input to a risk as- circumstances to help determine appropri- fe handling, storage and disposal of this
	Advice	on safe handling	:	Avoid inhaling vap When handling pr worn and proper h	oduct in drums, safety footwear should be nandling equipment should be used. of any contaminated rags or cleaning mate-
	Avoidar	nce of contact	:	Strong oxidising a	gents.
	Produc	t Transfer	:		and bonding procedures should be used nsfer operations to avoid static accumulation.
	Further age sta	information on stor- bility	:	place.	htly closed and in a cool, well-ventilated led and closable containers.
				Store at ambient t	emperature.
	Packag	ing material	:	Suitable material: steel or high dens Unsuitable materi	
	Contair	ner Advice	:		ainers should not be exposed to high tem- e of possible risk of distortion.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Pennzoil Platinum Euro SAE 5W-30 Full Synthetic Motor Oil

VersionRevision Date:SDS Number:Print Date:1.509/23/2020800001030836Date of last

Print Date: 09/24/2020 Date of last issue: 09/07/2020

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
Oil mist, mineral	Not Assigned	TWA (Mist)	5 mg/m3	OSHA Z-1
Oil mist, mineral		TWA (Inhal-	5 mg/m3	ACGIH
		able particu-		
		late matter)		

Biological occupational exposure limits

No biological limit allocated.

Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

Engineering measures :	The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations.
	Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.
	General Information: Define procedures for safe handling and maintenance of controls. Educate and train workers in the hazards and control measures relevant to normal activities associated with this product. Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Pennzoil Platinum Euro SAE 5W-30 Full Synthetic Motor Oil

Version 1.5	Revision Date: 09/23/2020	SDS Number: 800001030836	Print Date: 09/24/2020 Date of last issue: 09/07/2020
		nance. Retain drain dow subsequent recy Always observe washing hands a drinking, and/or protective equip	good personal hygiene measures, such as after handling the material and before eating, smoking. Routinely wash work clothing and ment to remove contaminants. Discard con- ng and footwear that cannot be cleaned.
Perso	nal protective equipn	nent	
Respir	atory protection	conditions of use In accordance w tions should be t If engineering co tions to a level w select respirator cific conditions o Check with resp Where air-filterin priate combination Select a filter su	rotection is ordinarily required under normal e. with good industrial hygiene practices, precau- taken to avoid breathing of material. ontrols do not maintain airborne concentra- which is adequate to protect worker health, y protection equipment suitable for the spe- of use and meeting relevant legislation. iratory protective equipment suppliers. ng respirators are suitable, select an appro- on of mask and filter. itable for the combination of organic gases d particles [Type A/Type P boiling point
Hand	protection		
	marks	gloves approved US: F739) made suitable chemica gloves Suitability usage, e.g. frequ sistance of glove glove suppliers. Personal hygien Gloves must onl gloves, hands sh cation of a non-p For continuous of through time of r 480 minutes whe short-term/splas recognize that su may not be avail time maybe acce and replacemen a good predictor dependent on th Glove thickness	thact with the product may occur the use of to relevant standards (e.g. Europe: EN374, e from the following materials may provide al protection. PVC, neoprene or nitrile rubber y and durability of a glove is dependent on uency and duration of contact, chemical re- e material, dexterity. Always seek advice from Contaminated gloves should be replaced. e is a key element of effective hand care. y be worn on clean hands. After using hould be washed and dried thoroughly. Appli- berfumed moisturizer is recommended. contact we recommend gloves with break- more than 240 minutes with preference for > ere suitable gloves can be identified. For h protection we recommend the same but uitable gloves offering this level of protection lable and in this case a lower breakthrough eptable so long as appropriate maintenance t regimes are followed. Glove thickness is not of glove resistance to a chemical as it is e exact composition of the glove material. should be typically greater than 0.35 mm e glove make and model.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Pennzoil Platinum Euro SAE 5W-30 Full Synthetic Motor Oil

VersionRevision Date:1.509/23/2020	SDS Number: 800001030836	Print Date: 09/24/2020 Date of last issue: 09/07/2020	
Eye protection	protective eyewe	ndled such that it could be splashed into eyes, ear is recommended.	
Skin and body protection	work clothes.	s not ordinarily required beyond standard ee to wear chemical resistant gloves.	
Protective measures		Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.	
Thermal hazards	: Not applicable		
Environmental exposure c	ontrols		
General advice	vant environmen of the environmen necessary, preve charged to waste municipal or indu discharge to surf Local guidelines	e measures to fulfill the requirements of rele- ntal protection legislation. Avoid contamination ent by following advice given in Section 6. If ent undissolved material from being dis- e water. Waste water should be treated in a ustrial waste water treatment plant before face water. on emission limits for volatile substances ed for the discharge of exhaust air containing	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Liquid at room temperature.
Colour	:	amber
Odour Threshold	:	Data not available
рН	:	Not applicable
pour point	:	-48 °C / -54 °F Method: ASTM D97
Initial boiling point and boiling range	:	> 280 °C / 536 °F estimated value(s)
Flash point	:	210 °C / 410 °F
		Method: Unspecified
Evaporation rate	:	Data not available
Flammability (solid, gas)	:	Data not available
Upper explosion limit / upper flammability limit	:	Typical 10 %(V)

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Pennzoil Platinum Euro SAE 5W-30 Full Synthetic Motor Oil

Versi 1.5	ion	Revision Date: 09/23/2020		S Number: 0001030836	Print Date: 09/24/2020 Date of last issue: 09/07/2020	
		explosion limit / Lower bility limit	:	Typical 1 %(V)		
,	Vapour	pressure	:	< 0.5 Pa (20 °C /	68 °F)	
				estimated value(5)	
	Relative vapour density		:	> 1 estimated value(s)	
	Relative	e density	:	0.841 (15 °C / 59	°F)	
	Density		:	841 kg/m3 (15.0 Method: ASTM D		
	Solubili Wat	ty(ies) er solubility	:	negligible		
	Solu	bility in other solvents	:	Data not availabl	e	
	Partition octanol	n coefficient: n- /water	:	: log Pow: > 6 (based on information on similar products)		
	Auto-ig	nition temperature	:	> 320 °C / 608 °F	-	
	Decom	position temperature	:	Data not availabl	e	
,	Viscosi Visc	ty osity, dynamic	:	Data not availabl	e	
	Visc	osity, kinematic	:	71.7 mm2/s (40.0	0 °C / 104.0 °F)	
				Method: Unspeci	fied	
				11.9 mm2/s (100	°C / 212 °F)	
				Method: Unspeci	fied	
	Explosi	ve properties	:	Not classified		
	Oxidizir	ng properties	:	Data not availabl	e	
	Conduc	ctivity	:	: This material is not expected to be a static accumulator.		

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.
Chemical stability	:	Stable.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Pennzoil Platinum Euro SAE 5W-30 Full Synthetic Motor Oil

Versio 1.5	n Revision Date: 09/23/2020		S Number: 0001030836	Print Date: 09/24/2020 Date of last issue: 09/07/2020
	ossibility of hazardous reac-	:	Reacts with stron	ng oxidising agents.
С	conditions to avoid	:	Extremes of tem	perature and direct sunlight.
Ir	ncompatible materials	:	Strong oxidising	agents.
	lazardous decomposition roducts	:	No decompositio	n if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Basis for assessment	: Information given is based on data on the components and
	the toxicology of similar products. Unless indicated otherwise,
	the data presented is representative of the product as a
	whole, rather than for individual component(s).

Information on likely routes of exposure

Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.

Acute toxicity

Product:

Acute oral toxicity	:	LD50 (rat): > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.
Acute inhalation toxicity	:	Remarks: Based on available data, the classification criteria are not met.
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Product:

Remarks: Slightly irritating to skin., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis., Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Product:

Remarks: Slightly irritating to the eye., Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Product:

Remarks: Not a skin sensitiser.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Pennzoil Platinum Euro SAE 5W-30 Full Synthetic Motor Oil

Version	Revision Date:	SDS Number:	Print Date: 09/24/2020
1.5	09/23/2020	800001030836	Date of last issue: 09/07/2020

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Product:

: Remarks: Non mutagenic, Based on available data, the classification criteria are not met.

Carcinogenicity

Product:

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Product:

Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.

STOT - single exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

1

STOT - repeated exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

Aspiration toxicity

Product:

Not an aspiration hazard.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Pennzoil Platinum Euro SAE 5W-30 Full Synthetic Motor Oil

 Version
 Revision Date:
 SDS Number:

 1.5
 09/23/2020
 800001030836

Print Date: 09/24/2020 Date of last issue: 09/07/2020

Further information

Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Continuous contact with used engine oils has caused skin cancer in animal tests.

Remarks: Slightly irritating to respiratory system.

SECTION 12. ECOLOGICAL INFORMATION

Basis for assessment	:	Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representa- tive of the product as a whole, rather than for individual com- ponent(s).(LL/EL/IL50 expressed as the nominal amount of product required to prepare aqueous test extract).
Ecotoxicity		
Product: Toxicity to fish (Acute toxici- ty)	:	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to daphnia and other aquatic invertebrates (Acute toxicity)	:	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to algae (Acute tox- icity)	:	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to fish (Chronic tox- icity)	:	Remarks: Data not available
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	Remarks: Data not available
Toxicity to microorganisms (Acute toxicity)	:	Remarks: Data not available

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Pennzoil Platinum Euro SAE 5W-30 Full Synthetic Motor Oil

ersion 5	Revision Date: 09/23/2020	SDS Number: 800001030836	Print Date: 09/24/2020 Date of last issue: 09/07/2020
Persi	stence and degrada	bility	
Produ	uct:		
	gradability	Major consti	ot readily biodegradable. tuents are inherently biodegradable, but contai that may persist in the environment.
Bioad	cumulative potentia	I	
Produ	uct:		
Bioac	cumulation	: Remarks: Co cumulate.	ontains components with the potential to bioac
Mobil	lity in soil		
<u>Produ</u>	uct:		
Mobili	ity		quid under most environmental conditions. bil, it will adsorb to soil particles and will not be
		Remarks: Fl	oats on water.
Other	adverse effects		
Produ	uct:		
	onal ecological infor-	ozone creati Product is a	ve ozone depletion potential, photochemical on potential or global warming potential. mixture of non-volatile components, which will to air in any significant quantities under norma f use.
		Poorly solub Causes phys	le mixture. sical fouling of aquatic organisms.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Do not dispose into the environment, in drains or in water courses
	Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Waste, spills or used product is dangerous waste.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Pennzoil Platinum Euro SAE 5W-30 Full Synthetic Motor Oil

Version 1.5	Revision Date: 09/23/2020	SDS Number: 800001030836	Print Date: 09/24/2020 Date of last issue: 09/07/2020
Conta	aminated packaging	to a recognize the collector o Disposal shou	cordance with prevailing regulations, preferably d collector or contractor. The competence of r contractor should be established beforehand. Id be in accordance with applicable regional, ocal laws and regulations.
Loca Rema	I legislation arks		ld be in accordance with applicable regional, ocal laws and regulations.

SECTION 14. TRANSPORT INFORMATION

National Regulations

US Department of Transportation Classification (49 CFR Parts 171-180)

Not regulated as a dangerous good

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied. MARPOL Annex 1 rules apply for bulk shipments by sea.

Special precautions for user

Remarks

: Special Precautions: Refer to Section 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Cyclohexane	110-82-7	1000	*
Toluene	108-88-3	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit., Shell classifies this material as an "oil" under the CERCLA Petroleum Exclusion, therefore releases to the environment are not reportable under CERCLA., The components with RQs are given for information. Calculated RQ exceeds reasonably attainable upper limit.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Pennzoil Platinum Euro SAE 5W-30 Full Synthetic Motor Oil

Version	Revision Date:	SDS Number:	Print Date: 09/24/2020
1.5	09/23/2020	800001030836	Date of last issue: 09/07/2020

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

No SARA Hazards		
e ,	, ,	orting levels es-
Zinc dialkyldithiophos- phate	28629-66-5	>= 1 - < 5 %
Zinc dialkyldithiophos- phate	93819-94-4	>= 0.1 - < 1 %
Zinc dialkyldithiophos- phate	113706-15-3	>= 0.1 - < 1 %
Zinc dialkyldithiophos- phate	134759-18-5	>= 0.1 - < 1 %
	 tablished by SARA Title II Zinc dialkyldithiophos- phate Zinc dialkyldithiophos- phate Zinc dialkyldithiophos- phate Zinc dialkyldithiophos- 	The following components are subject to rep tablished by SARA Title III, Section 313:Zinc dialkyldithiophos- phate28629-66-5Zinc dialkyldithiophos- phate93819-94-4Zinc dialkyldithiophos- phate113706-15-3Zinc dialkyldithiophos- phate134759-18-5

Clean Water Act

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Cyclohexane	110-82-7	0.0023 %
Toluene	108-88-3	0.0001 %

US State Regulations

Pennsylvania Right To Know

Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7
Zinc dialkyldithiophosphate	28629-66-5
Zinc dialkyldithiophosphate	93819-94-4
Zinc dialkyldithiophosphate	113706-15-3
Zinc dialkyldithiophosphate	134759-18-5
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0
diphenylamine	122-39-4

California Prop. 65

WARNING: This product can expose you to chemicals including Toluene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California List of Hazardous Substances

Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7
Zinc dialkyldithiophosphate	28629-66-5

Other regulations:

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Pennzoil Platinum Euro SAE 5W-30 Full Synthetic Motor Oil

Version 1.5	Revision Date: 09/23/2020		OS Number: 0001030836	Print Date: 09/24/2020 Date of last issue: 09/07/2020
The c		produc :	:t are reported i Notified with R	in the following inventories: estrictions.
TSCA	ł	:	All components	s listed.
DSL		:	All components	s listed.

SECTION 16. OTHER INFORMATION

Further information

NFPA Rating (Health, Fire, Reac- 0, 1, 0 tivity)

Full text of other abbreviations

ACGIH OSHA Z-1 ACGIH / TWA OSHA Z-1 / TWA Abbreviations and Acronyms	:	USA. ACGIH Threshold Limit Values (TLV) USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants 8-hour, time-weighted average 8-hour time weighted average The standard abbreviations and acronyms used in this docu- ment can be looked up in reference literature (e.g. scientific dictionaries) and/or websites.
		ACGIH = American Conference of Governmental Industrial Hygienists ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road AICS = Australian Inventory of Chemical Substances ASTM = American Society for Testing and Materials BEL = Biological exposure limits BTEX = Benzene, Toluene, Ethylbenzene, Xylenes CAS = Chemical Abstracts Service CEFIC = European Chemical Industry Council CLP = Classification Packaging and Labelling COC = Cleveland Open-Cup DIN = Deutsches Institut fur Normung DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level DSL = Canada Domestic Substance List EC = European Commission EC50 = Effective Concentration fifty ECETOC = European Center on Ecotoxicology and Toxicolo- gy Of Chemicals ECHA = European Chemicals Agency EINECS = The European Inventory of Existing Commercial Chemical Substances EL50 = Effective Loading fifty ENCS = Japanese Existing and New Chemical Substances Inventory

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Pennzoil Platinum Euro SAE 5W-30 Full Synthetic Motor Oil

Version 1.5	Revision Date: 09/23/2020	SDS Number: 800001030836	Print Date: 09/24/2020 Date of last issue: 09/07/2020
		GHS = Globall Labelling of CH IARC = Interna IATA = Interna IC50 = Inhibito IL50 = Inhibito IMDG = Interna INV = Chinese IP346 = Institu determination KECI = Korea LC50 = Lethal LD50 = Lethal LL/EL/IL = Lett LL50 = Lethal MARPOL = Int Pollution From NOEC/NOEL = served Effect I OE_HPV = OC PBT = Persiste PICCS = Philip Substances PNEC = Predia REACH = Reg Chemicals RID = Regulat gerous Goods SKIN_DES = S STEL = Short TRA = Targete TSCA = US TO	ational Agency for Research on Cancer tional Air Transport Association by Concentration fifty ry Level fifty ational Maritime Dangerous Goods Chemicals Inventory ute of Petroleum test method N° 346 for the of polycyclic aromatics DMSO-extractables Existing Chemicals Inventory Concentration fifty Dose fifty per cent. hal Loading/Effective Loading/Inhibitory loading Loading fifty ternational Convention for the Prevention of Ships = No Observed Effect Concentration / No Ob- evel cupational Exposure - High Production Volume ent, Bioaccumulative and Toxic opine Inventory of Chemicals and Chemical cted No Effect Concentration jistration Evaluation And Authorisation Of tions Relating to International Carriage of Dan-

A vertical bar (|) in the left margin indicates an amendment from the previous version.

Sources of key data used to compile the Safety Data Sheet	:	The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU IUCLID date base, EC 1272 regulation, etc).
---	---	--

Revision Date : 09/23/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Pennzoil Platinum Euro SAE 5W-30 Full Synthetic Motor Oil

Version	Revision Date:	SDS Number:	Print Date: 09/24/2020
1.5	09/23/2020	800001030836	Date of last issue: 09/07/2020

US / EN