

#### 000003000494

Version 7.0

Revision Date 2024/02/01

Print Date 2024/02/01

#### **SECTION 1. IDENTIFICATION**

Product name :	PRODURO TM/MC TO-4+ 30
Product code :	PD430CBE, PD430P5R, PD430P20, PD430ICT, PD430IBC, PD430DRR, PD430DRM, PD430DCT, PD430, PD430BLK
Manufacturer or supplier's deta	ails Petro-Canada America Lubricants LLC
	2828 N. Harwood St., Suite 1300 Dallas TX 75201
Telephone :	United States 1-214-871-3555
Emergency telephone number	
Emergency telephone : number	CHEMTREC: 1-800-424-9300; Poison Control Centre: Consult local telephone directory for emergency number(s).
Recommended use of the cher	nical and restrictions on use
Recommended use :	Multipurpose transmission, hydraulic, wet brake and final drive fluids intended for use where Caterpillar TO-4 quality oils are recommended.
Prepared by :	Product Safety: +1 905-491-0565

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accor 1910.1200)	rdan	ce with the OSHA Hazard Communication Standard (29 CFR
Eye irritation	:	Category 2A
Reproductive toxicity	:	Category 1B
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	Causes serious eye irritation. May damage the unborn child.
Precautionary statements	:	Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.

PRODURO TM/MC TO-4+ 30

#### 000003000494

Version 7.0



Print Date 2024/02/01

#### Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention.

#### Storage:

Store locked up.

#### Disposal:

Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards

None known.

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinoger by NTP.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil —	64742-54-7	90 - 100
unspecified		
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, high- viscosity; Baseoil — unspecified	72623-85-9	70 - 90
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil — unspecified	72623-87-1	20 - 30
Mineral oil		1 - 5
zinc bis[bis(tetrapropylenephenyl)] bis(hydrogen dithiophosphate)	11059-65-7	1 - 5
Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased	68784-26-9	1 - 5
Phosphorodithioic acid, O,O-di-C1- 14-alkyl esters, zinc salts	68649-42-3	1 - 5
phenol, (tetrapropenyl) derivatives	74499-35-7	0.1 - 0.3
Phenol, (tetrapropenyl) derivs., calcium salts	132752-19-3	
dodecylphenol	27193-86-8	0.1 - 1

Internet: www.petrocanadalubricants.com/sds Trademarks are owned or used under license.

# PRODURO TM/MC TO-4+ 30

#### 000003000494

Version 7.0

Revision Date 2024/02/01

Print Date 2024/02/01

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES			
If inhaled	:	Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.	
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice.	
In case of eye contact	:	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.	
If swallowed	:	Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Seek medical advice.	
Most important symptoms and effects, both acute and delayed	:	First aider needs to protect himself. Causes serious eye irritation. May damage the unborn child.	
Notes to physician	:	Treat symptomatically.	

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	:	No information available.
Specific hazards during firefighting	:	Cool closed containers exposed to fire with water spray.
Hazardous combustion products	:	Carbon oxides (CO, CO2), nitrogen oxides (NOx), sulphur oxides (SOx), phosphorus oxides (POx), hydrogen sulphide (H2S), calcium oxides (CaOx), zinc oxides (ZnOx), alkyl mercaptans, sulfides, smoke and irritating vapours as products of incomplete combustion.
Further information	:	Prevent fire extinguishing water from contaminating surface water or the ground water system.

# PRODURO TM/MC TO-4+ 30

#### 000003000494

Version 7.0



Print Date 2024/02/01

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, : protective equipment and emergency procedures	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.
Environmental precautions :	Do not allow uncontrolled discharge of product into the environment.
Methods and materials for : containment and cleaning up	Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.

#### SECTION 7. HANDLING AND STORAGE

Advice on protection against : fire and explosion	None known.
Advice on safe handling :	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Use only with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.
Conditions for safe storage :	Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sunlight.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum),	64742-54-7	TWA (Mist)	5 mg/m3	OSHA Z-1

# PRODURO TM/MC TO-4+ 30

# PETRO CANADA

#### 000003000494

Version 7.0

#### Revision Date 2024/02/01

Print Date 2024/02/01

hydrotreated heavy paraffinic; Baseoil — unspecified				
		TWA (Inhalable particulate	5 mg/m3	ACGIH
		matter)		
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, high-viscosity; Baseoil — unspecified	72623-85-9	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil — unspecified	72623-87-1		5 mg/m3	OSHA Z-1
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
Engineering measures	should be a contamination	ventilation require sufficient to contro nts.		
Personal protective equipm	ent			
Respiratory protection	ventilation that expose Respirator exposure le	atory protection un is provided or exp ures are within rec selection must be evels, the hazards hits of the selected	osure assessmen commended expos based on known of the product an	t demonstrates sure guidelines. or anticipated
Filter type	: organic va	pour filter		
Hand protection Material	: neoprene,	nitrile, polyvinyl al	cohol (PVA), Vitor	)®.
Remarks	approved s	resistant, impervio standard should be roducts if a risk as	e worn at all times	when handling

# PRODURO TM/MC TO-4+ 30



#### 000003000494

Version 7.0		Revision Date 2024/02/01	Print Date 2024/02/01
Skin and body protection	:	Choose body protection in relation to its concentration and amount of dangerous the specific work-place.	
Protective measures	:	Wash contaminated clothing before re-u	lse.
Hygiene measures	:	Remove and wash contaminated clothin including the inside, before re-use. Wash face, hands and any exposed skin handling.	

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	viscous liquid
Colour	:	amber
Odour	:	Hydrocarbon.
Odour Threshold	:	No data available
рН	:	No data available
Pour point	:	-30 °C (-22 °F)
Boiling point/boiling range	:	No data available
Flash point	:	276 °C (529 °F) Method: Cleveland open cup
Fire Point	:	No data available
Evaporation rate	:	No data available
Flammability	:	Remarks: Low fire hazard. This material must be heated before ignition will occur.
Auto-Ignition Temperature	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0.871 kg/l (59 °F / 15 °C)

Solubility(ies)

# PRODURO TM/MC TO-4+ 30



#### 000003000494

Version 7.0	Revision Date 2024/02/01	Print Date 2024/02/01
Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Viscosity Viscosity, kinematic	: 85.4 cSt (104 °F / 40 °C)	
Explosive properties	<ul> <li>10.8 cSt (212 °F / 100 °C)</li> <li>Do not pressurize, cut, weld, bra expose containers to heat or solution</li> </ul>	

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Hazardous polymerisation does not occur. Stable under normal conditions.
Conditions to avoid	:	No data available
Incompatible materials	:	Reactive with oxidising agents, acids, reducing agents, halogens and halogen compounds.
Hazardous decomposition products	:	May release COx, SOx, POx, H2S, alkyl mercaptans, methacrylate monomers, sulfides, smoke and irritating vapours when heated to decomposition.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Eye contact	
Ingestion	
Inhalation	
Skin contact	

#### Acute toxicity

Not classified due to lack of data.

#### Product:

Acute oral toxicity	:	Remarks: No data available
Acute inhalation toxicity	:	Assessment: The substance or mixture has no acute inhalation toxicity Remarks: No data available
Acute dermal toxicity	:	Assessment: The substance or mixture has no acute dermal toxicity Remarks: No data available

PRODURO TM/MC TO-4+ 30

#### 000003000494

003000494		
sion 7.0	Revision Date 2024/02/01	Print Date 2024/02/01
	treated heavy paraffinic; Baseoil : LD50 (Rat): > 5,000 mg/kg,	— unspecified:
Acute oral toxicity	LD50 (Rai). > 5,000 mg/kg,	
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg,	
Lubricating oils (petroleum), Baseoil — unspecified:	C20-50, hydrotreated neutral oil-l	based, high-viscosity;
Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg,	
Acute inhalation toxicity	: LC50 (Rat): > 5.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg,	
Lubricating oils (petroleum), unspecified:	C20-50, hydrotreated neutral oil-	based; Baseoil —
•	: LD50 (Rat): > 5,000 mg/kg,	
Acute inhalation toxicity	: LC50 (Rat): > 5.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg,	
Skin corrosion/irritation Not classified due to lack of dat <u>Product:</u>	a.	
Remarks	: No data available	
Serious eye damage/eye irrita Causes serious eye irritation.	ation	
Product:		
Remarks	: No data available	
Respiratory or skin sensitisa	tion	
Skin sensitisation Not classified due to lack of dat	a.	
<b>Respiratory sensitisation</b> Not classified due to lack of dat	а.	
Germ cell mutagenicity		
Not classified due to lack of dat	a.	
<b>Carcinogenicity</b> Not classified due to lack of dat	a.	
<b>Reproductive toxicity</b> May damage the unborn child.		



Ve

# PRODURO TM/MC TO-4+ 30

#### 000003000494

Version 7.0

Revision Date 2024/02/01

Print Date 2024/02/01

#### STOT - single exposure

Not classified due to lack of data.

#### STOT - repeated exposure

Not classified due to lack of data.

#### Aspiration toxicity

Not classified due to lack of data.

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

Product:		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Persistence and degradabili	ty	
Product:		
Biodegradability	:	Remarks: No data available
<b>Bioaccumulative potential</b> No data available		
Mobility in soil		
<b>Mobility in soil</b> No data available		

#### SECTION 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Waste from residues	:	The product should not be allowed to enter drains, water courses or the soil. Offer surplus and non-recyclable solutions to a licensed disposal company. Waste must be classified and labelled prior to recycling or disposal. Send to a licensed waste management company. Dispose of product residue in accordance with the instructions
		of the person responsible for waste disposal.

# PRODURO TM/MC TO-4+ 30

#### 000003000494

Version 7.0

Print Date 2024/02/01

#### **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

IATA-DGR Not regulated as a dangerous good

#### **IMDG-Code** Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

#### **National Regulations**

#### 49 CFR

Not regulated as a dangerous good

#### **SECTION 15. REGULATORY INFORMATION**

California Prop. 65		This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. The chemicals include: 71-43-2		
The components of this product are reported in the following inventories:				
• •		On the inventory, or in compliance with the inventory		
	-			
TSCA :	:	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.		
IECSC :	:	On the inventory, or in compliance with the inventory		

#### **SECTION 16. OTHER INFORMATION**


#### **Further information**

# PRODURO TM/MC TO-4+ 30

### 000003000494

Version 7.0

Revision Date 2024/02/01



#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH NIOSH REL		USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA		8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials: bw - Body weight: CERCLA - Comprehensive Environmental Response. Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect

### PRODURO TM/MC TO-4+ 30

#### 000003000494

Version 7.0

Revision Date 2024/02/01

Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

For Copy of SDS	:	Internet: www.petrocanadalubricants.com/sds United States, telephone: 1-800-268-5850; fax: 1-800-201- 6285 For Product Safety Information: 1 905-491-0565
Prepared by	:	Product Safety: +1 905-491-0565
Revision Date Date format	:	2024/02/01 yyyy/mm/dd

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN



Print Date 2024/02/01