RED GIANT JOURNAL BEARING OIL



	Revision Date 2024/02/13	Print Date 2024/02/1
CTION 1. IDENTIFICATION		
Product name	: RED GIANT JOURNAL BEARI	NG OIL
Product code	: RGOJBODRU, RGOJBO	
Manufacturer or supplier's	details	
	Petro-Canada America Lubrica 2828 N. Harwood St., Suite 130 Dallas TX 75201 United States	
Telephor	ne : 1-214-871-3555	
Emergency telephone nur	nber	
Emergency telephone number	: CHEMTREC: 1-800-424-9300; Poison Control Centre: Consult emergency number(s).	local telephone directory for
Recommended use of the	chemical and restrictions on use	
Recommended use	: Locomotive Journal Bearing Lu	bricant
Prepared by	: Product Safety: +1 905-491-05	65
Prepared by CTION 2. HAZARDS IDENTI		65
· · ·		65
CTION 2. HAZARDS IDENTII		
CTION 2. HAZARDS IDENTI	FICATION	
CTION 2. HAZARDS IDENTII GHS classification in acco 1910.1200)	FICATION	
CTION 2. HAZARDS IDENTII GHS classification in acco 1910.1200) Not a hazardous substance GHS label elements	FICATION	munication Standard (29 CI
CTION 2. HAZARDS IDENTII GHS classification in acco 1910.1200) Not a hazardous substance GHS label elements No hazard pictogram, no sig	FICATION ordance with the OSHA Hazard Com	munication Standard (29 Cl
CTION 2. HAZARDS IDENTII GHS classification in acco 1910.1200) Not a hazardous substance GHS label elements No hazard pictogram, no sig required	FICATION ordance with the OSHA Hazard Com	munication Standard (29 CI
CTION 2. HAZARDS IDENTII GHS classification in acco 1910.1200) Not a hazardous substance GHS label elements No hazard pictogram, no sig required Other hazards	FICATION ordance with the OSHA Hazard Com	munication Standard (29 Cl precautionary statement(s) resent at levels greater than probable, possible or
CTION 2. HAZARDS IDENTII GHS classification in acco 1910.1200) Not a hazardous substance GHS label elements No hazard pictogram, no sig required Other hazards None known.	FICATION or dance with the OSHA Hazard Com or mixture. Inal word, no hazard statement(s), no No component of this product po or equal to 0.1% is identified as	munication Standard (29 Cl precautionary statement(s) resent at levels greater than probable, possible or / IARC. resent at levels greater than c

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Components

1	
	Chemical name

CAS-No.

Concentration (% w/w)

RED GIANT JOURNAL BEARING OIL



000003010320						
Version 3.1	Revision Date 2024/02/13	Print Date 2024/02/13				
Distillates (petroleum), solvent- dewaxed heavy paraffinic; Baseoil	- 64742-65-0	90 - 100				

Distillates (petroleum), solvent- dewaxed heavy paraffinic; Baseoil — unspecified	64742-65-0	90 - 100
Amines, C12-14-tert-alkyl	68955-53-3	0.15 - < 1

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

If inhaled	:	Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice.
In case of eye contact	:	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
If swallowed	:	Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Seek medical advice.
Most important symptoms and effects, both acute and delayed	:	First aider needs to protect himself.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	:	No information available.
Specific hazards during firefighting	:	Cool closed containers exposed to fire with water spray.
Hazardous combustion products	:	Carbon oxides (CO, CO2), smoke and irritating vapours as products of incomplete combustion.
Further information	:	Prevent fire extinguishing water from contaminating surface water or the ground water system.



RED GIANT JOURNAL BEARING OIL

000003010320

Version 3.1

Print Date 2024/02/13

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.
Environmental precautions	:	Do not allow uncontrolled discharge of product into the environment.
Methods and materials for containment and cleaning up	:	Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	None known.
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Use only with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.
Conditions for safe storage	:	Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sunlight.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), solvent- dewaxed heavy paraffinic;	64742-65-0	TWA (Mist)	5 mg/m3	OSHA Z-1

RED GIANT JOURNAL BEARING OIL



000003010320

Version 3.1

ersion 3.1		Revision Date	e 2024/02/13	Print Date	2024/02/13	
Baseoil — unspecified	I					
			TWA (Inhalable particulate matter)	5 mg/m3	ACGIH	
			TWA (Mist)	5 mg/m3	OSHA P0	
			TWA (Mist)	5 mg/m3	NIOSH REL	
			ST (Mist)	10 mg/m3	NIOSH REL	
Engineering measures	:	No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.				
Personal protective equipme	ent					
Respiratory protection	: Use respiratory protection unless adequate local ex ventilation is provided or exposure assessment dem that exposures are within recommended exposure of Respirator selection must be based on known or an exposure levels, the hazards of the product and the working limits of the selected respirator.			nonstrates guidelines. nticipated		
Filter type	:	organic vapour filter				
Hand protection Material	:	neoprene, nitr	ile, polyvinyl alco	phol (PVA), Viton [®] .		
Remarks	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when hanc chemical products if a risk assessment indicates this is necessary.				n handling	
Eye protection	:	Wear face-shi problems.	eld and protectiv	ve suit for abnormal p	processing	
Skin and body protection	:	 Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. 				
Protective measures	:	Wash contam	inated clothing b	efore re-use.		
Hygiene measures	:	Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash face, hands and any exposed skin thoroughly after handling.				

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

	Appearance	:	viscous liquid	
	Colour	:	Straw.	
	Odour	:	Mild petroleum oil like.	
	Odour Threshold	:	No data available	
	рН	:	No data available	
Inte	ernet: www.petrocanadalubricants.co	om/s	sds	Pag

Trademarks are owned or used under license.

RED GIANT JOURNAL BEARING OIL



000003010320

Version 3.1		Revision Date 2024/02/13	Print Date 2024/02/13
Pour point	:	-37 °C (-35 °F)	
Boiling point/boiling range	:	No data available	
Flash point	:	239 °C (462 °F) Method: Cleveland open cup	
Fire Point	:	No data available	
Evaporation rate	:	No data available	
Flammability	:	Remarks: Low fire hazard. This mater before ignition will occur.	rial must be heated
Auto-Ignition Temperature	:	No data available	
Upper explosion limit / Upper flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Vapour pressure	:	No data available	
Relative vapour density	:	No data available	
Relative density	:	No data available	
Density	:	0.8756 kg/l (59 °F / 15 °C)	
Solubility(ies) Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Viscosity Viscosity, kinematic	:	71.8 cSt (104 °F / 40 °C)	
		9.2 cSt (212 °F / 100 °C)	
Explosive properties	:	Do not pressurize, cut, weld, braze, s expose containers to heat or sources	

SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reactions	:	Hazardous polymerisation does not occur. Stable under normal conditions.	
Conditions to avoid	:	No data available	
Incompatible materials	:	Reactive with oxidising agents and reducing agents.	
Hazardous decomposition	:	May release COx, NOx, SOx, POx, smoke and irrita	ting
ernet: www.petrocanadalubricants.c	om/s	ds	Page: 5 / 1(

Internet: www.petrocanadalubricants.com/sds Trademarks are owned or used under license.

RED GIANT JOURNAL BEARING OIL





Version 3.1 Revision Date 2024/02/13 Print Date 2024/02/13 vapours when heated to decomposition. products SECTION 11. TOXICOLOGICAL INFORMATION Information on likely routes of exposure Eye contact Ingestion Inhalation Skin contact Acute toxicity Not classified due to lack of data. Product: : Remarks: No data available Acute oral toxicity Acute inhalation toxicity : Remarks: No data available : Remarks: No data available Acute dermal toxicity **Components:** Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil - unspecified: Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg, Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg, Amines, C12-14-tert-alkyl: Acute oral toxicity : LD50 (Rat): 612 mg/kg, Acute inhalation toxicity : LC50 (Rat): 1.19 mg/l Exposure time: 4 h Test atmosphere: dust/mist Acute dermal toxicity : LD50 (Rat): 251 mg/kg, Skin corrosion/irritation Not classified due to lack of data. **Product:** Remarks No data available 5 Serious eye damage/eye irritation Not classified due to lack of data. **Product:** : No data available Remarks Respiratory or skin sensitisation Skin sensitisation Based on available data, the classification criteria are not met. **Respiratory sensitisation**

Not classified due to lack of data. Internet: www.petrocanadalubricants.com/sds Trademarks are owned or used under license.

RED GIANT JOURNAL BEARING OIL

000003010320

Version 3.1

Revision Date 2024/02/13

PETRO CANADA

Print Date 2024/02/13

Product:

Result

: Not a skin sensitizer.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Persistence and degradabili	ty	
Product:		
<u>Product:</u> Biodegradability	:	Remarks: No data available
	:	Remarks: No data available
Biodegradability	:	Remarks: No data available
Biodegradability Bioaccumulative potential	:	Remarks: No data available
Biodegradability Bioaccumulative potential No data available	:	Remarks: No data available
Biodegradability Bioaccumulative potential No data available Mobility in soil	:	Remarks: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

RED GIANT JOURNAL BEARING OIL

000003010320



Version 3.1	Revision Date 2024/02/13	Print Date 2024/02/13
	courses or the soil. Offer surplus and non-recyclable s disposal company. Waste must be classified and labe disposal. Send to a licensed waste manager Dispose of product residue in acco of the person responsible for waste	lled prior to recycling or ment company. ordance with the instructions

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

National Regulations

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

California Prop. 65	This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. The chemicals include: 75-21-8
ethylene oxide	75-21-8
The components of this produ	ct are reported in the following inventories:
DSL :	On the inventory, or in compliance with the inventory
TSCA :	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.

SECTION 16. OTHER INFORMATION

Further information

RED GIANT JOURNAL BEARING OIL

000003010320


Version 3.1

Print Date 2024/02/13

1

1

0



Full text of other abbreviations

ACGIH NIOSH REL		USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits
OSHA P0		USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials: bw - Body weight: CERCLA - Comprehensive Environmental Response. Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect

RED GIANT JOURNAL BEARING OIL

000003010320

Version 3.1

Revision Date 2024/02/13

Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

For Copy of SDS	:	Internet: www.petrocanadalubricants.com/sds United States, telephone: 1-800-268-5850; fax: 1-800-201- 6285 For Product Safety Information: 1 905-491-0565
Prepared by	:	Product Safety: +1 905-491-0565
Revision Date Date format	:	2024/02/13 yyyy/mm/dd

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN



Print Date 2024/02/13