According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella T6 10W-30

Version	Revision Date:	SDS Number:	Print Date: 07/21/2023
1.3	07/20/2023	800010056758	Date of last issue: 07/17/2023
SECTION 1	I. IDENTIFICATION		

Product name : Shell Rotella T6 10W-30

Product code : 001K4175

Manufacturer or supplier's details

Manufacturer/Supplier	: Shell Oil Products US PO Box 4427 Houston TX 77210-4427 USA
SDS Request	: (+1) 877-276-7285
Customer Service	:

Emergency telephone number

Spill Information	:	877-242-7400
Health Information	:	877-504-9351

Recommended use of the chemical and restrictions on use

Recommended use : Engine oil.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Based on available data this substance / mixture does not meet the classification criteria.

GHS label elements Hazard pictograms	: N	o Hazard Symbol required
Signal word	: N	lo signal word
Hazard statements	N H N E	PHYSICAL HAZARDS: Not classified as a physical hazard under GHS criteria. HEALTH HAZARDS: Not classified as a health hazard under GHS criteria. ENVIRONMENTAL HAZARDS: Not classified as an environmental hazard under GHS criteria.
Precautionary statements	۰ ۲ ۱ ۲	Prevention: No precautionary phrases. Response: No precautionary phrases. Storage: No precautionary phrases.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella T6 10W-30

Version	Revision Date:
1.3	07/20/2023

SDS Number: 800010056758

Print Date: 07/21/2023 Date of last issue: 07/17/2023

Disposal:

No precautionary phrases.

Other hazards which do not result in classification

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Used oil may contain harmful impurities.

Not classified as flammable but will burn.

The classification of this material is based on OSHA HCS 2012 criteria.

Under normal conditions of use or in a foreseeable emergency, this product does not meet the definition of a hazardous chemical when evaluated according to the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	: Mixture
Chemical nature	 Synthetic base oil and additives. Highly refined mineral oil. The highly refined mineral oil contains <3% (w/w) DMSO- extract, according to IP346. The highly refined mineral oil is only present as additive dilu- ent.
	* contains one or more of the following CAS-numbers: 64742- 53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-65-0, 68037-01-4, 72623-86-0, 72623-87-1, 8042-47-5, 848301-69-

68037-01-4, 72623-86-0, 72623-87-1, 8042-47-5, 848301-69
9, 68649-12-7, 151006-60-9, 163149-28-8, 64741-88-4,
64741-89-5.

Interchangeable low viscosity base oil (<20,5 cSt @40°C) *		Not Assigned	0-90
Alkaryl amine	bis(nonylphenyl)amine	36878-20-3	1-3
Alkyl phenate alka- noate		Trade secret	< 1.8
Zinc dialkyldithio- phosphate	Phosphorodi- thioic acid, mixed O,O- bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts	85940-28-9	1 - 2.4

Hazardous components

SECTION 4. FIRST-AID MEASURES

In case of skin contact

Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available.

:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella T6 10W-30

Vers 1.3	ion	Revision Date: 07/20/2023		S Number: 0010056758	Print Date: 07/21/2023 Date of last issue: 07/17/2023
	In case	of eve contact			on occurs, obtain medical attention.
In case of eye contact			Remove contact lenses, if present and easy to do. Continue rinsing. If persistent irritation occurs, obtain medical attention.		
If swallowed		:	In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.		
Most important symptoms and effects, both acute and delayed		:	of black pustules a	signs and symptoms may include formation and spots on the skin of exposed areas. ult in nausea, vomiting and/or diarrhoea.	
	Protecti	on of first-aiders	:		ng first aid, ensure that you are wearing the nal protective equipment according to the d surroundings.
	medical	on of any immediate attention and special nt needed	:	Treat symptomation	cally.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam, water spray or fog. Dry chemical powder, carbon diox- ide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	:	Do not use water in a jet.
Specific hazards during fire- fighting	:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Special protective equipment for firefighters	:	Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :	Avoid contact with skin and eyes.
tive equipment and emer-	
gency procedures	

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella T6 10W-30

/ersion .3	Revision Date: 07/20/2023		DS Number: 0010056758	Print Date: 07/21/2023 Date of last issue: 07/17/2023			
Environmental precautions		:	: Use appropriate containment to avoid environmental contam nation. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.				
			Local authorities cannot be conta	s should be advised if significant spillages ined.			
Methods and materials for containment and cleaning up		:	Prevent from sp or other contain Reclaim liquid d Soak up residue	pilt. Avoid accidents, clean up immediately. reading by making a barrier with sand, earth ment material. irectly or in an absorbent. with an absorbent such as clay, sand or oth I and dispose of properly.			
Additi	onal advice	:	see Section 8 of	a selection of personal protective equipment this Safety Data Sheet. a disposal of spilled material see Section 13 of Sheet.			

SECTION 7. HANDLING AND STORAGE

Technical measures	:	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk as- sessment of local circumstances to help determine appropri- ate controls for safe handling, storage and disposal of this material.
Advice on safe handling	:	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning mate- rials in order to prevent fires.
Avoidance of contact	:	Strong oxidising agents.
Product Transfer	:	Proper grounding and bonding procedures should be used during all bulk transfer operations to avoid static accumulation.
Further information on stor- age stability	:	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers.
		Store at ambient temperature.
Packaging material	:	Suitable material: For containers or container linings, use mild steel or high density polyethylene. Unsuitable material: PVC.
Container Advice	:	Polyethylene containers should not be exposed to high tem-

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella T6 10W-30

Version	Revision Date:	SDS Number:	Print Date: 07/21/2023
1.3	07/20/2023	800010056758	Date of last issue: 07/17/2023

peratures because of possible risk of distortion.

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Oil mist, mineral	Not Assigned	TWA (Mist)	5 mg/m3	OSHA Z-1
Oil mist, mineral		TWA (Inhal- able particu-	5 mg/m3	ACGIH
		late matter)		

Biological occupational exposure limits

No biological limit allocated.

Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

Engineering measures	:	The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations.
		Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.
		General Information: Define procedures for safe handling and maintenance of controls. Educate and train workers in the hazards and control measures relevant to normal activities associated with this product. Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella T6 10W-30

Version 1.3	Revision Date: 07/20/2023	SDS Number: 800010056758	Print Date: 07/21/2023 Date of last issue: 07/17/2023
		Drain down syst nance. Retain drain dow subsequent rec Always observe washing hands drinking, and/or protective equip	good personal hygiene measures, such as after handling the material and before eating, smoking. Routinely wash work clothing and ment to remove contaminants. Discard con- ng and footwear that cannot be cleaned.
	onal protective equipm	: No respiratory p conditions of us In accordance w tions should be If engineering co tions to a level w select respirator cific conditions of Check with resp Where air-filterin priate combinati Select a filter su	protection is ordinarily required under normal e. with good industrial hygiene practices, precau- taken to avoid breathing of material. ontrols do not maintain airborne concentra- which is adequate to protect worker health, ry protection equipment suitable for the spe- of use and meeting relevant legislation. biratory protective equipment suppliers. ng respirators are suitable, select an appro- ion of mask and filter. bitable for the combination of organic gases d particles [Type A/Type P boiling point
	protection emarks	gloves approved US: F739) made suitable chemica gloves Suitabilit usage, e.g. freq sistance of glove glove suppliers. Personal hygien Gloves must on gloves, hands s cation of a non- For continuous of through time of 480 minutes wh short-term/splas recognize that s may not be avai time maybe acc and replacemen a good predictoo dependent on th Glove thickness	htact with the product may occur the use of d to relevant standards (e.g. Europe: EN374, e from the following materials may provide al protection. PVC, neoprene or nitrile rubber y and durability of a glove is dependent on uency and duration of contact, chemical re- e material, dexterity. Always seek advice from Contaminated gloves should be replaced. he is a key element of effective hand care. ly be worn on clean hands. After using hould be washed and dried thoroughly. Appli- perfumed moisturizer is recommended. contact we recommend gloves with break- more than 240 minutes with preference for > ere suitable gloves can be identified. For sh protection we recommend the same but suitable gloves offering this level of protection lable and in this case a lower breakthrough eptable so long as appropriate maintenance at regimes are followed. Glove thickness is not r of glove resistance to a chemical as it is ne exact composition of the glove material. a should be typically greater than 0.35 mm he glove make and model.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella T6 10W-30

Version 1.3	Revision Date: 07/20/2023	SDS Number: 800010056758	Print Date: 07/21/2023 Date of last issue: 07/17/2023
Eye p	protection		handled such that it could be splashed into eyes /ewear is recommended.
Skin a	and body protection	work clothes	on is not ordinarily required beyond standard actice to wear chemical resistant gloves.
Prote	ctive measures		otective equipment (PPE) should meet recom- onal standards. Check with PPE suppliers.
Therr	nal hazards	: Not applicab	le
Envir	onmental exposure o	ontrols	
Gene	ral advice	vant environ of the enviro necessary, p charged to w municipal or discharge to Local guideli	priate measures to fulfill the requirements of rele- mental protection legislation. Avoid contaminatio nment by following advice given in Section 6. If prevent undissolved material from being dis- vaste water. Waste water should be treated in a industrial waste water treatment plant before surface water. mes on emission limits for volatile substances erved for the discharge of exhaust air containing

Appearance	:	liquid
Colour	:	Clear amber
Odour	:	Data not available
Odour Threshold	:	Data not available
рН	:	Not applicable
pour point	:	-39 °C / -38 °F Method: ASTM D97
Melting / freezing point		Data not available
Initial boiling point and boiling range	:	> 280 °C / 536 °F estimated value(s)
Flash point	:	249 °C / 480 °F
		Method: ASTM D92 (COC)
Evaporation rate	:	Data not available
Flammability Flammability (solid, gas)	:	Not applicable

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella T6 10W-30

Versio	on Revision Date: 07/20/2023		S Number: 010056758	Print Date: 07/21/2023 Date of last issue: 07/17/2023
	Flammability (liquids)	:	Not classified as	flammable but will burn.
L	ower explosion limit and uppe Upper explosion limit / up- per flammability limit			imability limit
	Lower explosion limit / Lower flammability limit	:	Typical 1 %(V)	
٧	/apour pressure	:	< 0.5 Pa (20 °C /	68 °F)
			estimated value(s	3)
F	Relative vapour density	:	> 5	
۵	Density	:	855 kg/m3 (15.0 Method: ASTM D	
S	Solubility(ies) Water solubility	:	negligible	
	Solubility in other solvents	:	Data not available	9
	Partition coefficient: n- octanol/water	:	log Pow: > 6 (based on inform	ation on similar products)
А	Auto-ignition temperature	:	> 320 °C / 608 °F	
C	Decomposition temperature	:	Data not availabl	e
V	/iscosity Viscosity, dynamic	:	Data not available	e
	Viscosity, kinematic	:	14.7 mm2/s (100	°C / 212 °F)
			Method: ASTM D	445
			130.8 mm2/s (40	.0 °C / 104.0 °F)
			Method: ASTM D	445
E	Explosive properties	:	Classification Co	de: Not classified
C	Dxidizing properties	:	Data not available	9
C	Conductivity	:	This material is n	ot expected to be a static accumulator.

SECTION 10. STABILITY AND REACTIVITY

: The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella T6 10W-30

Versior 1.3	n Revision Date: 07/20/2023		S Number: 0010056758	Print Date: 07/21/2023 Date of last issue: 07/17/2023
Ch	nemical stability	:	Stable.	
Po tio	ossibility of hazardous reac- ns	:	Reacts with stron	ng oxidising agents.
Co	onditions to avoid	:	Extremes of tem	perature and direct sunlight.
Inc	compatible materials	:	Strong oxidising	agents.
	azardous decomposition	:	No decompositic	n if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Basis for assessment	:	Information given is based on data on the components and the toxicology of similar products. Unless indicated otherwise,
		the data presented is representative of the product as a whole, rather than for individual component(s).

Information on likely routes of exposure

Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.

Acute toxicity

Product:		
Acute oral toxicity	:	LD50 (rat): > 5,000 mg/kg Remarks: Low toxicity Based on available data, the classification criteria are not met.
Acute inhalation toxicity	:	Remarks: Based on available data, the classification criteria are not met.
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg Remarks: Low toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Product:

Remarks: Slightly irritating to skin., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis., Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Product:

Remarks: Slightly irritating to the eye., Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Product:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella T6 10W-30

rsion	Revision Date: 07/20/2023	SDS Number: 800010056758	Print Date: 07/21/2023 Date of last issue: 07/17/2023
	arks: Not a skin sensi d on available data, tł	tiser. ne classification criteria	are not met.
Germ	n cell mutagenicity		
Prod	uct:		
Geno	toxicity in vivo	: Remarks: Non fication criteria	mutagenic, Based on available data, the class are not met.
Carci	inogenicity		
Prod	uct:		
Rema	arks: Not a carcinoge	n., Based on available c	lata, the classification criteria are not met.
IARC	2		this product present at levels greater than or lentified as probable, possible or confirmed h by IARC.
OSH	A	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.	
		No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.	
NTP			lentified as a known or anticipated carcinoger
	oductive toxicity		lentified as a known or anticipated carcinoger
	-		lentified as a known or anticipated carcinoger
Repro	-	by NTP. : Remarks: Not a	a developmental toxicant., Does not impair
Repro Produ Effect	uct:	by NTP. : Remarks: Not a fertility., Based	

STOT - repeated exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

Aspiration toxicity

Product:

Not an aspiration hazard.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella T6 10W-30

Version	Revision Date:	SDS Number:
1.3	07/20/2023	800010056758

Print Date: 07/21/2023 Date of last issue: 07/17/2023

Further information

Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Continuous contact with used engine oils has caused skin cancer in animal tests.

Remarks: Slightly irritating to respiratory system.

SECTION 12. ECOLOGICAL INFORMATION Basis for assessment Ecotoxicological data have not been determined specifically ÷ for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s). Ecotoxicity Product: Toxicity to fish (Acute toxici-Remarks: Based on available data, the classification criteria ty) are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l Toxicity to daphnia and other : aquatic invertebrates (Acute Remarks: Based on available data, the classification criteria are not met. toxicity) Practically non toxic: LL/EL/IL50 > 100 mg/l Toxicity to algae (Acute tox-Remarks: Based on available data, the classification criteria icity) are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l Toxicity to fish (Chronic tox-Remarks: Based on available data, the classification criteria 2 icity) are not met. Toxicity to daphnia and other : Remarks: Based on available data, the classification criteria aquatic invertebrates (Chronare not met. ic toxicity) Toxicity to microorganisms Remarks: Based on available data, the classification criteria 5

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella T6 10W-30

sion	Revision Date: 07/20/2023	SDS Number: 800010056758	Print Date: 07/21/2023 Date of last issue: 07/17/2023
(Acute	e toxicity)	are not met.	
Persi	stence and degrada	bility	
Produ	uct:		
Biode	gradability	Major constitue components th Persistent per International O tion: "A non-pe consists of hyd by volume, dist at least 95% of 370°C (700°F)	readily biodegradable. ents are inherently biodegradable, but conta at may persist in the environment. IMO criteria. il Pollution Compensation (IOPC) Fund defi rsistent oil is oil, which, at the time of shipm rocarbon fractions, (a) at least 50% of which ills at a temperature of 340°C (645°F) and (which, by volume, distils at a temperature of when tested by the ASTM Method D-86/78 at revision thereof."
Bioad	cumulative potentia	al	
Produ	uct:		
Bioac	cumulation	: Remarks: Cont cumulate.	ains components with the potential to bioac
Mobi	lity in soil		
Produ	uct:		
Mobili	ity		id under most environmental conditions. it will adsorb to soil particles and will not be
		Remarks: Floa	ts on water.
Other	adverse effects		
Produ	uct:		
	onal ecological infor-	ozone creation Product is a mi	ozone depletion potential, photochemical potential or global warming potential. xture of non-volatile components, which wil air in any significant quantities under norma se.
		Poorly soluble Causes physic	mixture. al fouling of aquatic organisms.

Disposal methods		
Waste from residues	:	Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal meth-

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella T6 10W-30

Version 1.3	Revision Date: 07/20/2023	SDS Number: 800010056758	Print Date: 07/21/2023 Date of last issue: 07/17/2023
		Waste produc ground water Do not dispos courses. Do not dispos drain into the contamination Waste arising posed of in a to a recognis collector or co MARPOL - se Pollution from	iance with applicable regulations. ct should not be allowed to contaminate soil or r, or be disposed of into the environment. se into the environment, in drains or in water se of tank water bottoms by allowing them to ground. This will result in soil and groundwater n. g from a spillage or tank cleaning should be dis- ccordance with prevailing regulations, preferably ed collector or contractor. The competence of the ontractor should be established beforehand. ee International Convention for the Prevention of n Ships (MARPOL 73/78) which provides tech- at controlling pollutions from ships.
Conta	aminated packaging	to a recogniz the collector Disposal sho	ccordance with prevailing regulations, preferably ed collector or contractor. The competence of or contractor should be established beforehand. uld be in accordance with applicable regional, local laws and regulations.
Loca Rema	I legislation arks		uld be in accordance with applicable regional, local laws and regulations.

SECTION 14. TRANSPORT INFORMATION

National Regulations

US Department of Transportation Classification (49 CFR Parts 171-180)

Not regulated as a dangerous good

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Maritime transport in bulk according to IMO instruments

MARPOL Annex 1 rules apply for bulk shipments by sea.

Special precautions for user

Remarks

: Special Precautions: Refer to Section 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella T6 10W-30

Version	Revision Date:	SDS Number:	Print Date: 07/21/2023
1.3	07/20/2023	800010056758	Date of last issue: 07/17/2023

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

*: This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	: No SARA Hazard	S	
SARA 313	: The following components are subject to reporting lever tablished by SARA Title III, Section 313:		eporting levels es-
	Zinc dialkyldithiop phate	hos- 85940-28-9	>= 1 - < 5 %

Clean Water Act

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

US State Regulations

Pennsylvania Right To Know

Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7
Zinc dialkyldithiophosphate	85940-28-9
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0
diphenylamine	122-39-4

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

California List of Hazardous Substances

Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7
Zinc dialkyldithiophosphate	85940-28-9
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0

California Permissible Exposure Limits for Chemical Contaminants

Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7
--	------------

Other regulations:

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

The components of this product are re	eported in the following inventories:
---------------------------------------	---------------------------------------

TSCA	:	All components listed.

DSL	: All component	s listed.
-----	-----------------	-----------

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella T6 10W-30

Version	Revision Date:	SDS Number:
1.3	07/20/2023	800010056758

Print Date: 07/21/2023 Date of last issue: 07/17/2023

SECTION 16. OTHER INFORMATION

Further information

NFPA Rating (Health, Fire, Reac- 0, 1, 0 tivity)

Full text of other abbreviations

ACGIH OSHA Z-1 ACGIH / TWA OSHA Z-1 / TWA Abbreviations and Acronyms	·· · · · · · · ·	USA. ACGIH Threshold Limit Values (TLV) USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants 8-hour, time-weighted average 8-hour time weighted average The standard abbreviations and acronyms used in this docu- ment can be looked up in reference literature (e.g. scientific dictionaries) and/or websites.
		ACGIH = American Conference of Governmental Industrial Hygienists ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road AICS = Australian Inventory of Chemical Substances ASTM = American Society for Testing and Materials BEL = Biological exposure limits BTEX = Benzene, Toluene, Ethylbenzene, Xylenes CAS = Chemical Abstracts Service CEFIC = European Chemical Industry Council CLP = Classification Packaging and Labelling COC = Cleveland Open-Cup DIN = Deutsches Institut fur Normung DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level DNEL = Derived No Effect Level DSL = Canada Domestic Substance List EC = European Commission EC50 = Effective Concentration fifty ECETOC = European Chemicals Agency EINECS = The European Inventory of Existing Commercial Chemical Substances EL50 = Effective Loading fifty ENCS = Japanese Existing and New Chemical Substances Inventory EWC = European Waste Code GHS = Globally Harmonised System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer IATA = International Agency for Research on Cancer

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella T6 10W-30

Version	Revision Date:	SDS Number:	Print Date: 07/21/2023
1.3	07/20/2023	800010056758	Date of last issue: 07/17/2023
		determination of KECI = Korea LC50 = Lethal LD50 = Lethal LL/EL/IL = Leth LL50 = Lethal I MARPOL = Int Pollution From NOEC/NOEL = served Effect L OE_HPV = Oc PBT = Persiste PICCS = Philip Substances PNEC = Predic REACH = Reg Chemicals RID = Regulati gerous Goods SKIN_DES = S STEL = Short t TRA = Targete TSCA = US To TWA = Time-W	ernational Convention for the Prevention of Ships No Observed Effect Concentration / No Ob- evel cupational Exposure - High Production Volume ent, Bioaccumulative and Toxic opine Inventory of Chemicals and Chemical cted No Effect Concentration istration Evaluation And Authorisation Of ons Relating to International Carriage of Dan-

A vertical bar (|) in the left margin indicates an amendment from the previous version.

Sources of key data used to compile the Safety Data Sheet	:	The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU IUCLID date base, EC 1272 regulation, etc).
Revision Date	:	07/20/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN