

Version 2.0	Revision Date: 05/02/2023	Date of last issue: 10/18/2021 Date of first issue: 10/18/2021	Print Date: 05/02/2023
SECTIO	N 1. IDENTIFICATION		
Proc	duct name	: SYNGEAR 80W/140	
Artic	ele-No.	: 340008	
Man	ufacturer or supplier	s details	
Corr	npany name of supplier	 Klüber Lubrication NA LP 9010 County Road 2120 Tyler, Texas 75707 USA Phone: +1 903 534-8021 Fax: +1 903 581-4376 32 Industrial Drive Londonderry, NH 03053 USA Phone: +1 603 647-4104 Fax: +1 603 647-4106 	
	ail address of person onsible for the SDS	: mcm@us.kluber.com Material Compliance Manager	nent
Eme num	ergency telephone ber	: +1-517-545-7070 NCEC	
Rec	ommended use of the	chemical and restrictions on use	
Rec	ommended use	: Lubricating oil	
Res	trictions on use	: Restricted to professional user	rs.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS



ersion 0	Revision Date: 05/02/2023	Date of last issue: 10/18/20 Date of first issue: 10/18/20	
Subs	tance / Mixture	: Mixture	
Chen	nical nature	: Synthetic hydrocarbor ester oil	n oil
Com	ponents		
Chen	nical name	CAS-No.	Concentration (% w/w)
Polysulfides di-tert-Bu		68937-96-2	Trade secret ($>= 1 - < 5$)

Chemical name	CAS-No.	Concentration (% w/w)
Polysulfides, di-tert-Bu	68937-96-2	Trade secret (>= $1 - < 5$)
Amines, C12-14-alkyl, reaction	91745-46-9	Trade secret (>= $1 - < 5$)
products with hexanol, phosphorus		
oxide (P2O5), phosphorus sulfide		
(P2S5) and propylene oxide		
	1	

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

If inhaled	:	Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact	:	Remove contaminated clothing. If irritation develops, get medical attention. In case of contact, immediately flush skin with plenty of water. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. If eye irritation persists, consult a specialist.
If swallowed	:	Move the victim to fresh air. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	No information available. None known.
Notes to physician	:	No information available.





Version	Revision Date:	Date of last issue: 10/18/2021	Print Date:
2.0	05/02/2023	Date of first issue: 10/18/2021	05/02/2023

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus
Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Evacuate personnel to safe areas. Use personal protective equipment. Ensure adequate ventilation. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Do not allow contact with soil, surface or ground water. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	Avoid inhalation of vapour or mist.
		Avoid contact with skin and eyes.
		For personal protection see section 8.
		Smoking, eating and drinking should be prohibited in the





Version 2.0	Revision Date: 05/02/2023	Date of last issue: 10/18/2021 Date of first issue: 10/18/2021	Print Date: 05/02/2023	
		application area. Wash hands and face before breaks and immediately after handling the product. Do not ingest. Do not repack. Do not re-use empty containers. These safety instructions also apply to empty packaging v may still contain product residues. Keep container closed when not in use.		
Conditions for safe storage		 Store in original container. Keep container closed when not in us Keep in a dry, cool and well-ventilated Containers which are opened must be kept upright to prevent leakage. Store in accordance with the particula Keep in properly labelled containers. 	d place. e carefully resealed and	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.				
Engineering measures :	none			
Personal protective equipmen	t			
Respiratory protection :	Not required; except in case of aerosol formation.			
Filter type :	Filter type A-P			
Hand protection Material : Break through time : Protective index :	Nitrile rubber > 10 min Class 1			
Remarks :	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.			
Eye protection :	Safety glasses with side-shields			
Skin and body protection :	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.			
Protective measures :	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.			
	- hund of			





Version 2.0	Revision Date: 05/02/2023		e of last issue: 10/18/2021 e of first issue: 10/18/2021	Print Date: 05/02/2023
Hygie	ene measures	:	Wash face, hands and any expose handling.	sed skin thoroughly after
SECTION	9. PHYSICAL AND	CHEMI	CAL PROPERTIES	
Арре	earance	:	liquid	
Color	ur	:	colourless	

Odour	:	slight, sulphurous

- Odour Threshold : No data available
- pH : Not applicable substance/mixture is non-soluble (in water)

Method: open cup

- Melting point/range : No data available
- Boiling point/boiling range : No data available
- Flash point : >= 399 °F / 204 °C
- Evaporation rate : No data available
- Flammability (solid, gas) : Not applicable
- Self-ignition: No data availableUpper explosion limit / Upper: No data availableflammability limit:
- Lower explosion limit / Lower:No data availableflammability limit:< 0.001 hPa (68 °F / 20 °C)</td>Vapour pressure:< 0.001 hPa (68 °F / 20 °C)</td>Relative vapour density:No data availableRelative density:0.879 (68 °F / 20 °C)
 - Reference substance: Water





Version 2.0	Revision Date: 05/02/2023		of last issue: 10/18/2021 of first issue: 10/18/2021	Print Date: 05/02/2023
			The value is calculated	
Bu	lk density	:	No data available	
So	lubility(ies) Water solubility	:	insoluble	
	Solubility in other solvents	S :	No data available	
	rtition coefficient: n- tanol/water	:	No data available	
Au	to-ignition temperature	:	No data available	
De	composition temperature	:	No data available	
Vis	scosity Viscosity, dynamic	:	No data available	
	Viscosity, kinematic	:	283 mm2/s (104 °F / 40 °C)	
Ex	plosive properties	:	Not explosive	
	idizing properties blimation point	:	No data available No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No hazards to be specially mentioned.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	No conditions to be specially mentioned.
Incompatible materials	:	No materials to be especially mentioned.
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:





sion	Revision Date: 05/02/2023	Date of last issue: 10/18/2021 Date of first issue: 10/18/2021	Print Date: 05/02/2023
Acute	e oral toxicity	: Acute toxicity estimate: > 5,00 Method: Calculation method	0 mg/kg
Acute	e inhalation toxicity	: Remarks: This information is r	not available.
Acute	e dermal toxicity	: Remarks: This information is r	not available.
<u>Com</u>	ponents:		
Polvs	sulfides, di-tert-Bu:		
-	e oral toxicity	: LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline Assessment: The substance o toxicity	
Acute	e dermal toxicity	: LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline Assessment: The substance o toxicity	
		ction products with hexanol, phose	ohorus oxide (P2O5),
phos		 and propylene oxide: LD50 (Rat): > 300 - 2,000 mg/ Assessment: The component/ single ingestion. 	/kg
phos Acute	phorus sulfide (P2S	5) and propylene oxide: LD50 (Rat): > 300 - 2,000 mg/ Assessment: The component/	/kg
phos Acute Skin	phorus sulfide (P2S e oral toxicity corrosion/irritation	5) and propylene oxide: LD50 (Rat): > 300 - 2,000 mg/ Assessment: The component/	/kg
phos Acute	phorus sulfide (P2S e oral toxicity corrosion/irritation <u>uct:</u>	5) and propylene oxide: LD50 (Rat): > 300 - 2,000 mg/ Assessment: The component/	/kg mixture is moderately toxic af
phos Acute Skin <u>Prod</u> Rema	phorus sulfide (P2S e oral toxicity corrosion/irritation <u>uct:</u>	5) and propylene oxide: : LD50 (Rat): > 300 - 2,000 mg/ Assessment: The component/ single ingestion.	/kg mixture is moderately toxic af
phos Acute Skin <u>Prod</u> Rema	phorus sulfide (P2S e oral toxicity corrosion/irritation <u>uct:</u> arks	5) and propylene oxide: : LD50 (Rat): > 300 - 2,000 mg/ Assessment: The component/ single ingestion.	/kg mixture is moderately toxic af
phos Acute Skin <u>Prod</u> Rema	phorus sulfide (P2S e oral toxicity corrosion/irritation <u>uct:</u> arks ponents: sulfides, di-tert-Bu:	5) and propylene oxide: : LD50 (Rat): > 300 - 2,000 mg/ Assessment: The component/ single ingestion.	/kg mixture is moderately toxic af
phos Acute Skin Prod Rema Com Speci Asses	phorus sulfide (P2S e oral toxicity corrosion/irritation uct: arks ponents: sulfides, di-tert-Bu: ies ssment	 5) and propylene oxide: LD50 (Rat): > 300 - 2,000 mg/ Assessment: The component/ single ingestion. This information is not available Rabbit No skin irritation 	/kg mixture is moderately toxic af
phos Acute Skin Prod Rema Com Speci Asses Metho	phorus sulfide (P2S e oral toxicity corrosion/irritation uct: arks ponents: sulfides, di-tert-Bu: ies ssment od	 5) and propylene oxide: LD50 (Rat): > 300 - 2,000 mg/ Assessment: The component/ single ingestion. This information is not available Rabbit No skin irritation OECD Test Guideline 404 	/kg mixture is moderately toxic aft
phos Acute Skin Prod Rema Speci Asses Metho Resu	phorus sulfide (P2S e oral toxicity corrosion/irritation uct: arks ponents: sulfides, di-tert-Bu: ies ssment od	 5) and propylene oxide: LD50 (Rat): > 300 - 2,000 mg/ Assessment: The component/ single ingestion. This information is not available Rabbit No skin irritation OECD Test Guideline 404 No skin irritation 	/kg mixture is moderately toxic aft
phos Acute Skin Prod Rema Com Speci Asses Metho Resu GLP	phorus sulfide (P2S e oral toxicity corrosion/irritation uct: arks ponents: sulfides, di-tert-Bu: ies ssment od lt	 5) and propylene oxide: LD50 (Rat): > 300 - 2,000 mg/ Assessment: The component/ single ingestion. This information is not available Rabbit No skin irritation OECD Test Guideline 404 No skin irritation yes 	/kg mixture is moderately toxic aft
phos Acute Skin Prod Rema Speci Asses Metho Resu GLP Amin	phorus sulfide (P2S e oral toxicity corrosion/irritation uct: arks ponents: sulfides, di-tert-Bu: ies ssment od It	 5) and propylene oxide: LD50 (Rat): > 300 - 2,000 mg/ Assessment: The component/ single ingestion. This information is not available Rabbit No skin irritation OECD Test Guideline 404 No skin irritation yes 	/kg mixture is moderately toxic af
<pre>phos Acute Skin Prode Rema Comp Polys Speci Asses Metho Resu GLP Amin phos</pre>	phorus sulfide (P2S e oral toxicity corrosion/irritation <u>uct:</u> arks ponents: sulfides, di-tert-Bu: ies ssment od lt mes, C12-14-alkyl, rea phorus sulfide (P2S	 5) and propylene oxide: LD50 (Rat): > 300 - 2,000 mg/ Assessment: The component/ single ingestion. This information is not available Rabbit No skin irritation OECD Test Guideline 404 No skin irritation yes 	/kg mixture is moderately toxic af
 phos Acute Skin Prode Remain Comp Resu Speci Assession Method Resu GLP Amin phos Speci 	phorus sulfide (P2S e oral toxicity corrosion/irritation <u>uct:</u> arks ponents: sulfides, di-tert-Bu: ies ssment od lt mes, C12-14-alkyl, rea phorus sulfide (P2S	 5) and propylene oxide: LD50 (Rat): > 300 - 2,000 mg/ Assessment: The component/ single ingestion. This information is not available Rabbit No skin irritation OECD Test Guideline 404 No skin irritation yes 	/kg mixture is moderately toxic aft
 phos Acute Skin Prode Remain Comp Resu Speci Assession Method Resu GLP Amin phos Speci 	phorus sulfide (P2S e oral toxicity corrosion/irritation <u>uct:</u> arks ponents: sulfides, di-tert-Bu: ies ssment od lt es, C12-14-alkyl, rea phorus sulfide (P2S ies ssment	 5) and propylene oxide: LD50 (Rat): > 300 - 2,000 mg/ Assessment: The component/ single ingestion. This information is not available Rabbit No skin irritation OECD Test Guideline 404 No skin irritation yes 	/kg mixture is moderately toxic aft le.
 phos Acute Skin Prode Remain Comp Polys Speci Assess Method Resuling GLP Amin phos Speci Assess 	phorus sulfide (P2S e oral toxicity corrosion/irritation <u>uct:</u> arks ponents: sulfides, di-tert-Bu: ies ssment od it ees, C12-14-alkyl, rea phorus sulfide (P2S ies ssment od	 5) and propylene oxide: LD50 (Rat): > 300 - 2,000 mg/ Assessment: The component/ single ingestion. This information is not available Rabbit No skin irritation OECD Test Guideline 404 No skin irritation yes 	/kg mixture is moderately toxic aft le.





rsion	Revision Date: 05/02/2023	Date of last issue: 10/18/2021 Date of first issue: 10/18/2021	Print Date: 05/02/2023
Serio	ous eye damage/ey	e irritation	
Prod	uct:		
Rema		: This information is not available.	
<u>Com</u>	ponents:		
Polys	sulfides, di-tert-Bu	:	
Spec		: Rabbit	
Resu		: No eye irritation	
Meth	ssment od	: No eye irritation : OECD Test Guideline 405	
GLP		: yes	
		eaction products with hexanol, phospho S5) and propylene oxide:	rus oxide (P2O5),
Speci		: Rabbit	
Resu		: Irritating to eyes.	
	ssment	: Irritating to eyes.	
Resp Prod	-		
Prod Rema	uct:	: This information is not available.	
<u>Prod</u> Rema	uct:	: This information is not available.	
Prod Rema	uct: arks		
Prod Rema Com Polys Test	uct: arks ponents: sulfides, di-tert-Bu Type	: : Maximisation Test	
Produ Rema Com Polys Test Speci	uct: arks ponents: sulfides, di-tert-Bu Type ies	: : Maximisation Test : Guinea pig	
Prod Rema Com Polys Test Speci Asses	uct: arks ponents: sulfides, di-tert-Bu Type ies ssment	: : Maximisation Test : Guinea pig : The product is a skin sensitiser, s	ub-category 1B.
Produ Rema Com Polys Test Speci	uct: arks ponents: sulfides, di-tert-Bu Type ies ssment od	: : Maximisation Test : Guinea pig : The product is a skin sensitiser, s : OECD Test Guideline 406	- /
Prode Rema Com Polys Test Speci Asses Metho	uct: arks ponents: sulfides, di-tert-Bu Type ies ssment od	: : Maximisation Test : Guinea pig : The product is a skin sensitiser, s	- /
Prode Rema Com Polys Test Speci Asses Metho Resu GLP	uct: arks ponents: sulfides, di-tert-Bu Type ies ssment od It	: Maximisation Test Guinea pig The product is a skin sensitiser, s OECD Test Guideline 406 The product is a skin sensitiser, s	ub-category 1B.
Produ Rema Com Polys Test Speci Asses Metho Resu GLP Amin phos	uct: arks ponents: sulfides, di-tert-Bu Type ies ssment od It ees, C12-14-alkyl, r phorus sulfide (P2 ssment	: Maximisation Test Guinea pig The product is a skin sensitiser, s OECD Test Guideline 406 The product is a skin sensitiser, s yes eaction products with hexanol, phospho	ub-category 1B. rus oxide (P2O5), ub-category 1B.
Prod Rema Com Polys Test Speci Asses Metho Resu GLP Amin phos Resu	uct: arks ponents: sulfides, di-tert-Bu Type ies ssment od It ees, C12-14-alkyl, r phorus sulfide (P2 ssment	: Maximisation Test Guinea pig The product is a skin sensitiser, s OECD Test Guideline 406 The product is a skin sensitiser, s yes eaction products with hexanol, phospho S5) and propylene oxide: The product is a skin sensitiser, s The product is a skin sensitiser, s	ub-category 1B. rus oxide (P2O5), ub-category 1B.
Prod Rema Com Polys Test Speci Asses Metho Resu GLP Amin phos Resu	uct: arks ponents: sulfides, di-tert-Bu Type ies ssment od It ees, C12-14-alkyl, r phorus sulfide (P2 ssment It	: Maximisation Test Guinea pig The product is a skin sensitiser, s OECD Test Guideline 406 The product is a skin sensitiser, s yes eaction products with hexanol, phospho S5) and propylene oxide: The product is a skin sensitiser, s The product is a skin sensitiser, s	ub-category 1B. rus oxide (P2O5), ub-category 1B.
Prod Rema Com Polys Test Speci Asses Metho Resu GLP Amin phos Asses Resu GLP	uct: arks ponents: sulfides, di-tert-Bu Type ies ssment od It ees, C12-14-alkyl, r phorus sulfide (P2 ssment It	: Maximisation Test Guinea pig The product is a skin sensitiser, s OECD Test Guideline 406 The product is a skin sensitiser, s yes eaction products with hexanol, phospho S5) and propylene oxide: The product is a skin sensitiser, s The product is a skin sensitiser, s	ub-category 1B. rus oxide (P2O5), ub-category 1B.





sion	Revision Date: 05/02/2023		of last issue: 10/18/2021 of first issue: 10/18/2021	Print Date: 05/02/2023
<u>Com</u>	<u>oonents:</u>			
Polys	ulfides, di-tert-Bu:			
Geno	toxicity in vitro	N N	est Type: Ames test Metabolic activation: with and wir Method: OECD Test Guideline 4 Result: negative	
	es, C12-14-alkyl, re phorus sulfide (P2\$		oducts with hexanol, phosphoropylene oxide:	orus oxide (P2O5),
	cell mutagenicity - ssment		ests on bacterial or mammalian nutagenic effects.	e cell cultures did not show
Carci	nogenicity			
Prod	uct:			
Rema		: N	lo data available	
Com	<u>oonents:</u>			
Amin			oducts with hexanol, phosphoropylene oxide:	orus oxide (P2O5),
Amin phos Carcii	es, C12-14-alkyl, re	65) and pr		
Amin phos Carcii	es, C12-14-alkyl, re phorus sulfide (P2S nogenicity - ssment No compo	35) and pr : N onent of th	ropylene oxide:	inogen. ater than or equal to 0.1% i
Amin phos Carcin Asses IARC	es, C12-14-alkyl, re phorus sulfide (P2S nogenicity - ssment No compo identified	55) and pr : N onent of th as probab	ropylene oxide: lot classifiable as a human carc is product present at levels grea le, possible or confirmed humar	inogen. ater than or equal to 0.1% i n carcinogen by IARC.
Amin phos Carcii Asses IARC	es, C12-14-alkyl, re phorus sulfide (P2S nogenicity - ssment No compo identified	55) and pr : N pnent of th as probab	ropylene oxide: lot classifiable as a human carc is product present at levels grea	inogen. ater than or equal to 0.1% i n carcinogen by IARC.
Amin phos Carcin Asses IARC	es, C12-14-alkyl, re phorus sulfide (P2S nogenicity - ssment No compo identified No compo on OSHA	55) and pr : N onent of th as probab onent of th s list of re	ropylene oxide: lot classifiable as a human carc is product present at levels grea le, possible or confirmed humar is product present at levels grea	inogen. ater than or equal to 0.1% i n carcinogen by IARC. ater than or equal to 0.1% i ater than or equal to 0.1% i
Amin phos Carcin Asses IARC IARC OSH/	es, C12-14-alkyl, re phorus sulfide (P2S nogenicity - ssment No compo identified No compo on OSHA	55) and pr : N onent of th as probab onent of th s list of re	ropylene oxide: lot classifiable as a human carc is product present at levels grea le, possible or confirmed humar is product present at levels grea gulated carcinogens. is product present at levels grea	inogen. ater than or equal to 0.1% i n carcinogen by IARC. ater than or equal to 0.1% i ater than or equal to 0.1% i
Amin phos Carcin Asses IARC IARC OSH/	es, C12-14-alkyl, re phorus sulfide (P2S nogenicity - ssment No compo identified No compo on OSHA No compo identified	55) and pr : N onent of th as probab onent of th s list of re	ropylene oxide: lot classifiable as a human carc is product present at levels grea le, possible or confirmed humar is product present at levels grea gulated carcinogens. is product present at levels grea	inogen. ater than or equal to 0.1% i n carcinogen by IARC. ater than or equal to 0.1% i ater than or equal to 0.1% i
Amin phos Carcii Asses IARC IARC OSH/ NTP Repro	es, C12-14-alkyl, re phorus sulfide (P2S nogenicity - ssment No compo identified No compo on OSHA No compo identified	55) and pr : N onent of th as probab onent of th s list of re- onent of th as a know	ropylene oxide: lot classifiable as a human carc is product present at levels grea le, possible or confirmed humar is product present at levels grea gulated carcinogens. is product present at levels grea	inogen. ater than or equal to 0.1% i n carcinogen by IARC. ater than or equal to 0.1% i ater than or equal to 0.1% i
Amin phos Carcii Asses IARC IARC OSH/ NTP Repro-	es, C12-14-alkyl, re phorus sulfide (P2S nogenicity - ssment No compo- identified No compo- identified No compo- identified	55) and pr : N onent of th as probab onent of th as a know : R	ropylene oxide: lot classifiable as a human carc is product present at levels grea le, possible or confirmed humar is product present at levels grea gulated carcinogens. is product present at levels grea n or anticipated carcinogen by l	inogen. ater than or equal to 0.1% i n carcinogen by IARC. ater than or equal to 0.1% i ater than or equal to 0.1% i
Amin phos Carcii Asses IARC IARC OSH/ NTP Repro- Produ Effect devel	es, C12-14-alkyl, re phorus sulfide (P2S nogenicity - ssment No compo- identified No compo- on OSHA No compo- identified soductive toxicity uct: ss on fertility	55) and pr : N onent of th as probab onent of th as a know : R	ropylene oxide: lot classifiable as a human carc is product present at levels grea le, possible or confirmed humar is product present at levels grea gulated carcinogens. is product present at levels grea m or anticipated carcinogen by l	inogen. ater than or equal to 0.1% i n carcinogen by IARC. ater than or equal to 0.1% i ater than or equal to 0.1% i
Amin phos Carcii Asses IARC IARC OSH/ NTP Repro Produ Effect devel Com	es, C12-14-alkyl, rephorus sulfide (P2S nogenicity - ssment No compo- identified No compo- identified No compo- identified boductive toxicity uct: s on fertility as on foetal opment	55) and pr : N onent of th as probab onent of th as a know : R	ropylene oxide: lot classifiable as a human carc is product present at levels grea le, possible or confirmed humar is product present at levels grea gulated carcinogens. is product present at levels grea m or anticipated carcinogen by l	inogen. ater than or equal to 0.1% i n carcinogen by IARC. ater than or equal to 0.1% i ater than or equal to 0.1% i
Amin phos Carcii Asses IARC IARC OSH/ NTP Repro Effect devel Effect devel Effect devel Repro Repro	es, C12-14-alkyl, rephorus sulfide (P2S nogenicity - ssment No compo- identified No compo- on OSHA No compo- identified No compo- identified soluctive toxicity uct: ts on fertility as on foetal opment	55) and pr : N onent of th as probab onent of th as a know : R : R	ropylene oxide: lot classifiable as a human carc is product present at levels grea le, possible or confirmed humar is product present at levels grea gulated carcinogens. is product present at levels grea m or anticipated carcinogen by l	inogen. ater than or equal to 0.1% i n carcinogen by IARC. ater than or equal to 0.1% i ater than or equal to 0.1% i





rsion	Revision Date:	Date of last issue: 10/18/2021	Print Date:
)	05/02/2023	Date of first issue: 10/18/2021	05/02/2023
		or on development, based on ani	mal experiments.
		action products with hexanol, phospho \$5) and propylene oxide:	orus oxide (P2O5),
	oductive toxicity -	: - Fertility -	
Asses	ssment	No toxicity to reproduction - Teratogenicity -	
		No toxicity to reproduction	
STOT	- single exposure		
Produ	uct:		
Rema	arks	: No data available	
<u>Com</u>	oonents:		
		action products with hexanol, phospho \$5) and propylene oxide:	orus oxide (P2O5),
Asses	ssment	: The substance or mixture is not c organ toxicant, single exposure.	lassified as specific target
STOT	- repeated exposu	re	
Prod	uct:		
Rema	arks	: No data available	
<u>Com</u>	<u>oonents:</u>		
		action products with hexanol, phosphc \$5) and propylene oxide:	orus oxide (P2O5),
Asses	ssment	: The substance or mixture is not c organ toxicant, repeated exposur	
Repe	ated dose toxicity		
Prod	uct:		
Rema	arks	: This information is not available.	
<u>Com</u>	oonents:		
Polys	ulfides, di-tert-Bu:		
i oiye	annaoo, ar tort Bar		





SYNGE/	AR 80W/140			
Version 2.0	Revision Date: 05/02/2023		e of last issue: 10/18/2021 e of first issue: 10/18/2021	Print Date: 05/02/2023
Aspir	ration toxicity			
<u>Prod</u> u	-			
	nformation is not availa	ble.		
Furth	er information			
Produ				
Rema	arks	:	Information given is based on data on the toxicology of similar products.	the components and
SECTION	12. ECOLOGICAL INF	OR	MATION	
Ecoto	oxicity			
Produ	uct:			
Toxic	ity to fish	:	Remarks: Harmful to aquatic organism adverse effects in the aquatic environr	
	ity to daphnia and othe iic invertebrates	r:	Remarks: No data available	
Toxic plants	ity to algae/aquatic	:	Remarks: No data available	
Toxic	ity to microorganisms	:	Remarks: No data available	
Com	ponents:			
Polys	sulfides, di-tert-Bu:			
Toxic	ity to fish	:	LC50 (Danio rerio (zebra fish)): > 0.08 Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of sole	C C
	ity to daphnia and othe tic invertebrates	r:	EL50 (Daphnia magna (Water flea)): 6 Exposure time: 48 h	i3 mg/l
Toxic plants	ity to algae/aquatic s	:	EL50 (Pseudokirchneriella subcapitata mg/l Exposure time: 72 h	a (green algae)): > 100





	AR 80W/140			
sion	Revision Date: 05/02/2023		e of last issue: 10/18/2021 e of first issue: 10/18/2021	Print Date: 05/02/2023
			Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of	solubility
	es, C12-14-alkyl, reac bhorus sulfide (P2S5		products with hexanol, phosphoru propylene oxide:	us oxide (P2O5),
Toxicit	ty to fish	:	LC50 (Pimephales promelas (fathe Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes	
	ty to daphnia and othe c invertebrates	er :	EC50 (Daphnia magna (Water flea) Exposure time: 48 h Test Type: static test GLP: yes)): 91.4 mg/l
aquati	ty to daphnia and othe c invertebrates nic toxicity)	er :	NOEC (Daphnia magna (Water flea Exposure time: 21 d	a)): 0.12 mg/l
Toxicit	ty to microorganisms	:	EC50 (activated sludge): 2,433 mg, Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 GLP: yes	
Persis	stence and degradab	ility		
<u>Produ</u>				
Biode	gradability	:	Remarks: No data available	
Physic remov	co-chemical rability	:	Remarks: No data available	
<u>Comp</u>	onents:			
-	ulfides, di-tert-Bu: gradability	:	Result: Not rapidly biodegradable Biodegradation: 13 % Exposure time: 28 d Method: OECD Test Guideline 301	





rsion)	Revision Date: 05/02/2023	Date of last issue: 10/18/2021 Date of first issue: 10/18/2021	Print Date: 05/02/2023
		tion products with hexanol, phosp and propylene oxide:	ohorus oxide (P2O5),
Biode	gradability	 Primary biodegradation Inoculum: activated sludge Result: Not rapidly biodegrada Biodegradation: 7.4 % Exposure time: 28 d Method: OECD Test Guideline 	
Bioad	ccumulative potential		
<u>Produ</u> Bioac	uct: cumulation	: Remarks: This mixture contair be persistent, bioaccumulating This mixture contains no subsi persistent and very bioaccumu	g and toxic (PBT). tance considered to be very
<u>Com</u>	oonents:		
Polys	sulfides, di-tert-Bu:		
	ion coefficient: n- ol/water	: log Pow: 5.6 (68 °F / 20 °C) pH: 7 Method: OECD Test Guideline GLP: yes	9 117
		tion products with hexanol, phosp and propylene oxide:	phorus oxide (P2O5),
•	cumulation	: Species: Oncorhynchus mykis Bioconcentration factor (BCF): Exposure time: 35 d Method: OECD Test Guideline	: 432
	ion coefficient: n- ol/water	: log Pow: > 4	
Mobi	lity in soil		
<u>Produ</u> Mobil		: Remarks: No data available	
	bution among onmental compartments	: Remarks: No data available	





Version 2.0	Revision Date: 05/02/2023	Date of last issue: 10/18/2021 Date of first issue: 10/18/2021	Print Date: 05/02/2023
Othe	r adverse effects		
Prod	uct:		
Ozon	e-Depletion Potential	Protection of Stratospheric Substances Remarks: This product ne manufactured with a Class	ction of Environment; Part 82 c Ozone - CAA Section 602 Class I ither contains, nor was s I or Class II ODS as defined by the h 602 (40 CFR 82, Subpt. A, App.A +
	ional ecological nation	: Harmful to aquatic life with	n long lasting effects.
<u>Com</u>	ponents:		
		ion products with hexanol, pl and propylene oxide:	nosphorus oxide (P2O5),
	lts of PBT and vPvB ssment	: Non-classified PBT substa	ance Non-classified vPvB substance

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
Contaminated packaging	:	Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good





Version	Revision Date:	Date of last issue: 10/18/2021	Print Date:
2.0	05/02/2023	Date of first issue: 10/18/2021	05/02/2023

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

National Regulations

49 CFR Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	No SARA Hazards
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -





Version	Revision Date:	Date of last issue: 10/18/2021	Print Date:
2.0	05/02/2023	Date of first issue: 10/18/2021	05/02/2023

Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations: UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative

Revision Date

: 05/02/2023

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

