

**CO-150**

Version	Revision Date:	Date of last issue:	Print Date:
2.0	08/08/2022	10/18/2021 Date of first issue: 10/18/2021	08/09/2022

**SECTION 1. IDENTIFICATION**

Product name : CO-150

Article-No. : 340015

**Manufacturer or supplier's details**

Company name of supplier : Klüber Lubrication NA LP  
9010 County Road 2120  
Tyler, Texas 75707  
USA  
Phone: +1 903 534-8021  
Fax: +1 903 581-4376

32 Industrial Drive  
Londonderry, NH 03053  
USA  
Phone: +1 603 647-4104  
Fax: +1 603 647-4106

E-mail address of person responsible for the SDS : mcm@us.kluber.com  
Material Compliance Management

Emergency telephone number : +1-517-545-7070 NCEC

**Recommended use of the chemical and restrictions on use**

Recommended use : Lubricating oil


Restrictions on use : Restricted to professional users.

**SECTION 2. HAZARDS IDENTIFICATION**

**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

**Reproductive toxicity : Category 2**

**GHS label elements**

Hazard pictograms : 

Signal word : Warning

Hazard statements : Suspected of damaging fertility.

**CO-150**

Version 2.0	Revision Date: 08/08/2022	Date of last issue: 10/18/2021 Date of first issue: 10/18/2021	Print Date: 08/09/2022
----------------	------------------------------	---	---------------------------

Precautionary statements : **Prevention:**  
 Obtain special instructions before use.  
 Do not handle until all safety precautions have been read and understood.  
 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
 IF exposed or concerned: Get medical advice/ attention.

**Storage:**  
 Store locked up.

**Disposal:**  
 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**  
 None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Chemical nature : Mineral oil.  
 ester oil

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	Trade secret ( $\geq 80 - \leq 100$ )
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	Trade secret ( $\geq 1 - < 5$ )
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	Trade secret ( $\geq 0.1 - < 1$ )

Actual concentration is withheld as a trade secret

**SECTION 4. FIRST AID MEASURES**

If inhaled : Obtain medical attention.  
 Remove person to fresh air. If signs/symptoms continue, get medical attention.  
 Keep patient warm and at rest.  
 If breathing is irregular or stopped, administer artificial respiration.

**CO-150**

Version 2.0	Revision Date: 08/08/2022	Date of last issue: 10/18/2021 Date of first issue: 10/18/2021	Print Date: 08/09/2022
----------------	------------------------------	---	---------------------------

- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.  
In case of contact, immediately flush skin with plenty of water.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.  
Do NOT induce vomiting.  
Rinse mouth with water.
- Most important symptoms and effects, both acute and delayed : No information available.  
None known.
- Notes to physician : No information available.

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet
- Hazardous combustion products : Carbon oxides
- Further information : Standard procedure for chemical fires.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.  
Exposure to decomposition products may be a hazard to health.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
Use personal protective equipment.  
Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Try to prevent the material from entering drains or water courses.  
Prevent further leakage or spillage if safe to do so.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for : Contain spillage, and then collect with non-combustible ab-

**CO-150**

Version 2.0	Revision Date: 08/08/2022	Date of last issue: 10/18/2021 Date of first issue: 10/18/2021	Print Date: 08/09/2022
----------------	------------------------------	---	---------------------------

containment and cleaning up sorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

**SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not get in eyes or mouth or on skin.  
Do not get on skin or clothing.

Conditions for safe storage : Store in original container.  
Keep container closed when not in use.  
Keep in a dry, cool and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Store in accordance with the particular national regulations.  
Keep in properly labelled containers.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	TWA (Inhalable particulate matter)	5 mg/m3	ACGIH (2013-03-01)
		TWA (Mist)	5 mg/m3	OSHA Z-1 (2018-03-15)
		TWA (Mist)	5 mg/m3	OSHA P0 (1989-01-19)
		TWA (Mist)	5 mg/m3	NIOSH REL (2019-10-04)
		ST (Mist)	10 mg/m3	NIOSH REL (2019-10-04)
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	TWA (Inhalable particulate matter)	5 mg/m3	ACGIH (2013-03-01)
		TWA (Mist)	5 mg/m3	OSHA Z-1 (2018-03-15)
		TWA (Mist)	5 mg/m3	OSHA P0 (1989-01-19)
		TWA (Mist)	5 mg/m3	NIOSH REL (2019-10-04)

**CO-150**

Version 2.0	Revision Date: 08/08/2022	Date of last issue: 10/18/2021 Date of first issue: 10/18/2021	Print Date: 08/09/2022
----------------	------------------------------	---	---------------------------

		ST (Mist)	10 mg/m3	NIOSH REL (2019-10-04)
--	--	-----------	----------	---------------------------

**Engineering measures** : Handle only in a place equipped with local exhaust (or other appropriate exhaust).

**Personal protective equipment**

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

Hand protection

Material : Nitrile rubber

Break through time : > 10 min

Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Eye protection : Safety glasses with side-shields

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : yellow

Odour : mild

Odour Threshold : No data available

pH : Not applicable

**CO-150**

Version 2.0	Revision Date: 08/08/2022	Date of last issue: 10/18/2021 Date of first issue: 10/18/2021	Print Date: 08/09/2022
----------------	------------------------------	---	---------------------------

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : 464 °F / 240 °C  
Method: ASTM D 92

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Self-ignition : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : < 0.001 hPa (68 °F / 20 °C)

Relative vapour density : No data available

Relative density : 0.875 (68 °F / 20 °C)  
Reference substance: Water  
The value is calculated

Bulk density : No data available

Solubility(ies)  
Water solubility : insoluble  
Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : No data available  
Viscosity, kinematic : 121 mm<sup>2</sup>/s (104 °F / 40 °C)

Explosive properties : Not explosive

Oxidizing properties : No data available

**CO-150**

Version 2.0	Revision Date: 08/08/2022	Date of last issue: 10/18/2021 Date of first issue: 10/18/2021	Print Date: 08/09/2022
----------------	------------------------------	---	---------------------------

Sublimation point : No data available

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No conditions to be specially mentioned.

Incompatible materials : No materials to be especially mentioned.

Hazardous decomposition products : No decomposition if stored and applied as directed.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

**Acute toxicity**

**Product:**

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5.53 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Method: OECD Test Guideline 402

**Distillates (petroleum), hydrotreated heavy naphthenic:**

**CO-150**

Version 2.0	Revision Date: 08/08/2022	Date of last issue: 10/18/2021 Date of first issue: 10/18/2021	Print Date: 08/09/2022
----------------	------------------------------	---	---------------------------

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5.53 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes

**Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**Skin corrosion/irritation**

**Product:**

Remarks : This information is not available.

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

**Distillates (petroleum), hydrotreated heavy naphthenic:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404



**CO-150**

Version	Revision Date:	Date of last issue: 10/18/2021	Print Date:
2.0	08/08/2022	Date of first issue: 10/18/2021	08/09/2022

Result : No skin irritation

**Serious eye damage/eye irritation**

**Product:**

Remarks : This information is not available.

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic:**

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
GLP : yes

**Distillates (petroleum), hydrotreated heavy naphthenic:**

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
GLP : yes

**Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation  
Method : OECD Test Guideline 405

**Respiratory or skin sensitisation**

**Product:**

Remarks : This information is not available.

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic:**

Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.  
GLP : yes

**Distillates (petroleum), hydrotreated heavy naphthenic:**

Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

**CO-150**

Version 2.0	Revision Date: 08/08/2022	Date of last issue: 10/18/2021 Date of first issue: 10/18/2021	Print Date: 08/09/2022
----------------	------------------------------	---	---------------------------

**Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Species : Guinea pig  
Assessment : Did not cause sensitisation on laboratory animals.  
Method : OECD Test Guideline 406  
Result : Did not cause sensitisation on laboratory animals.

**Germ cell mutagenicity**

**Product:**

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

**Components:**

**Distillates (petroleum), hydrotreated heavy naphthenic:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

**Carcinogenicity**

**Product:**

Remarks : No data available

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

**Distillates (petroleum), hydrotreated heavy naphthenic:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

**IARC** No component of this product present at levels greater than or equal to 0.1% is

**CO-150**

Version 2.0	Revision Date: 08/08/2022	Date of last issue: 10/18/2021 Date of first issue: 10/18/2021	Print Date: 08/09/2022
----------------	------------------------------	---	---------------------------

identified as probable, possible or confirmed human carcinogen by IARC.

**IARC  
OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

**Product:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic:**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction

**Distillates (petroleum), hydrotreated heavy naphthenic:**

Effects on foetal development : Species: Rat  
Application Route: Dermal  
General Toxicity Maternal: LOAEL: 125 mg/kg body weight  
Teratogenicity: NOAEL: >= 2,000 mg/kg body weight  
Developmental Toxicity: NOAEL: >= 2,000 mg/kg body weight  
Embryo-foetal toxicity: NOAEL: >= 2,000 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No effects on fertility and early embryonic development were detected.

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction  
- Teratogenicity -  
No toxicity to reproduction

**Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Reproductive toxicity - Assessment : - Fertility -  
Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

**CO-150**

Version 2.0	Revision Date: 08/08/2022	Date of last issue: 10/18/2021 Date of first issue: 10/18/2021	Print Date: 08/09/2022
----------------	------------------------------	---	---------------------------

**STOT - single exposure**

**Components:**

**Distillates (petroleum), hydrotreated heavy naphthenic:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

**STOT - repeated exposure**

**Components:**

**Distillates (petroleum), hydrotreated heavy naphthenic:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Repeated dose toxicity**

**Product:**

Remarks : This information is not available.

**Aspiration toxicity**

**Product:**

This information is not available.

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic:**

No aspiration toxicity classification

**Distillates (petroleum), hydrotreated heavy naphthenic:**

No aspiration toxicity classification

**Further information**

**Product:**

Remarks : Information given is based on data on the components and the toxicology of similar products.

---

**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

**Product:**

Toxicity to fish :  
Remarks: No data available

**CO-150**

Version	Revision Date:	Date of last issue: 10/18/2021	Print Date:
2.0	08/08/2022	Date of first issue: 10/18/2021	08/09/2022

Toxicity to daphnia and other :  
aquatic invertebrates           Remarks: No data available

Toxicity to algae/aquatic :  
plants                               Remarks: No data available

Toxicity to microorganisms :   Remarks: No data available

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic:**

Toxicity to fish                   : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l  
aquatic invertebrates       Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 10 mg/l  
aquatic invertebrates (Chron- Exposure time: 21 d  
ic toxicity)                   Test Type: semi-static test  
Method: OECD Test Guideline 211  
GLP: yes

**Distillates (petroleum), hydrotreated heavy naphthenic:**

Toxicity to fish                   : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l  
aquatic invertebrates       Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

**CO-150**

Version 2.0	Revision Date: 08/08/2022	Date of last issue: 10/18/2021 Date of first issue: 10/18/2021	Print Date: 08/09/2022
----------------	------------------------------	---	---------------------------

Toxicity to algae/aquatic plants : LC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOELR (Oncorhynchus mykiss (rainbow trout)): >= 1,000 mg/l  
Exposure time: 28 d  
Remarks: The value is calculated

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR (Daphnia magna (Water flea)): 10 mg/l  
Exposure time: 21 d  
Test Type: Reproduction Test  
Method: OECD Test Guideline 211

**Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 51 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

**Persistence and degradability**

**Product:**

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable

**CO-150**

Version 2.0	Revision Date: 08/08/2022	Date of last issue: 10/18/2021 Date of first issue: 10/18/2021	Print Date: 08/09/2022
----------------	------------------------------	---	---------------------------

Biodegradation: 3 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

**Distillates (petroleum), hydrotreated heavy naphthenic:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 3 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

**Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 1 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

**Bioaccumulative potential**

**Product:**

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic:**

Partition coefficient: n- : log Pow: > 2  
octanol/water

**Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Partition coefficient: n- : log Pow: > 5  
octanol/water

**Mobility in soil**

**Product:**

Mobility : Remarks: No data available

**CO-150**

Version 2.0	Revision Date: 08/08/2022	Date of last issue: 10/18/2021 Date of first issue: 10/18/2021	Print Date: 08/09/2022
----------------	------------------------------	---	---------------------------

Distribution among environmental compartments : Remarks: No data available

**Other adverse effects**

**Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No information on ecology is available.

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic:**

Results of PBT and vPvB assessment : Non-classified vPvB substance Non-classified PBT substance

**Distillates (petroleum), hydrotreated heavy naphthenic:**

Results of PBT and vPvB assessment : Non-classified PBT substance Non-classified vPvB substance

---

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

---

**SECTION 14. TRANSPORT INFORMATION**

**International Regulations**

**UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good



**CO-150**

Version 2.0	Revision Date: 08/08/2022	Date of last issue: 10/18/2021 Date of first issue: 10/18/2021	Print Date: 08/09/2022
----------------	------------------------------	---	---------------------------

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations**

**49 CFR**

Not regulated as a dangerous good

**SECTION 15. REGULATORY INFORMATION**

**CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Reproductive toxicity

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

**Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307

1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	68515-49-1	>= 5 - < 10 %
--	------------	---------------

This product does not contain any priority pollutants related to the U.S. Clean Water Act

**CO-150**

Version	Revision Date:	Date of last issue: 10/18/2021	Print Date:
2.0	08/08/2022	Date of first issue: 10/18/2021	08/09/2022

**US State Regulations**

**Massachusetts Right To Know**

Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5

**Pennsylvania Right To Know**

Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7
1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	68515-49-1
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5

**Maine Chemicals of High Concern**

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1
---	------------

**Vermont Chemicals of High Concern**

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1
---	------------

**Washington Chemicals of High Concern**

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1
---	------------

**New York City Hazardous Substances**

1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	68515-49-1
White mineral oil (petroleum)	8042-47-5
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0
Distillates (petroleum), hydrotreated middle	64742-46-7

**California Prop. 65**

WARNING: This product can expose you to chemicals including 1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**California List of Hazardous Substances**

1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	68515-49-1
--	------------

**California Permissible Exposure Limits for Chemical Contaminants**

Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5

**TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

**CO-150**

Version	Revision Date:	Date of last issue: 10/18/2021	Print Date:
2.0	08/08/2022	Date of first issue: 10/18/2021	08/09/2022

**SECTION 16. OTHER INFORMATION****Further information****Full text of other abbreviations**

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

**CO-150**

Version 2.0	Revision Date: 08/08/2022	Date of last issue: 10/18/2021 Date of first issue: 10/18/2021	Print Date: 08/09/2022
----------------	------------------------------	---	---------------------------

---

Revision Date : 08/08/2022

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.