SAFETY DATA SHEET



HYPAR-100

Version 1.1	Revision Date: 05/15/2023	Date of last issue: 10/19/2021 Date of first issue: 10/19/2021	Print Date: 05/16/2023				
SECTION	I 1. IDENTIFICATION						
Prod	uct name	: HYPAR-100					
Articl	e-No.	: 340048	340048				
Man	ufacturer or supplier's	s details					
Com	pany name of supplier	 Klüber Lubrication NA LP 9010 County Road 2120 Tyler, Texas 75707 USA Phone: +1 903 534-8021 Fax: +1 903 581-4376 32 Industrial Drive Londonderry, NH 03053 USA Phone: +1 603 647-4104 Fax: +1 603 647-4106 					
	ail address of person onsible for the SDS	: mcm@us.kluber.com Material Compliance Managemen	t				
Eme numl	rgency telephone per	: +1-517-545-7070 NCEC					
	ommended use of the ommended use	chemical and restrictions on use : Lubricating oil					
Rest	rictions on use	: Restricted to professional users.					

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS



Version 1.1	Revision Date: 05/15/2023	Date of last issue: 10/19/2021 Date of first issue: 10/19/2021	Print Date: 05/16/2023
Subs	tance / Mixture	: Mixture	
Cher	nical nature	: Mineral oil.	
•			

Components

Chemical name	CAS-No.	Concentration (% w/w)				
Distillates (petroleum), hydrotreated	64742-54-7	Trade secret (>= 80 - <= 100)				
heavy paraffinic						
Actual concentration is withheld as a trade secret						

SECTION 4. FIRST AID MEASURES

If inhaled	:	Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact	:	Remove contaminated clothing. If irritation develops, get medical attention. In case of contact, immediately flush skin with plenty of water.
In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. If eye irritation persists, consult a specialist.
If swallowed	:	Move the victim to fresh air. Do NOT induce vomiting. Rinse mouth with water.
Most important symptoms and effects, both acute and delayed	:	No information available. None known.
Notes to physician	:	No information available.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
Hazardous combustion products	:	Carbon oxides





Version	Revision Date:		e of last issue: 10/19/2021	Print Date:
1.1	05/15/2023		e of first issue: 10/19/2021	05/16/2023
Sp	rther information ecial protective equipment firefighters	:	Standard procedure for chemical fires. In the event of fire, wear self-contained Use personal protective equipment. Exposure to decomposition products m health.	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Evacuate personnel to safe areas. Use personal protective equipment. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Try to prevent the material from entering drains or water courses. Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product.
Conditions for safe storage	 Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components CAS-No. Value type Control Basis	Components	CAS-No.	Value type	Control	Basis
---	------------	---------	------------	---------	-------





rsion	Revision Date: 05/15/2023		e of last issue: e of first issue:		05/16	Date: /2023	
				(Form of exposure)	parameters / Permissible concentration		
	ates (petroleum), treated heavy paraffir	iic	64742-54-7	TWA (Inhalable particulate matter)	5 mg/m3	ACGIH (2013-03-01	
				TWA (Mist)	5 mg/m3	OSHA Z-1 (2018-03-15	
				TWA (Mist)	5 mg/m3	NIOSH REL (2019-10-04	
				ST (Mist)	10 mg/m3	NIOSH REL (2019-10-04	
Engir	neering measures	:	none				
	onal protective equip						
Respi	iratory protection	:	Not required;	except in case	of aerosol formatior	1.	
Fil	ter type	:	Filter type A-F	0			
Ma Br	protection aterial eak through time otective index	:	Nitrile rubber > 10 min Class 1				
Re	emarks	:	: For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.				
Eye p	protection	:	Safety glasse	s with side-shie	lds		
Skin a	and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.				
Prote	ctive measures	:		tration and amo	nent must be select ount of the dangerou		
	ne measures		Week fees h		xposed skin thoroug	ably ofter	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: liquid





	evision Date: 5/15/2023		of last issue: 10/19/2021 of first issue: 10/19/2021	Print Date: 05/16/2023
Colour		:	colourless	
Odour		:	hydrocarbon-like	
Odour Th	reshold	:	No data available	
рН		:	Not applicable	
Melting po	pint/range	:	No data available	
Boiling po	int/boiling range	:	No data available	
Flash poir	nt	:	>= 399 °F / 204 °C	
			Method: open cup	
Evaporati	on rate	:	No data available	
Flammab	ility (solid, gas)	:	Not applicable	
Self-ignition	on	:	No data available	
Upper exp flammabil	olosion limit / Upper ity limit	· :	No data available	
Lower exp flammabil	olosion limit / Lower ity limit	· :	No data available	
Vapour pr	ressure	:	< 0.001 hPa (68 °F / 20 °C)	
Relative v	apour density	:	No data available	
Relative c	lensity	:	0.866 (68 °F / 20 °C) Reference substance: Water The value is calculated	
Bulk dens	sity	:	No data available	
Solubility(Water	ies) solubility	:	insoluble	
Solubi	lity in other solvents	S :	No data available	
Partition of octanol/w	coefficient: n- ater	:	No data available	





Versior 1.1	n Revision Date: 05/15/2023	Date of last issue: 10/19/2021 Date of first issue: 10/19/2021	Print Date: 05/16/2023
Au	uto-ignition temperature	: No data available	
De	ecomposition temperature	: No data available	
	scosity Viscosity, dynamic Viscosity, kinematic plosive properties	 No data available 100 mm2/s (104 °F / 40 °C) Not explosive 	
	xidizing properties	: No data available	
Su	ublimation point	: No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No hazards to be specially mentioned.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	No conditions to be specially mentioned.
Incompatible materials	:	No materials to be especially mentioned.
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity	:	Remarks: This information is not available.
Acute inhalation toxicity	:	Remarks: This information is not available.
Acute dermal toxicity	:	Remarks: This information is not available.

Components:

Dis	stillate	s (p	etroleu	m), hydroti	reated h	nea	vy p	paraffinic	:
						<i>.</i>			

Acute oral toxicity	 LD50 (Rat): > 5,000 mg/kg
	Method: OECD Test Guideline 401





	Revision Date: 05/15/2023		e of last issue: 10/19/2021 e of first issue: 10/19/2021	Print Date: 05/16/2023
			GLP: yes	
Acute	e inhalation toxicity	:	LC50 (Rat): > 5.53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 40 Assessment: The substance or m inhalation toxicity	
Acute	e dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg Method: OECD Test Guideline 40	2
Skin	corrosion/irritation			
Prod	luct:			
Rem	arks	:	This information is not available.	
<u>Com</u>	ponents:			
Disti	llates (petroleum), h	ydrotro	eated heavy paraffinic:	
Spec	eies	:	Rabbit	
	ssment	:	No skin irritation	
Meth		:	OECD Test Guideline 404	
Resu GLP	lit		No skin irritation yes	
		•		
	ous eye damage/eye	irritati	on	
Prod				
Rem	arks	:	This information is not available.	
<u>Com</u>	ponents:			
	llata a (matualauma) ku	vdrotr	eated heavy paraffinic:	
Spec	ties	:	Rabbit	
Spec Resu	ies Ilt	:	No eye irritation	
Spec Resu Asse	ies ilt ssment	:	No eye irritation No eye irritation	
Spec Resu	ies ilt ssment	:	No eye irritation	
Spec Resu Asse Meth GLP	ies ilt ssment		No eye irritation No eye irritation OECD Test Guideline 405 yes	
Spec Resu Asse Meth GLP	ties llt ssment od biratory or skin sens		No eye irritation No eye irritation OECD Test Guideline 405 yes	



SAFETY DATA SHEET



HYPAR-100

	nt Date: /16/2023
--	----------------------

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.
GLP	:	yes

Germ cell mutagenicity

Product:

Genotoxicity in vitro	:	Remarks: No data available
Genotoxicity in vivo	:	Remarks: No data available

Carcinogenicity

Product:

Remarks	:	No data available
---------	---	-------------------

Components:

Distillates (pe Carcinogenicity Assessment	troleum), hydrotreated heavy paraffinic: y - : Not classifiable as a human carcinogen.			
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.			
IARC OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.			
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.			
Reproductive toxicity				
Product:				

Effects on fertility	:	Remarks: No data available
Effects on foetal development	:	Remarks: No data available

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:





Product: Toxicity to fish

aquatic invertebrates

ersion 1	Revision Date: 05/15/2023	Date of last issue: 10/19/2021 Date of first issue: 10/19/2021	Print Date: 05/16/2023
Repro	oductive toxicity -	: - Fertility -	
Assessment		No toxicity to reproduction	
STO	Γ - single exposure		
<u>Prod</u>	uct:		
Rema	arks	: No data available	
STO	F - repeated exposu	e	
Prod	<u>uct:</u>		
Rema	arks	: No data available	
Repe	ated dose toxicity		
Prod	uct:		
Rema	arks	: This information is not available.	
Aspi	ration toxicity		
<u>Prod</u>	uct:		
This i	information is not ava	lable.	
Com	ponents:		
	llates (petroleum), h spiration toxicity class	ydrotreated heavy paraffinic: ification	
Furth	ner information		
Prod	uct:		
Rema	arks	: Information given is based on data the toxicology of similar products.	on the components and
	12. ECOLOGICAL II	FORMATION	
	12. ECOLOGICAL II	FORMATION	





Remarks: No data available

:



rsion	Revision Date: 05/15/2023		e of last issue: 10/19/2021 e of first issue: 10/19/2021	Print Date: 05/16/2023
Toxic plants	ity to algae/aquatic s	:	Remarks: No data available	
Toxic	ity to microorganisms	:	Remarks: No data available	
<u>Com</u>	ponents:			
Distil	llates (petroleum), hyd	rotro	eated heavy paraffinic:	
Toxic	ity to fish	:	LC50 (Pimephales promelas (fat Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 2 GLP: yes	
	ity to daphnia and other tic invertebrates	• :	EC50 (Daphnia magna (Water fle Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 2 GLP: yes	
aquat	ity to daphnia and other tic invertebrates onic toxicity)	· :	NOEC (Daphnia magna (Water f Exposure time: 21 d Test Type: semi-static test Method: OECD Test Guideline 2 GLP: yes	
Persi	stence and degradabi	lity		
Prod	uct:			
Biode	egradability	:	Remarks: No data available	
	ico-chemical vability	:	Remarks: No data available	
<u>Com</u>	ponents:			
Distil	llates (petroleum), hyd	rotro	eated heavy paraffinic:	
	egradability		aerobic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 3 % Exposure time: 28 d Method: OECD Test Guideline 3	





YPAR-	100			
ersion 1	Revision Date: 05/15/2023		e of last issue: 10/19/2021 e of first issue: 10/19/2021	Print Date: 05/16/2023
			GLP: yes	
Bioad	ccumulative potential			
Prod	uct:			
Bioac	cumulation	:	Remarks: This mixture contains no subst be persistent, bioaccumulating and toxic This mixture contains no substance cons persistent and very bioaccumulating (vP	(PBT). sidered to be very
Com	oonents:			
Distil	lates (petroleum), hyd	rotr	eated heavy paraffinic:	
	ion coefficient: n- ol/water	:	log Pow: > 2	
Mobi	lity in soil			
Prod	uct:			
Mobil	ity	:	Remarks: No data available	
	bution among onmental compartments	:	Remarks: No data available	
Othe	r adverse effects			
Prod	uct:			
Ozon	e-Depletion Potential	:	Regulation: 40 CFR Protection of Environ Protection of Stratospheric Ozone - CAA Substances Remarks: This product neither contains, manufactured with a Class I or Class II C U.S. Clean Air Act Section 602 (40 CFR B).	Section 602 Class I nor was DDS as defined by the
	onal ecological nation	:	No information on ecology is available.	
<u>Com</u>	oonents:			
Distil	lates (petroleum), hyd	rotr	eated heavy paraffinic:	
	Its of PBT and vPvB	:	Non-classified vPvB substance Non-clas	sified PBT substance

assessment

Non-classified vPvB substance Non-classified PBT substance





1.1 0.5/10/2025 Date of inst issue. 10/13/2021 0.5/10/2025	Version	Revision Date:	Date of last issue: 10/19/2021	Print Date:
	1.1	05/15/2023	Date of first issue: 10/19/2021	05/16/2023

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues	:	The product should not be allowed to enter drains, water courses or the soil.
Contaminated packaging	:	Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

National Regulations

49 CFR Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	No SARA Hazards
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.





Version	Revision Date:	Date of last issue: 10/19/2021	Print Date:
1.1	05/15/2023	Date of first issue: 10/19/2021	05/16/2023

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

Full text of other abbreviations

ACGIH NIOSH REL OSHA Z-1	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA NIOSH REL / TWA		8-hour, time-weighted average Time-weighted average concentration for up to a 10-hour
NIOSH KEL/ I WA	•	workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of





Version	Revision Date:	Date of last issue: 10/19/2021	Print Date:
1.1	05/15/2023	Date of first issue: 10/19/2021	05/16/2023

Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date

: 05/15/2023

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

