

## SAFETY DATA SHEET

According to the Hazard Communication Standard, 29 CFR 1910.1200

## **RUBIAS 30**

**SDS #**: 083095

## **Section 1. Identification**

GHS product identifier : RUBIA S 30

#### Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** 

Engine oil

Supplier's details : TotalEnergies Marketing USA, Inc.

1201 Louisiana St. Suite 1800

Houston, TX 77002 Phone: 713-483-5000

ProductSafety@totalenergies.com

TotalEnergies Marketing Puerto Rico Corp Millennium Park Plaza, #15 Road 2, Suite 525

Guaynabo, P.R. 00968 Phone: 1-787-783-4625

**Emergency telephone** number (with hours of

operation)

1-866-928-0789 (For Emergencies, call CARECHEM 24/7 Domestic) 1-215-207-0061 (For Emergencies, call CARECHEM 24/7 International)

## Section 2. Hazards identification

**OSHA/HCS** status

: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture

: Not classified.

## **GHS label elements**

Signal word : No signal word.

**Hazard statements** : No known significant effects or critical hazards.

**Precautionary statements** 

Prevention: Not applicable.Response: Not applicable.Storage: Not applicable.Disposal: Not applicable.

Supplemental label

elements

: Avoid contact with skin and clothing. Wash thoroughly after handling.

**Hazards not otherwise** 

classified

: Prolonged or repeated contact may dry skin and cause irritation.

**Date of revision** : 2023/11/06 2 USA ENGLISH 1/15



**SDS #**: 083095

## Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	% (w/w)	CAS number
stillates (petroleum), hydrotreated heavy paraffinic	≥25 - ≤50	64742-54-7
Distillates (petroleum), hydrotreated light paraffinic	≤10	64742-55-8
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts	≤3	84605-29-8
O,O,O-triphenyl phosphorothioate	≤0.3	597-82-0

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

Additional information

: Mineral oil of petroleum origin. Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

## **Description of necessary first aid measures**

**Eye contact** 

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Inhalation

: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

**Skin contact** 

: Wash skin thoroughly with soap and water or use recognized skin cleanser. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion

: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

## Most important symptoms/effects, acute and delayed

## Potential acute health effects

**Eye contact** : No known significant effects or critical hazards.

**Inhalation** : No known significant effects or critical hazards.

**Skin contact**: Defatting to the skin. May cause skin dryness and irritation.

**Ingestion** : No known significant effects or critical hazards.

Over-exposure signs/symptoms

**Date of revision** : 2023/11/06 2 USA ENGLISH 2/15



**SDS #**: 083095

Eye contact : No specific data.
Inhalation : No specific data.

**Skin contact**: Adverse symptoms may include the following:

irritation dryness cracking

Ingestion : No specific data.

## Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

**Specific treatments**: No specific treatment.

**Protection of first-aiders**: Mo action shall be taken involving any personal risk or without suitable training. It may

be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

### See toxicological information (Section 11)

## Section 5. Fire-fighting measures

#### **Extinguishing media**

Suitable extinguishing

media

Unsuitable extinguishing

media

: Use dry chemical, CO<sub>2</sub>, water spray (fog) or foam.

: Do not use water jet.

Specific hazards arising from the chemical

Hazardous thermal decomposition products

: In a fire or if heated, a pressure increase will occur and the container may burst.

 éarbon monoxide carbon dioxide phosphorus oxides sulfur oxides Hydrogen sulfide Mercaptans Zinc oxides

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

 Date of revision
 : 2023/11/06
 2
 USA
 ENGLISH
 3/15



SDS#: 083095

#### **Environmental precautions**

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

**Small spill** 

: Stop leak if without risk. Move containers from spill area. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

## **Precautions for safe handling**

**Protective measures** 

**Advice on general** occupational hygiene

- : Put on appropriate personal protective equipment (see Section 8).
- : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

including any incompatibilities

Conditions for safe storage, : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

## Section 8. Exposure controls/personal protection

## **Control parameters**

Occupational exposure limits

Ingredient name	Exposure limits
vistillates (petroleum), hydrotreated heavy paraffinic	ACGIH TLV (United States, 1/2022). [Mineral Oil, pure, highly and severely refined] TWA: 5 mg/m³ 8 hours. Form: Inhalable fraction
	NIOSH REL (United States, 10/2020). [OIL MIST MINERAL]  TWA: 5 mg/m³ 10 hours. Form: Mist STEL: 10 mg/m³ 15 minutes. Form: Mist OSHA PEL (United States, 5/2018). [Oil mist, mineral]  TWA: 5 mg/m³ 8 hours.
Distillates (petroleum), hydrotreated light paraffinic	ACGIH TLV (United States, 1/2022). [Mineral Oil, pure, highly and severely refined] TWA: 5 mg/m³ 8 hours. Form: Inhalable

Date of revision 2 USA **ENGLISH** : 2023/11/06 4/15



**SDS #**: 083095

fraction

NIOSH REL (United States, 10/2020). [OIL

MIST MINERAL]

TWA: 5 mg/m³ 10 hours. Form: Mist STEL: 10 mg/m³ 15 minutes. Form: Mist OSHA PEL (United States, 5/2018). [Oil

mist, mineral]

TWA: 5 mg/m<sup>3</sup> 8 hours.

None.

Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts

O,O,O-triphenyl phosphorothioate

None.

#### **Biological exposure indices**

No exposure indices known.

### **Advisory OEL**

: Mineral oil mist: USA: OSHA (PEL) TWA 5 mg/m3, NIOSH (REL) TWA 5 mg/m3, STEL 10 mg/m3, ACGIH (TLV) TWA 5 mg/m3 (highly refined)

# Appropriate engineering controls

**Environmental exposure** controls

- : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### **Individual protection measures**

### **Hygiene measures**

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

#### **Eye/face protection**

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields.

# Skin protection Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Hydrocarbon-proof gloves

Fluorinated rubber

nitrile rubber

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

#### **Body protection**

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

## Respiratory protection

: Mone under normal use conditions. If these are not sufficient to maintain exposure below the OEL, suitable respiratory protection must be worn.

 Date of revision
 : 2023/11/06
 2
 USA
 ENGLISH
 5/15



**SDS #**: 083095

## Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature (20°C / 68°F) and pressure (1013 hPa) unless otherwise indicated

**Appearance** 

Physical state : Liquid. [Viscous]

Color : Amber.

Odor : Petroleum distillates

Odor threshold : Not available.

pH : Not available.

Melting point/freezing point : Not available.

Boiling point : Not available.

**Flash point** : Open cup: 221°C (429.8°F) [ASTM D 92]

Evaporation rate : Not available.
Flammability (solid, gas) : Not available.
Lower and upper explosive : Not available.

(flammable) limits

Vapor pressure : Mot available.

Vapor density : Not available.

 Relative density
 : Ø.882 [ASTM D 4052]

 Density
 : Ø.882 g/cm³ [15°C]

Solubility(ies)

Media	Result
water	Not soluble

Miscible with water : No.

Partition coefficient: n-

octanol/water

: Not applicable.

**Auto-ignition temperature** : Not available. **Decomposition temperature** : Not available.

Viscosity : Kinematic (40°C (104°F)): 90 mm²/s (90 cSt) [ASTM D 445]

Flow time (ISO 2431) : Not available.

**Particle characteristics** 

Median particle size : Not applicable.

## Section 10. Stability and reactivity

**Reactivity**: No specific test data related to reactivity available for this product or its ingredients.

Chemical stability: Stable under recommended storage and handling conditions (see Section 7).

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

**Conditions to avoid** : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

 Date of revision
 : 2023/11/06
 2
 USA
 ENGLISH
 6/15



**SDS #**: 083095

Incompatible materials : Strong oxidizing agents

Hazardous decomposition products

: rarbon monoxide carbon dioxide phosphorus oxides sulfur oxides Hydrogen sulfide Mercaptans Zinc oxides

## Section 11. Toxicological information

## Information on toxicological effects

## **Acute toxicity**

Product/substance	Result	Species	Dose	Exposure	Test
Distillates (petroleum),	LC50 Inhalation Dusts	Rat - Male,	>5 mg/l	4 hours	OECD 403
hydrotreated heavy paraffinic	and mists	Female			Read across
	LD50 Dermal	Rabbit - Male,	>5000 mg/kg	-	OECD 402
		Female			Read across
	LD50 Oral	Rat - Male,	>5000 mg/kg	-	OECD 401
		Female			Read across
Distillates (petroleum),	LC50 Inhalation Dusts	Rat	5.1 mg/l	4 hours	OECD 403
hydrotreated light paraffinic	and mists				
	LD50 Dermal	Rabbit	>5000 mg/kg	-	OECD 402
	LD50 Oral	Rat	>5000 mg/kg	-	OECD 420
Phosphorodithioic acid,	LC50 Inhalation Vapor	Rat - Male,	>2.3 mg/l	4 hours	OECD 403
mixed O,O-bis		Female			
(1,3-dimethylbutyl and iso-Pr)					
esters, zinc salts					
	LD50 Dermal	Rat - Male,	>2002 mg/kg	-	OECD 402
		Female			
	LD50 Oral	Rat - Male,	3.2 g/kg	-	OECD 401
	L D 50 D	Female			0505 400
O,O,O-triphenyl	LD50 Dermal	Rat - Male,	>2000 mg/kg	-	OECD 402
phosphorothioate		Female			Acute Dermal
	I D50 01	D-4 M-1-	. 40000//		Toxicity
	LD50 Oral	Rat - Male,	>10000 mg/kg	-	OECD 401
		Female			Acute Oral
					Toxicity

**Conclusion/Summary** 

: Based on available data, the classification criteria are not met.

## **Irritation/Corrosion**

Product/substance	Result	Species	Score	Exposure	Test
Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr) esters, zinc salts	Eyes - Cornea opacity	Rabbit	1.66	-	-
,	Skin - Primary dermal irritation index (PDII)	Guinea pig	4.3	-	OECD 404
O,O,O-triphenyl phosphorothioate	Eyes - Cornea opacity	Rabbit	0	-	OECD 405 Acute Eye Irritation/ Corrosion
	Skin - Edema	Rabbit	0	24 hours	OECD 404 Acute Dermal Irritation/

**Date of revision** : 2023/11/06 2 USA ENGLISH 7/15



SDS#:

083095

Skin : Based on available data, the classification criteria are not met.

Eyes : Based on available data, the classification criteria are not met.

Respiratory : Based on available data, the classification criteria are not met.

**Sensitization** 

Product/substance	Route of exposure	Species	Result
Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)	skin	Guinea pig	Not sensitizing
esters, zinc salts O,O,O-triphenyl phosphorothioate	skin	Guinea pig	Not sensitizing

Skin : Based on available data, the classification criteria are not met.Respiratory : Based on available data, the classification criteria are not met.

### **Mutagenicity**

Product/substance	Test	Experiment	Result
Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr) esters, zinc salts	OECD 474	Experiment: In vivo Subject: Mammalian-Animal	Negative
O,O,O-triphenyl phosphorothioate	OECD 471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative
	OECD 476 <i>In vitro</i> Mammalian Cell Gene Mutation Test	Experiment: In vitro Subject: Mammalian-Animal Cell: Somatic	Negative
	OECD 487 <i>In vitro</i> Micronucleus Test	Experiment: In vitro Subject: Mammalian-Animal	Negative

**Conclusion/Summary**: Based on available data, the classification criteria are not met.

Carcinogenicity

**Conclusion/Summary**: Based on available data, the classification criteria are not met.

## **Reproductive toxicity**

Product/substance	Maternal toxicity	Fertility	Development toxin	Species	Dose	Exposure
Ø,O,O-triphenyl phosphorothioate	-	Positive	Positive	Rat - Male, Female	Oral: 300 mg/kg NOAEL	-

**Conclusion/Summary**: Based on available data, the classification criteria are not met.

## **Teratogenicity**

Product/substance	Result	Species	Dose	Exposure
Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr) esters, zinc salts	S .	Rat - Male, Female	160 mg/kg NOAEL	-
O,O,O-triphenyl phosphorothioate	Negative - Oral	Rat	1000 mg/kg NOAEL	-

**Conclusion/Summary**: Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

**Conclusion/Summary**: Based on available data, the classification criteria are not met.

 Date of revision
 : 2023/11/06
 2
 USA
 ENGLISH
 8/15



lotalEnergies sps #: 083095

## Specific target organ toxicity (repeated exposure)

**Conclusion/Summary**: Based on available data, the classification criteria are not met.

**Aspiration hazard** 

Name	Result
	ASPIRATION HAZARD - Category 1 ASPIRATION HAZARD - Category 1

Conclusion/Summary : Sased on available data, the classification criteria are not met.

Information on the likely

routes of exposure

: Not available.

### Potential acute health effects

Eye contactInhalationNo known significant effects or critical hazards.No known significant effects or critical hazards.

**Skin contact**: Defatting to the skin. May cause skin dryness and irritation.

**Ingestion**: No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data.

Inhalation : No specific data.

**Skin contact**: Adverse symptoms may include the following:

irritation dryness cracking

Ingestion : No specific data.

## Delayed and immediate effects and also chronic effects from short and long term exposure

**Short term exposure** 

Potential immediate

: Not available.

effects

Potential delayed effects : Not available.

Long term exposure

Potential immediate

: Not available.

effects

Potential delayed effects : Not available.

#### Potential chronic health effects

Product/substance	Result	Species	Dose	Exposure
Phosphorodithioic acid, mixed O,O-bis	Sub-chronic NOAEL Oral	Rat - Male, Female	160 mg/kg	-
(1,3-dimethylbutyl and iso-Pr) esters, zinc salts				
O,O,O-triphenyl phosphorothioate	Sub-chronic NOAEL Oral	Rat - Male, Female	39.5 mg/kg	-

General : Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or

dermatitis.

Carcinogenicity
 Mo known significant effects or critical hazards.
 Mutagenicity
 No known significant effects or critical hazards.
 Reproductive toxicity
 No known significant effects or critical hazards.

**Date of revision** : 2023/11/06 2 USA ENGLISH 9/15



**SDS #**: 083095

## **Numerical measures of toxicity**

## **Acute toxicity estimates**

Product/substance	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	(vapors)	Inhalation (dusts and mists) (mg/ I)
₹UBIA S 30	246153.8	192307.7	N/A	N/A	N/A
Distillates (petroleum), hydrotreated light paraffinic	N/A	N/A	N/A	N/A	5.1
Phosphorodithioic acid, mixed O,O-bis	3200	2500	N/A	N/A	N/A
(1,3-dimethylbutyl and iso-Pr) esters, zinc salts O,O,O-triphenyl phosphorothioate	N/A	2500	N/A	N/A	N/A

Other information

Not available.

## Section 12. Ecological information

## **Toxicity**

Product/substance	Result	Species	Exposure	Test
Distillates (petroleum), hydrotreated heavy paraffinic	Acute EC50 >100 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours	OECD 201
	Acute EC50 >10000 mg/l	Crustaceans - Daphnia magna	48 hours	OECD 202
	Chronic NOEL >100 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours	OECD 201
	Chronic NOEL >1000 mg/l	Crustaceans - Daphnia magna	21 days	-
Distillates (petroleum), hydrotreated light paraffinic	Acute EC50 >100 mg/l	Algae - Pseudokirchnerella subcapitata	72 hours	OECD 201
	Acute EC50 >10000 mg/l Chronic NOELR 10 mg/l Chronic NOELR >1000 mg/l	Daphnia - Daphnia magna Daphnia - Daphnia magna Fish - Oncorhynchus mykiss	48 hours 21 days 21 days	OECD 202 OECD 211 -
Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr) esters, zinc salts	Acute EC50 24 mg/l	Algae - Desmodesmus subspicatus	72 hours	OECD 201
,	Acute EC50 23 mg/l Acute LC50 4.5 mg/l	Daphnia - <i>Daphnia magna</i> Fish	48 hours 96 hours	OECD 202
O,O,O-triphenyl phosphorothioate	Acute EC50 >100 mg/l	Algae - Scenedesmus quadricauda	72 hours	-
	Acute EC50 >100 mg/l Acute EC50 >100 mg/l Acute NOEC 5.6 mg/l	Daphnia - Daphnia Magna Micro-organism - Sludge Daphnia - Daphnia Magna	48 hours 3 hours 21 days	- - -

## Persistence and degradability

Product/substance	Test	Result	Dose	Inoculum
istillates (petroleum), hydrotreated heavy paraffinic	OECD 301F	31 % - Not readily - 28 days	-	Activated sludge

**Date of revision** : 2023/11/06 2 USA ENGLISH 10/15



SDS# ·

083095

			020
Product/substance	Aquatic half-life	Photolysis	Biodegradability
Distillates (petroleum)	-	-	Not readily

Aquatic nait-life	Photolysis	Biodegradability
-	-	Not readily
-	-	Not readily

#### **Bioaccumulative potential**

Product/substance	LogK <sub>ow</sub>	BCF	Potential
vistillates (petroleum), hydrotreated heavy paraffinic	>4	-	High
Phosphorodithioic acid, mixed O,O-bis	0.56	-	Low
(1,3-dimethylbutyl and iso-Pr) esters, zinc salts			
O,O,O-triphenyl phosphorothioate	-	842 to 2194	High

### **Mobility in soil**

Soil/water partition coefficient (Koc)

: Not available.

**Mobility in soil** 

: Given its physical and chemical characteristics, the product generally shows low soil mobility. The product is insoluble and floats on water. Loss by evaporation is limited

Other adverse effects

: No known significant effects or critical hazards.

## Section 13. Disposal considerations

### **Disposal methods**

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

	DOT Classification	IMDG	ICAO/IATA
UN/ID No	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-

**Date of revision** : 2023/11/06 2 USA ENGLISH 11/15



**SDS#:** 083095

Environmental	No.	No.	No.
hazards			

#### **Additional information**

Special precautions for user : Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do in the

event of an accident or spillage.

Transport in bulk according : Not available.

to IMO instruments

## Section 15. Regulatory information

**U.S. Federal regulations** : TSCA 8(a) CDR Exempt/Partial exemption: Not determined

Clean Water Act (CWA) 307: Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl

and iso-Pr) esters, zinc salts

Clean Air Act Section 112

(b) Hazardous Air **Pollutants (HAPs)**  : Not listed

Clean Air Act Section 602

**Class I Substances** 

: Not listed

**Clean Air Act Section 602** 

**Class II Substances** 

: Not listed

: Not listed

**DEA List I Chemicals** 

(Precursor Chemicals)

**DEA List II Chemicals** 

(Essential Chemicals)

: Not listed

#### **SARA 302/304**

## **Composition/information on ingredients**

No products were found.

**SARA 304 RQ** : Not applicable.

**SARA 311/312** 

Classification : HNOC - Defatting irritant

#### **Composition/information on ingredients**

Name	%	Classification
Distillates (petroleum),	≥25 - ≤50	ASPIRATION HAZARD - Category 1
hydrotreated heavy paraffinic Distillates (petroleum),	≤10	ASPIRATION HAZARD - Category 1
hydrotreated light paraffinic		,
Phosphorodithioic acid, mixed O, O-bis(1,3-dimethylbutyl and iso-	≤3	SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1
Pr) esters, zinc salts		<b>,</b>
O,O,O-triphenyl phosphorothioate	≤0.3	TOXIC TO REPRODUCTION - Category 2

**SARA 313** 

12/15 Date of revision : 2023/11/06 2 USA **ENGLISH** 



**SDS#:** 

083095

	Product name	CAS number	%
Form R - Reporting requirements	Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr) esters, zinc salts	84605-29-8	≤3
Supplier notification	Phosphorodithioic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr) esters, zinc salts	84605-29-8	≤3

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

## **State regulations**

CATALYTIC DEWAXED HEAVY; OIL MIST, MINERAL; MINERAL OIL, PETROLEUM

DISTILLATES, HYDROTREATED LIGHT PARAFFINIC

New York : None of the components are listed.

New Jersey : The following components are listed: ZINC compounds
Pennsylvania : The following components are listed: ZINC COMPOUNDS

California Prop. 65

To the best of our knowledge, this product does not contain any substances known to the State of California to cause cancer, developmental and/or reproductive harm

### International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

## **Montreal Protocol**

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals** 

Not listed.

**Inventory list** 

Australia inventory (AIIC)

Canada inventory (DSL/NDSL)

China inventory (IECSC)

**Europe inventory (EC)** 

Japan inventory

**New Zealand Inventory of Chemicals (NZIoC)** 

**Philippines inventory (PICCS)** 

**Korea inventory (KECI)** 

**Taiwan Chemical Substances Inventory (TCSI)** 

Thailand inventory

**Turkey inventory** 

**United States inventory (TSCA 8b)** 

**Vietnam inventory** 

: All components are listed or exempted.

: All components are listed or exempted.

: All components are listed or exempted.

: MI components are listed or exempted.

: Japan inventory (CSCL): Not determined. Japan inventory (ISHL): Not determined.

: All components are listed or exempted.

: All components are listed or exempted.

: All components are listed or exempted.

: Not determined.

: Not determined.

: Not determined.

: All components are listed or exempted.

: Not determined.

**Date of revision** : 2023/11/06 2 USA ENGLISH 13/15



**SDS #:** 083095

The information stated in this section relates solely to the conformity of the chemical product with the countries Inventories. The information used to confirm the inventory status of this product may be based on additional data to the chemical composition shown in Section 3. Other regulations may apply for importation or marketing authorizations.

## Section 16. Other information

## **Hazardous Material Information System (U.S.A.)**



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

### **National Fire Protection Association (U.S.A.)**



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

#### Procedure used to derive the classification

Classification	Justification
Not classified.	

#### **History**

Date of revision : 2023/11/06 previous revision date : 2021/08/26

Version : 2

**Key to abbreviations** : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973

as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available

 Date of revision
 : 2023/11/06
 2
 USA
 ENGLISH
 14/15



**SDS #**: 083095

SGG = Segregation Group UN = United Nations

References : Not available.

▼ Indicates information that has changed from previously issued version.

### **Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

**Date of revision** : 2023/11/06 2 USA ENGLISH 15/15