

SAFETY DATA SHEET

According to the Hazard Communication Standard, 29 CFR 1910.1200

NEVASTANE EP 680

SDS #: C3E1P6A30

Section 1. Identification

GHS product identifier : NEVASTANE EP 680

Relevant identified uses of the substance or mixture and uses advised against

Identified uses
Lubricant for incidental food contact

Supplier's details

: TotalEnergies Marketing USA, Inc. 1201 Louisiana St. Suite 1800 Houston, TX 77002 Phone: 713-483-5000 ProductSafety@totalenergies.com

Emergency telephone number (with hours of operation)

1-866-928-0789 (For Emergencies, call CARECHEM 24/7 Domestic) 1-215-207-0061 (For Emergencies, call CARECHEM 24/7 International)

Section 2. Hazards identification

÷

OSHA/HCS status	 This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the	: FOXIC TO REPRODUCTION - Category 2
substance or mixture	
GHS label elements	
Hazard pictograms	
Signal word	: No signal word.
Hazard statements	: 🕱 uspected of damaging fertility or the unborn child.
Precautionary statements	
Prevention	 Øbtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing and eye or face protection.
Response	: F exposed or concerned: Get medical advice or attention.
Storage	: Store locked up.
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	: Avoid contact with skin and clothing. Wash thoroughly after handling.
Hazards not otherwise classified	: Prolonged or repeated contact may dry skin and cause irritation.

Date of revision : 2023/03/31



Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Ingredient name	% (w/w)	CAS number
Penzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	≤1	68411-46-1
reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives	<1	192268-65-8

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

Additional : Mineral oil of petroleum origin Product containing mineral oil with less than 3% DMSO extract as measured by IP 346 The product is made from synthetic base oils

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: ₩ash skin thoroughly with soap and water or use recognized skin cleanser. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed			
Potential acute health effects			
Eye contact	: No known significant effects or critical hazards.		
Inhalation	: No known significant effects or critical hazards.		
Skin contact	: Defatting to the skin. May cause skin dryness and irritation.		
Ingestion	: No known significant effects or critical hazards.		
Over-exposure signs/symptoms			
Eye contact	: No specific data.		



SDS #: C3E1P6A30

Inhalation	dverse symptoms may include the following: educed fetal weight ncrease in fetal deaths keletal malformations			
Skin contact	dverse symptoms may include the following: rritation lryness cracking educed fetal weight ncrease in fetal deaths keletal malformations			
Ingestion	dverse symptoms may include the following: educed fetal weight ncrease in fetal deaths keletal malformations			
Indication of immediate me	Indication of immediate medical attention and special treatment needed, if necessary			
Notes to physician	reat symptomatically. Contact poison treatment specialist immediately if large juantities have been ingested or inhaled.			
Specific treatments	lo specific treatment.			
Protection of first-aiders	o action shall be taken involving any personal risk or without suitable training. It ma be dangerous to the person providing aid to give mouth-to-mouth resuscitation.	зy		

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use dry chemical, CO ₂ , water spray (fog) or foam.
Unsuitable extinguishing media	: Do not use water jet.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Farbon monoxide carbon dioxide Silicon Dioxide Hydrogen sulfide Mercaptans sulfur oxides phosphorus oxides nitrogen oxides
Special protective actions for fire-fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.



Section 6. Accidental release measures

Personal precautions, protec	tive equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	entainment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.



Section 8. Exposure controls/personal protection

Control	parameters

Occupational exposure limits

Ingredient name		Exposure limits		
	eaction products with 2,4,4-trime	TWA: 3 mg/m ³ Form: Respirable dust TWA: 10 mg/m ³ Form: Total dust		
reaction mass of: triphenyl derivatives	hiophosphate and tertiary butyla	ted phenyl None.		
Advisory OEL		HA (PEL) TWA 5 mg/m3, NIOSH (REL) TWA 5 mg/m3, STEL TWA 5 mg/m3 (highly refined)		
Appropriate engineering controls	local exhaust ventilation of	e dust, fumes, gas, vapor or mist, use process enclosures, other engineering controls to keep worker exposure to ow any recommended or statutory limits.		
Environmental exposure controls	they comply with the requi cases, fume scrubbers, fill	or work process equipment should be checked to ensure rements of environmental protection legislation. In some ters or engineering modifications to the process equipment e emissions to acceptable levels.		
Individual protection meas	<u>ures</u>			
Hygiene measures	eating, smoking and using Appropriate techniques sh	d face thoroughly after handling chemical products, before the lavatory and at the end of the working period. ould be used to remove potentially contaminated clothing. ng before reusing. Ensure that eyewash stations and safety vorkstation location.		
Eye/face protection	assessment indicates this gases or dusts. If contact	with an approved standard should be used when a risk is necessary to avoid exposure to liquid splashes, mists, is possible, the following protection should be worn, unless a higher degree of protection: safety glasses with side-		
Skin protection				
Hand protection	worn at all times when har necessary. Considering th during use that the gloves noted that the time to brea glove manufacturers. In th protection time of the glove	nitrile rubber		
	provided by the supplier of	tions regarding permeability and breakthrough time which are the gloves. Also take into consideration the specific local product is used, such as the danger of cuts, abrasion, and		
Body protection		nent for the body should be selected based on the task being volved and should be approved by a specialist before		
Other skin protection		any additional skin protection measures should be selected erformed and the risks involved and should be approved by a this product.		



Respiratory protection

: Ensure adequate ventilation and check that a safe, breathable atmosphere is present before entry into confined spaces. In case of insufficient ventilation, wear suitable respiratory equipment. The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.

Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature ($20^{\circ}C / 68^{\circ}F$) and pressure (1013 hPa) unless otherwise indicated

<u>Appearance</u>				
Physical state	: Liqu	Liquid. [limpid]		
Color : Colo		priess.		
Odor	: Cha	Characteristic.		
Odor threshold	: Not	Not available.		
рН	: Not	Not available.		
Melting point/freezing point	: Not	available.		
Pour point	: <mark>-</mark> ⁄21°	C (-5.8°F)		
Boiling point	: Not	: Not available.		
Flash point	: Øpen cup: 247°C (476.6°F) [Cleveland Open Cup (COC)]			
Evaporation rate	: Not available.			
Flammability (solid, gas)	: Not available.			
Lower and upper explosive (flammable) limits	: Not available.			
Vapor pressure	: Not available.			
Vapor density	: Not available.			
Relative density	: 0.884 [ISO 12185]			
Density	: 0.884 g/cm ³ [15°C]			
Solubility(ies)	:			
Media		Result		
Water		Not soluble		

Water		Not soluble
Miscible with water	:	No.
Partition coefficient: n- octanol/water	:	Not applicable.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
Viscosity	:	Kinematic (40°C (104°F)): 680 mm²/s (680 cSt) [ISO 3104]
Flow time (ISO 2431)	:	Not available.
Particle characteristics		
Median particle size		: Not applicable.

Section 10. Stability and reactivity

Reactivity		: No specific test data related to reactivity	y available for this product or its ingredients.	
Chemical stabi	lity	: Stable under recommended storage an	d handling conditions (see Section 7).	
Possibility of h reactions	azardous	: Under normal conditions of storage and	use, hazardous reactions will not occur.	
Date of revision	: 2023/03/31	2	USA ENGLISH 6	6/13



Conditions to avoid	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Incompatible materials	: No specific data.
Hazardous decomposition products	 Parbon monoxide carbon dioxide Silicon Dioxide Hydrogen sulfide Mercaptans sulfur oxides phosphorus oxides nitrogen oxides

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/substance	Result	Species	Dose	Exposure	Test
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	LD50 Oral	Rat	>5000 mg/kg	-	-
reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives	LD50 Dermal	Rat - Male, Female	>2000 mg/kg	-	OECD 402
	LD50 Oral	Rat - Male, Female	>2000 mg/kg	-	EU B.1 Acute Toxicity (Oral)

Conclusion/Summary : Based on available data, the classification criteria are not met.

Irritation/Corrosion

Product/substance	Result	Species	Score	Exposure	Test			
reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives	Eyes - Iris lesion	Rabbit	0	-	EU EU Method B.5			
	Skin - Edema	Rabbit	0	4 hours	EU B.4 Acute Toxicity: Dermal Irritation/ corrosion			
Skin	: Based on available dat	Based on available data, the classification criteria are not met.						
Eyes	: Based on available dat	a, the classificatio	n criteria are	not met.				

- Eyes
- Respiratory

: Based on available data, the classification criteria are not met.

Sensitization

Product/substance	Route of exposure	Species	Result	
reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives	skin	Guinea pig	Not sensitizing	



Skin	Based on available data,	the classification criteria are not met.	
Respiratory	Based on available data,	the classification criteria are not met.	
<u>Mutagenicity</u>			
Product/substance	Test	Experiment	Result
Feaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives	OECD 471	Experiment: In vitro Subject: Bacteria	Negative
Conclusion/Summary :	Based on available data,	the classification criteria are not met.	
Carcinogenicity			
	Based on available data,	the classification criteria are not met.	
Reproductive toxicity			
Conclusion/Summary	Based on available data,	the classification criteria are met.	
Teratogenicity			
Conclusion/Summary	: Based on available data,	the classification criteria are met.	
Specific target organ toxicity	(single exposure)		
Conclusion/Summary	: Based on available data,	the classification criteria are not met.	
Specific target organ toxicity	<u>(repeated exposure)</u>		
Conclusion/Summary	: Based on available data	, the classification criteria are not met.	
Aspiration hazard			
Conclusion/Summary	: Based on available data	, the classification criteria are not met.	
Information on the likely routes of exposure	: Not available.		
Potential acute health effects			
Eye contact	: No known significant effe	ects or critical hazards.	
Inhalation	: No known significant effe	ects or critical hazards.	
Skin contact	: Defatting to the skin. Ma	ay cause skin dryness and irritation.	
Ingestion	: No known significant effe	ects or critical hazards.	
.			
Symptoms related to the phys		logical characteristics	
Eye contact	: No specific data.		
Inhalation	: Adverse symptoms may reduced fetal weight increase in fetal deaths skeletal malformations	include the following:	
Skin contact	: Adverse symptoms may irritation dryness cracking reduced fetal weight increase in fetal deaths skeletal malformations	r include the following:	
Ingestion	: Adverse symptoms may reduced fetal weight increase in fetal deaths skeletal malformations	include the following:	

Delayed and immediate effects and also chronic effects from short and long term exposure

Date of revision : 2023/03/31 2 USA ENGLISH 8/13
--



Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
<u>Long term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.

Potential chronic health effects

Product/substance	Result	Species	Dose	Exposure		
Peaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives	Sub-chronic NOAEL Oral	Rat - Male, Female	50 mg/kg	13 weeks; 7 days per week		
General	: Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.					
Carcinogenicity	: No known significant effects or critical hazards.					
Mutagenicity	: No known significant effects or critical hazards.					
Reproductive toxicity	: Suspected of damaging fer	ility or the unborn o	child.			

Numerical measures of toxicity

Acute toxicity estimates

Product/substance	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	(vapors)	Inhalation (dusts and mists) (mg/ I)
eaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives	2500	2500	N/A	N/A	N/A

Other information

Not available.

Section 12. Ecological information

2

Toxicity

Product/substance	Result	Species	Exposure	Test
reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives	Acute EC50 >100 mg/l	Algae - Scenedesmus subspicatu	72 hours	OECD 201
	Acute EC50 >100 mg/l Chronic NOEC 5.5 mg/l	Daphnia - Daphnia magna Daphnia - Daphnia magna	48 hours 21 days	OECD 202 OECD 211

Persistence and degradability

Product/substance	Aquatic half-life	Photolysis	Biodegradability
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	-	-	Not readily

Date of revision	: 2023/03/31	2	USA	ENGLISH	9/13



Bioaccumulative potential

Product/substance	LogK _{ow}	BCF	Potential
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives	5.1 4.8 to 8.8	1730 842 to 2194	high high

Mobility in soil

Soil/water partition coefficient (Koc)	: Not available.
Mobility in soil	: Given its physical and chemical characteristics, the product generally shows low soil mobility The product is insoluble and floats on water Loss by evaporation is limited

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	IMDG	ICAO/IATA
UN/ID No	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.

Additional information



SDS #: C3E1P6A30

 Special precautions for user
 : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

 Transport in bulk according to IMO instruments
 : Not available.

Section 15. Regulatory information

S. Federal regulations		AIR: diphenylamine; Siloxanes and Silicones, di-Me
	TSCA 8(a) C	DR Exempt/Partial exemption: Not determined
Clean Air Act Section 112 b) Hazardous Air Pollutants (HAPs)	: Not listed	
Clean Air Act Section 602 Class I Substances	: Not listed	
Clean Air Act Section 602 Class II Substances	: Not listed	
DEA List I Chemicals Precursor Chemicals)	: Not listed	
DEA List II Chemicals Essential Chemicals)	: Not listed	
ARA 302/304		
Composition/information of	on ingredients	
No products were found.		
SARA 304 RQ	: Not applicabl	le.
SARA 311/312		
Classification	: P OXIC TO RE HNOC - Defat	PRODUCTION - Category 2 ting irritant
Composition/information of	on ingredients	
Name	%	Classification
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	≤1	TOXIC TO REPRODUCTION - Category 2
reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives	<1	TOXIC TO REPRODUCTION - Category 2

Massachusetts	: The following components are listed: OIL MIST, MINERAL
New York	: None of the components are listed.
New Jersey	: ₱ following components are listed: MINERAL OIL (UNTREATED and MILDLY TREATED)
Pennsylvania	: None of the components are listed.

California Prop. 65

To the best of our knowledge, this product does not contain any substances known to the State of California to cause cancer, developmental and/or reproductive harm

International regulations

Date of revision : 2023/03/31	2	USA	ENGLISH	11/13
-------------------------------	---	-----	---------	-------



Chemical Weapon Convention List Schedules I, II Not listed.	& III Chemicals
Montreal Protocol Not listed.	
Stockholm Convention on Persistent Organic Pol Not listed.	llutants
Rotterdam Convention on Prior Informed Consen Not listed.	<u>t (PIC)</u>
UNECE Aarhus Protocol on POPs and Heavy Meta Not listed.	<u>als</u>
Inventory list	
Australia inventory (AIIC)	: 🕅 components are listed, exempted, or notified.
Canada inventory (DSL/NDSL)	: 🕅 components are listed or exempted.
China inventory (IECSC)	: 🕅 components are listed or exempted.
Europe inventory (EC)	: 🕅 components are listed or exempted.
Japan inventory	 Japan inventory (CSCL): All components are listed or exempted. Japan inventory (ISHL): At least one component is not listed.
New Zealand Inventory of Chemicals (NZIoC)	: Not determined.
Philippines inventory (PICCS)	: At least one component is not listed.
Korea inventory (KECI)	: Not determined.
Taiwan Chemical Substances Inventory (TCSI)	: 🕅 components are listed or exempted.
Thailand inventory	: At least one component is not listed.
Turkey inventory	: 🗚 least one component is not listed.
United States inventory (TSCA 8b)	: All components are listed or exempted.
Vietnam inventory	: Not determined.

The information stated in this section relates solely to the conformity of the chemical product with the countries Inventories. The information used to confirm the inventory status of this product may be based on additional data to the chemical composition shown in Section 3. Other regulations may apply for importation or marketing authorizations.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)





Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Procedure used to derive the classification

Classification		Justification	
VOXIC TO REPRODUCTION - Category 2		Calculation method	
History			
Date of revision	: 2023/03/31		
previous revision date	: 2022/05/10		
Version	: 2		
Key to abbreviations	IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition co MARPOL = International Convention for the Preven	Acute Toxicity Estimate Bioconcentration Factor Globally Harmonized System of Classification and Labelling of Chemicals International Air Transport Association Intermediate Bulk Container = International Maritime Dangerous Goods w = logarithm of the octanol/water partition coefficient OL = International Convention for the Prevention of Pollution From Ships, 1973 dified by the Protocol of 1978. ("Marpol" = marine pollution) Not available = Segregation Group	
References	: Not available.		

✓ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.