

SAFETY DATA SHEET

According to the Hazard Communication Standard, 29 CFR 1910.1200

CARTER EP 150

SDS # : 083094

Section 1. Identification

GHS product identifier : CA	ARTER EP 150
-----------------------------	--------------

Relevant identified uses of the substance or mixture and uses advised against

dentified uses	
ndustrial gear oil	

Supplier's details

: TotalEnergies Marketing USA, Inc. 1201 Louisiana St. Suite 1800 Houston, TX 77002 Phone: 713-483-5000 ProductSafety@totalenergies.com

Emergency telephone number (with hours of operation)

1-866-928-0789 (For Emergencies, call CARECHEM 24/7 Domestic) 1-215-207-0061 (For Emergencies, call CARECHEM 24/7 International)

Section 2. Hazards identification

ŝ

: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
: Not classified.
: No signal word.
: No known significant effects or critical hazards.
: Not applicable.
: Avoid contact with skin and clothing. Wash thoroughly after handling.
: Prolonged or repeated contact may dry skin and cause irritation.



Section 3. Composition/information on ingredients

Substance/mixture	1.1	Mixture
-------------------	-----	---------

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

Additional : Mineral oil of petroleum origin Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Wash skin thoroughly with soap and water or use recognized skin cleanser. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed				
Potential acute health effect				
Eye contact	No known significant effects or critical hazards.			
Inhalation	No known significant effects or critical hazards.			
Skin contact	Defatting to the skin. May cause skin dryness and irritation.			
Ingestion	No known significant effects or critical hazards.			
Over-exposure signs/symp	<u>s</u>			
Eye contact	No specific data.			
Inhalation	No specific data.			
Skin contact	Adverse symptoms may include the following: irritation dryness cracking			
Ingestion	No specific data.			
Indication of immediate medical attention and special treatment needed, if necessary				
Notes to physician	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.			
Specific treatments	No specific treatment.			
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training. be dangerous to the person providing aid to give mouth-to-mouth resuscitation.			



SDS # : 083094

See toxicological information (Section 11)

Section 5. Fire-fighting measures		
Extinguishing media		
Suitable extinguishing media	: Use dry chemical, CO ₂ , water spray (fog) or foam.	
Unsuitable extinguishing media	: Do not use water jet.	
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.	
Hazardous thermal decomposition products	: carbon monoxide carbon dioxide Mercaptans Silicon Dioxide Hydrogen sulfide nitrogen oxides sulfur oxides phosphorus oxides	
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.	
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.	

Section 6. Accidental release measures

Personal precautions, protect	tive equipment and emergency procedures	
For non-emergency personnel	: No action shall be taken involving any personal risk or Evacuate surrounding areas. Keep unnecessary and entering. Do not touch or walk through spilled materia Provide adequate ventilation. Wear appropriate respir inadequate. Put on appropriate personal protective eq	unprotected personnel from I. Avoid breathing vapor or mist. ator when ventilation is
For emergency responders	: If specialized clothing is required to deal with the spilla Section 8 on suitable and unsuitable materials. See al emergency personnel".	
Environmental precautions	: Avoid dispersal of spilled material and runoff and conta and sewers. Inform the relevant authorities if the prod pollution (sewers, waterways, soil or air).	
Methods and materials for co	ntainment and cleaning up	
Small spill	: Stop leak if without risk. Move containers from spill are if water-soluble. Alternatively, or if water-insoluble, abs place in an appropriate waste disposal container. Disp disposal contractor.	sorb with an inert dry material and
Large spill	: Stop leak if without risk. Move containers from spill are water courses, basements or confined areas. Wash s plant or proceed as follows. Contain and collect spillag absorbent material e.g. sand, earth, vermiculite or diat container for disposal according to local regulations (se licensed waste disposal contractor. Note: see Section information and Section 13 for waste disposal.	pillages into an effluent treatment ge with non-combustible, omaceous earth and place in ee Section 13). Dispose of via a
Date of revision : 2022/11/14	1	USA ENGLISH 3/11



SDS # : 083094

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene		Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities		Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters		
Occupational exposure limits	<u>s</u>	
None.		
Advisory OEL	:	Mineral oil mist: USA: OSHA (PEL) TWA 5 mg/m3, NIOSH (REL) TWA 5 mg/m3, STEL 10 mg/m3, ACGIH (TLV) TWA 5 mg/m3 (highly refined)
Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measure	<u>)</u>	
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.



		Hydrocarbon-proof gloves Fluorinated rubber nitrile rubber Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	None under normal use conditions. If these are not sufficient to maintain exposure below the OEL, suitable respiratory protection must be worn.

Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature (20°C / 68°F) and pressure (1013 hPa) unless otherwise indicated

<u>Appearance</u>				
Physical state	: L	Liquid.		
Color	: d	ark amber		
Odor	: C	Dily.		
Odor threshold	: N	lot available.		
рН	: N	lot available.		
Melting point/freezing point	: N	lot available.		
Boiling point	: N	lot available.		
Flash point	: C	0pen cup: 254°C (489.2°F) [Cleveland Open Cup (COC)]		
Evaporation rate	: N	lot available.		
Flammability (solid, gas)	: N	lot available.		
Lower and upper explosive (flammable) limits	: N	lot available.		
Vapor pressure	: N	lot available.		
Vapor density	: N	lot available.		
Relative density	: 0	.884 [ASTM D 4052]		
Density	: 0	.884 g/cm³ [15°C]		
Solubility(ies)	:			
Media		Result		
water		Not soluble		
Miscible with water	: N	lo.		
Partition coefficient: n- octanol/water	: N	lot applicable.		
Auto-ignition temperature	: N	lot available.		
Decomposition temperature	: N	lot available.		
Viscosity	: K	(inematic (40°C (104°F)): 150 mm²/s (150 cSt) [ASTM D 445]		
Flow time (ISO 2431)	: N	lot available.		
Particle characteristics				

Date of revision : 2022/11/14



SDS #: 083094

Median	particle	size

: Not applicable.

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Incompatible materials	: No specific data.
Hazardous decomposition products	: carbon monoxide carbon dioxide Mercaptans Silicon Dioxide Hydrogen sulfide nitrogen oxides sulfur oxides phosphorus oxides

Section 11. Toxicological information

Information on t	oxicological	<u>effects</u>				
Acute toxicity Conclusion/S	ummary	: Based on available data, the classification criteria are not met.				
Irritation/Corro	<u>sion</u>					
Skin		: Based on available data, the classification criteria are not met.				
Eyes		: Based on available data, the classification criteria are not met.				
Respiratory		: Based on available data, the classification criteria are not met.				
Sensitization						
Skin		: Based on available data, the classification criteria are not met.				
Respiratory		: Based on available data, the classification criteria are not met.				
Mutagenicity						
Conclusion/S	ummary	: Based on available data, the classification criteria are not met.				
Carcinogenicit	X					
Conclusion/S	ummary	: Based on available data, the classification criteria are not met.				
Reproductive t	<u>oxicity</u>					
Conclusion/S	ummary	: Based on available data, the classification criteria are not met.				
Teratogenicity						
Conclusion/S	ummary	: Based on available data, the classification criteria are not met.				
Specific target	organ toxicit	t <u>y (single exposure)</u>				
Conclusion/S	ummary	: Based on available data, the classification criteria are not met.				
Specific target	Specific target organ toxicity (repeated exposure)					
Conclusion/S	ummary	: Based on available data, the classification criteria are not met.				
Date of revision	: 2022/11/14	1	USA			



Aspiration hazard Conclusion/Summary	: Based on available data, the classification criteria are not met.
Information on the likely routes of exposure	: Not available.
Potential acute health effects	<u>5</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: Defatting to the skin. May cause skin dryness and irritation.
Ingestion	: No known significant effects or critical hazards.
Symptoms related to the phy	vsical, chemical and toxicological characteristics
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation dryness cracking
Ingestion	: No specific data.
	cts and also chronic effects from short and long term exposure
Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
<u>Long term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health eff	ects
Not available.	
General	: Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.
Numerical measures of toxic	<u>ity</u>

Acute toxicity estimates



SDS #: 083094

Section 12. Ecological information

Toxicity

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

<u>Mobility in soil</u>	
Soil/water partition coefficient (Koc)	: Not available.
Mobility in soil	: Given its physical and chemical characteristics, the product generally shows low soil mobility The product is insoluble and floats on water Loss by evaporation is limited
Other adverse effects	: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	IMDG	ICAO/IATA
UN/ID No	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.

Additional information

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Date of revision	: 2022/11/14	1 US	SA	ENGLISH	8/11



SDS #: 083094

Transport in bulk according : Not available. to IMO instruments

J.S. Federal regulations	 TSCA 8(a) PAIR: Phosphoric acid, 2-ethylhexyl ester; Siloxanes and Silicones, di-Me TSCA 8(a) CDR Exempt/Partial exemption: Not determined Clean Water Act (CWA) 307: toluene Clean Water Act (CWA) 311: toluene
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Listed
Clean Air Act Section 602 Class I Substances	: Not listed
Clean Air Act Section 602 Class II Substances	: Not listed
DEA List I Chemicals (Precursor Chemicals)	: Not listed
DEA List II Chemicals (Essential Chemicals)	: Not listed
<u>SARA 302/304</u>	
Composition/information c	on ingredients
No products were found.	
SARA 304 RQ	: Not applicable.
SARA 311/312	
Classification	: HNOC - Defatting irritant
Composition/information c	on ingredients
No products were found.	
State regulations	
Massachusetts	: The following components are listed: OIL MIST, MINERAL; MINERAL OIL, PETROLEUM PARAFFIN OILS, CATALYTIC DEWAXED HEAVY
New York	: None of the components are listed.
New Jersey	: None of the components are listed.
Pennsylvania	: None of the components are listed.
	et can expose you to Toluene, which is known to the State of California to cause birth active harm. For more information go to www.P65Warnings.ca.gov.
International regulations Chemical Weapon Convent	ion List Schedules I, II & III Chemicals
Not listed.	
Montreal Protocol Not listed.	
Stockholm Convention on Not listed.	Persistent Organic Pollutants




Rotterdam Convention on Prior Informed Consent (PIC) Not listed.					
UNECE Aarhus Protocol on POPs and Heavy Metals					
Not listed.					
Inventory list					
Australia inventory (AIIC)	: Not determined.				
Canada inventory (DSL/NDSL)	: All components are listed or exempted.				
China inventory (IECSC)	: All components are listed or exempted.				
Europe inventory (EC)	: All components are listed or exempted.				
Japan inventory	 Japan inventory (CSCL): At least one component is not listed. Japan inventory (ISHL): Not determined. 				
New Zealand Inventory of Chemicals (NZIoC)	: All components are listed or exempted.				
Philippines inventory (PICCS)	: All components are listed or exempted.				
Korea inventory (KECI)	: Not determined.				
Taiwan Chemical Substances Inventory (TCSI)	: Not determined.				
Thailand inventory	: Not determined.				
Turkey inventory	: Not determined.				
United States inventory (TSCA 8b)	: All components are listed or exempted.				
Vietnam inventory	: Not determined.				

The information stated in this section relates solely to the conformity of the chemical product with the countries Inventories. The information used to confirm the inventory status of this product may be based on additional data to the chemical composition shown in Section 3. Other regulations may apply for importation or marketing authorizations.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)





Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Procedure used to derive the classification

	Classification	Justification
Not classified.		
<u>History</u>		·
Date of revision	: 2022/11/14	
Date of previous revision	: No previous validation	
Version	: 1	
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification a IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coeffi MARPOL = International Convention for the Prevention as modified by the Protocol of 1978. ("Marpol" = marine N/A = Not available SGG = Segregation Group UN = United Nations	icient of Pollution From Ships, 1973
References	: Not available.	

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

1