

SAFETY DATA SHEET

According to the Hazard Communication Standard, 29 CFR 1910.1200

SDS #: 084009

TRANS. MDL NA 85W-140

Date of the previous version: 2015-09-21

Revision Date: 2015-10-13

Version 4.02

1. IDENTIFICATION			
Product identifier			
Product name	TRANS. MDL NA 85W-140		
Other means of identification			
Product Code(s)	084009		
Number Substance/mixture	5YP Mixture		
Recommended use of the chemical and restrictions on use			
Identified uses	Gear oil. Transmission fluid.		
Uses advised against	Do not use for any purpose other than the one for which it is intended		
Details of the supplier of the safety data sheet			
Supplier Address	TOTAL Specialties USA Inc 1201 Louisiana Street, Suite 1800 Houston, TX 77002 Phone: +1 800 323 3198		
Contact Point	Technical/ HSEQ		
E-mail Address	USRMLIN-info@total.com		
Emergency telephone number Company Phone Number Emergency telephone 2. HAZARDS IDENTIFICATIO	+1 (908) 862-9300 CHEMTREC: +1 800 424 9300 (24h)		

Classification

Serious eye damage/eye irritation - Category 2B

Label elements

WARNING

Causes eye irritation



TRANS. MDL NA 85W-140

Date of the previous version: 2015-09-21

Revision Date: 2015-10-13

Version 4.02

Precautionary Statements - Prevention

Wash hands and face thoroughly after handling

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Unknown Acute Toxicity Not applicable Hazards not otherwise classified (HNOC) None known Other information Physical-Chemical Properties Contaminated surfaces will be extremely slippery. Environmental properties Should not be released into the environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
phosphoric acid esters, amine salts	^	1 - 5
1-Propene,2-Methyl-,sulfurized	68511-50-2	1-5

* The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE. Take off contaminated clothing and shoes immediately. Do not get in eyes, on skin, or on clothing.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, consult a specialist. Check for and remove any contact lenses. Rinse immediately with plenty of water and seek medical advice.
Skin contact	Remove contaminated clothing and shoes. Wash off with soap and water. Wash contaminated clothing before reuse. Wash off immediately with plenty of water for at least 15 minutes.
Inhalation	Move to fresh air. Inhalation of high concentrations of vapor or aerosols may cause irritation of the upper respiratory tract.



SDS #: 084009	TRANS. ME	DL NA 85W-140	
Date of the previous version: 201	5-09-21	Revision Date: 2015-10-13	Version 4.02
Ingestion		duce vomiting - seek medical advice. Rinse n n unconscious person. If symptoms persist, c e, lie down.	
Most important symptoms/effects,	acute and delayed		
Skin contact	Causes mild skin irritat	ion. Prolonged contact may cause redness a	nd irritation.
Eye contact	Causes eye irritation.		
Inhalation	Not classified. Inhalation system.	on of vapors in high concentration may cause	irritation of respiratory
Ingestion	Not classified. Ingestio diarrhea.	n may cause gastrointestinal irritation, nause	a, vomiting and
Symptoms	Symptoms of overexpo Itching.	osure may be headache, dizziness, tiredness,	nausea and vomiting.
Indication of immediate medical at	tention and special trea	tment needed, if necessary	
Notes to physician	Treat symptomatically.		
5. FIRE-FIGHTING MEASUR	ES		
Suitable Extinguishing Media	Foam. Carbon dioxide	(CO 2). Water spray. Dry powder. ABC powder	er.
Unsuitable Extinguishing Media	Do not use a solid wate	er stream as it may scatter and spread fire.	
Special Hazard	carbon monoxide, carb	n and thermolysis may produce gases of vary oon dioxide, various hydrocarbons, aldehydes inhaled in confined spaces or at high concen	and soot. These may
Explosion Data			
Sensitivity to Mechanical Impact Sensitivity to Static Discharge	None. None.		
Protective Equipment and Precautions for Firefighters		f-contained breathing apparatus pressure-de tt) and full protective gear. Evacuate non-ess	

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

General Information	Ensure adequate ventilation. For personal protection see section 8. Keep non-involved personnel away from the area of spillage. Do not touch or walk through spilled material. Avoid breathing vapors or mists. Contaminated surfaces will be extremely slippery.
Other information	See Section 12 for additional information.
Environmental precautions	



SDS # : 084009	TRAN	S. MDL NA 85W-140	
Date of the previous version:	2015-09-21	Revision Date: 2015-10-13	Version 4.02
General Information	basements or cannot be cor	er leakage or spillage if safe to do so. Prevent entry int confined areas. Local authorities should be advised if ntained. Do not allow material to contaminate ground w laterial from entering drains or water courses.	f significant spillages
Methods and materials for con	ntainment and clean	ing up	
Methods for cleaning up	material. Con sand, earth, d	ble, closed containers for disposal. Dam up. Soak up v tain spillage, and then collect with non-combustible ab liatomaceous earth, vermiculite) and place in containe onal regulations (see section 13).	osorbent material, (e.g.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.
Prevention of fire and explosion	Take precautionary measures against static discharges: Ground/bond containers, tanks and transfer/receiving equipment.
Hygiene measures	Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Wash hands and face before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets. When using, do not eat, drink or smoke. Use personal protective equipment as required. Wash hands before breaks and at the end of workday. Avoid breathing vapors, mist or gas. Avoid prolonged and repeated contact with the skin, especially with used or waste product. Regular cleaning of equipment, work area and clothing is recommended.
Conditions for onfo storens, includ	

Conditions for safe storage, including any incompatibilities

Technical measures/Storage
conditionsKeep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep
container tightly closed. Keep preferably in the original container. Otherwise reproduce all
indication of the regulation label on the new container. Do not remove the hazard labels of
the containers (even if they are empty). Design the installations in order to avoid accidental
emissions of product (due to seal breakage, for example) onto hot casings or electrical
contacts. Protect from frost, heat and sunlight. Protect from moisture. Keep in properly
labeled containers.

Materials to Avoid

Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters



SDS #: 084009	TRANS. M	DL NA 85W-140	
Date of the previous version: 207	15-09-21	Revision Date: 2015-10-13	Version 4.02
Exposure limits	Mineral oil mist: USA: OSHA (PEL) T (TLV) TWA 5 mg/m³	WA 5 mg/m³, NIOSH (REL) TWA 5 mg/m³, S (highly refined).	STEL 10 mg/m³, ACGIH
Exposure controls			
Engineering Measures	confined spaces (tan	sures to comply with the occupational exposit ks, containers, etc.), ensure that there is a sign he recommended equipment.	
Individual protection measures, s	uch as personal protec	ctive equipment	
General Information	Protective engineerin protective equipment	ng solutions should be implemented and in us is considered.	se before personal
Eye/Face Protection	If splashes are likely	to occur, wear:. Safety glasses with side-shi	elds.
Skin and body protection	Wear suitable protec	tive clothing. Protective shoes or boots. Long	g sleeved clothing.
Hand Protection	instructions regarding supplier of the gloves	loves. Fluorinated rubber. Nitrile rubber. Plea g permeability and breakthrough time which a s. Also take into consideration the specific loo such as the danger of cuts, abrasion, and the	are provided by the cal conditions under which
Respiratory protection	experienced, NIOSH Positive-pressure su	normal usage. If exposure limits are exceed /MSHA approved respiratory protection shou oplied air respirators may be required for hig piratory protection must be provided in accor	ıld be worn. h airborne contaminant
Hygiene measures	contact with the prod handling the product, that have been conta workwear pockets. W equipment as require breathing vapors, mis	on of strict rules of hygiene by the personnel uct. Wash hands and face before breaks and . Do not use abrasives, solvents or fuels. Do iminated with product. Do not put product co /hen using, do not eat, drink or smoke. Use p ed. Wash hands before breaks and at the end st or gas. Avoid prolonged and repeated con or waste product. Regular cleaning of equipr inded.	d immediately after not dry hands with rags ntaminated rags into personal protective d of workday. Avoid tact with the skin,

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties



TRANS. MDL NA 85W-140

Date of the previous version: 2015-09-21

Revision Date: 2015-10-13

Version 4.02

Color Physical State @20°C Odor Odor Threshold		amber liquid Hydrocarbon-like No information available	
<u>Property</u> pH Melting point/range	<u>Values</u>	<u>Remarks</u> Not applicable No information available	<u>Method</u>
Boiling point/boiling range		Not applicable	
Flash point	210 - 300 °C 435 - 572 °F		ASTM D 93 ASTM D 93.
Evaporation rate Flammability Limits in Air upper Lower Vapor Pressure Vapor density Relative density Density Water solubility Solubility in other solvents logPow Autoignition temperature Decomposition temperature	- - 0.855 - 0.905 855 - 905 kg/m ³ 353 mm2/s	No information available No information available No information available No information available No information available @ 15 °C @ 15 °C Insoluble No information available No information available Not applicable No information available @ 40 °C	ASTM D 445
Explosive properties Oxidizing Properties Possibility of hazardous reactions <u>Other information</u>	Not explosive Not applicable Not applicable		
Freezing Point		No information available	
Pour point	-20 °C		ASTM D 97

Reactivity	None under normal processing.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to Avoid	Heat, flames and sparks. Take precautionary measures against static discharges. Heat (temperatures above flash point), sparks, ignition points, flames, static electricity. Strong oxidizing agents.
Incompatible Materials	Strong oxidizing agents.



TRANS. MDL NA 85W-140

Date of the previous version: 2015-09-21

Revision Date: 2015-10-13

Version 4.02

<u>Hazardous Decomposition Products</u> Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

Information on likely routes of exposure

Principle Routes of Exposure Inhalation, Ingestion, Eye contact, Skin contact.

Numerical measures of toxicity

No information available

Information on toxicological effects

Symptoms	Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Itching.
Skin contact	Causes mild skin irritation. Prolonged contact may cause redness and irritation.
Eye contact	Causes eye irritation.
Inhalation	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Ingestion	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Serious eye damage/eye irritation	Irritating to eyes.
Sensitization	Not classified as a sensitizer.
Carcinogenicity	This product is not classified carcinogenic.

Mutagenicity	This product is not classified as mutagenic.
Reproductive toxicity	This product does not present any known or suspected reproductive hazards.
Aspiration Hazard	No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

May cause long lasting harmful effects to aquatic life Harmful to aquatic life

Page 7/11



TRANS. MDL NA 85W-140

Date of the previous version: 2015-09-21

Revision Date: 2015-10-13

Version 4.02

Acute aquatic toxicity - Product Information

No experimental data available

Acute aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates	Toxicity to microorganisms
1-Propene,2-Methyl-,sulfuriz ed 68511-50-2		LC50 (96h) 250 - 500 mg/l (Pimephales promelas)	EC50(48h) > 1000 mg/l (Daphnia magna)	

Chronic aquatic toxicity - Product Information

No experimental data available

Chronic aquatic toxicity - Component Information

No information available

- Effects on terrestrial organisms No experimental data available .
- Persistence and degradability
- General Information No information available.
- **Bioaccumulative potential**
- Product InformationNo information available.logPowNo information availableComponent InformationNo information available.

<u>Mobility</u>

Soil Other adverse effects

General Information

No information available

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods

Dispose of in accordance with local regulations.



TRANS. MDL NA 85W-140

Date of the previous version: 2015-09-21

Revision Date: 2015-10-13

Version 4.02

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

DOT	Not regulated
TDG	Not regulated
MEX	Not regulated
ICAO/IATA	Not regulated
IMDG/IMO	Not regulated
ADR/RID	Not regulated
ADN	Not regulated

15. REGULATORY INFORMATION

International Inventories All the substances contained in this product are listed or exempted from listing in the following inventories: U.S.A. (TSCA)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories	
Acute Health Hazard	Yes
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).



TRANS. MDL NA 85W-140

Date of the previous version: 2015-09-21

Revision Date: 2015-10-13

Version 4.02

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

No information available

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazard 1	Flammability 1	Instability 0	Physical and chemical
<u>HMIS</u>	Health Hazard 1	Flammability 1	Physical Hazard 0	hazards - Personal protection X

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System) Hazards are split into categories each with a 0 to 4 rating, 0 meaning no hazard and 4 meaning high hazard

Revision Date: Revision Note Abbreviations, acronyms 2015-10-13 (M)SDS sections updated 2 3 4 15 16



TRANS. MDL NA 85W-140

Date of the previous version: 2015-09-21

Revision Date: 2015-10-13

Version 4.02

Section 8

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH - National Institute for Occupational Safety and Health TLV - Threshold Limit Values PEL - Permissible Exposure Limits IDHL - Immediately Dangerous to Life or Health concentrations TWA - Time Weight Average STEL - Short Term Exposure Limits S* - Skin notation TSCA - Toxic Substance Control Act

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet